

Editorial

- 565 Den Nerven möglichst nahe kommen – Wissen? Fühlen? Messen? Sehen!
H. Wulf

Übersicht

- 567 Clonidin in der Kinderanästhesie
D. Huber, F.-J. Kretz

Originalien

- 576 Ultraschallgestützte Blockade der Regio colli lateralis zur Karotis-Chirurgie – eine Fallserie
F. Kefalianakis, T. Koeppel, G. Geldner, J. Gahlen
- 582 Der Einfluss des kontinuierlich positiven Atemwegsdruckes (CPAP) auf die Blutflussgeschwindigkeit im venösen Leberstromgebiet – duplexsonographische Untersuchungen
M. Scheffler, V. Klingmüller, M. Born, C. Pistofidou, G. Hempelmann

Fallbericht

- 588 Erworbenes einseitiges Lobarempysem von Frühgeborenen – eine erfolgreiche Behandlung mit selektiver Intubation und einseitiger Hochfrequenzventilation
J. Kaufmann, A. von Knoop, A. Kribs, B. Roth

Mini-Symposium

- 592 **IX. Interdisziplinäres CPA-Symposium: Optimierung des O₂-Angebots (Teil I)**
F. Mertzlufft, F. Bach, W. Schaffartzik (Hrsg.)
- 597 Wie hoch ist das adäquate PEEP-Niveau beim ARDS?
S. Wolf, C. Höhne, T. Busch, H. Lohbrunner, S. Weber-Carstens, U. Kaisers
- 601 Optimierung des O₂-Angebots über die Beatmung – Neue Konzepte?
R. Kopp, R. Kuhlen

Editorial

- 565 See me. Feel me. Touch me? Heal me!
H. Wulf

Review

- 567 Efficacy of Clonidine in Paediatric Anaesthesia
D. Huber, F.-J. Kretz

Originals

- 576 Carotid-surgery in Ultrasound-guided Anesthesia of the Regio Colli Lateralis
F. Kefalianakis, T. Koeppel, G. Geldner, J. Gahlen
- 582 Influence of Continuous Positive Airway Pressure (CPAP) on Blood Flow Velocity in the Venous Vascular System of the Liver – Duplex Sonographic Investigations
M. Scheffler, V. Klingmüller, M. Born, C. Pistofidou, G. Hempelmann

Case Report

- 588 One-sided Acquired Pulmonary Lobar Emphysema – Successful Treatment with Selective Intubation and One-sided High-frequency Ventilation
J. Kaufmann, A. von Knoop, A. Kribs, B. Roth

Mini-Symposium

- 592 **IXth Interdisciplinary CPA Symposium: Optimising the Oxygen Supply (Part I)**
F. Mertzlufft, F. Bach, W. Schaffartzik (Eds)
- 597 At Which Level is the PEEP Adequate in ARDS?
S. Wolf, C. Höhne, T. Busch, H. Lohbrunner, S. Weber-Carstens, U. Kaisers
- 601 Optimization of Oxygen Delivery by Mechanical Ventilation – New Concepts?
R. Kopp, R. Kuhlen