

Content

Section/Number	Page	Section/Number	Page	Section/Number	Page
1/1 Akhmedov A. et al.	4S	1/13 Karatela R. et al.	10S	2/9 Batra M. et al.	18S
Endothelial overexpression of lectin-like oxidized low-density lipoprotein receptor-1 (LOX-1) increases LDL uptake and plaque formation		Role of coagulation factor VII hypercoagulant activity in insulin resistant hypertensive subjects		A review of outcome of patients with chest pain in rapid access chest pain clinic – A district general hospital, UK. experience	
1/2 Besler C. et al.	4S	1/14 Karatela R. et al.	11S	2/10 Ivert T.	18S
High Density Lipoprotein (HDL) Loses Endothelial-protective Effects in Patients with Stable Coronary Disease and an Acute Coronary Syndrome: Role of Paraoxonase-1 Inactivation		Factor VII Hypercoagulant Activity In Insulin Resistant Coronary Heart Disease (CHD) Patients		Improved survival after coronary artery bypass grafting has not influenced mortality disadvantage in patients with diabetes mellitus	
1/3 Shakir D. et al.	4S	1/15 Karatela R. et al.	11S	2/11 Kumsars I. et al.	19S
What's the relation between inflammatory markers and intimal media thickness in diabetics with negative myocardial perfusion scan?		Association Of Plasma Homocysteine with Insulin Resistance In Coronary Artery Disease		Impact of the Cardiac Marker Elevations after Bifurcation Stenting on Long-term Mortality	
1/4 Kouroedov A. et al.	5S	1/16 Chrubasik S. et al.	11S	3/1 Sebetic D. et al.	19S
Nebivolol protects against atherosclerosis reducing adhesion molecule expression and foam cells formation via inhibition of protein kinase Cbeta intracellular signaling		Identification of outliers in a HBPM datasets		Left atrial myxoma and type 2 second degree AV block	
1/5 Klingenberg R. et al.	5S	1/17 Warren R. et al.	13S	3/2 Batra M. et al.	21S
Modification of experimental atherosclerosis by ablation of FoxP3+ regulatory T cells in mice		Variability of home-based self-measured blood pressure (HBPM)		Outcome of elective D.C cardioversion of persistent atrial fibrillation and determination of parameters to predict maintenance of sinus rhythm at one year – a District General Hospital, UK. experience	
1/6 Papastefanou S. et al.	7S	2/1 Breitenstein A. et al.	13S	3/3 Batra M. et al.	21S
Effects of ACE Inhibitors and Sartans on Fibrinolysis in coronary artery disease patients, with arterial hypertension		SIRT1 Regulates Endothelial Tissue Factor Expression		A common arrhythmia but a rare management – A case report	
1/7 Kouroedov A. et al.	7S	2/2 Hegazy A.	14S	3/4 Ringh M. et al.	21S
Dual Role of Inducible NO Synthase in Foam Cell Formation		Accuracy of T wave normalization after Stress Testing in Patients with T wave inversion after acute myocardial infarction to predict the likelihood of myocardial viability		Out of hospital cardiac arrest outside home in Sweden, change in characteristics, outcome and availability for public access defibrillation	
1/8 Sudano I. et al.	7S	2/3 Hegazy A. et al.	14S	3/5 Hegazy A.	22S
Delivery of smoking cessation care: Experience and results from the University Hospital Zurich		Accuracy of early improved tissue Doppler imaging derived variables after thrombolytic therapy to predict likelihood of epicardial coronary artery reperfusion in patients with acute myocardial infarction		Awareness and perception of NICE and ACC/AHA guidelines for the prophylaxis against infective endocarditis among physicians and cardiologists in Kuwait	
1/9 Muhlestein J. B. et al.	8S	2/4 Sürder D. et al.	15S	3/6 Novak A. et al.	22S
Association between Baseline Levels of Plasma Renin Activity and Risk of Cardiovascular Events		From SWISS-AMI to CARDIASTIM – Translation of a clinical, progenitor-cell based protocol into GMP		Rising incidence of right sided infective endocarditis, retrospective study	
1/10 Scholl J. G. et al.	8S	2/5 Bylova N. et al.	15S	3/7 Locca D. et al.	23S
Lifestyle intervention in bank employees with abdominal obesity		Augmentation index and pulse wave velocity in patients with acute myocardial infarction		Intra myocardial versus intra coronary stem cell infusion in a randomised controlled clinical trial of patients with heart failure: a procedure safety analysis	
1/11 Mellbin L. et al.	10S	2/6 Locca D. et al.	16S	3/8 Sebetic D. et al.	23S
Mannose-Binding Lectin and Prognosis in Patients with Type 2 Diabetes and Myocardial Infarction. A report from the DIGAMI 2 trial		Inflammatory markers in Percutaneous Coronary Interventions: insight from Cardiac Magnetic Resonance Imaging		Acute pulmonary hypertension – consequence of non coronary sinus Valsalva's aneurysm rupture in to the right atrium	
1/12 Reddy P. et al.	10S	2/7 Gajos G. et al.	16S	3/9 Batra M. et al.	24S
Angiotensin converting enzyme gene polymorphism and ACE levels are risk factors for myocardial infarction patients and their first degree relatives in South Indian Population		A randomized study of polyunsaturated omega-3 fatty acids to modify responsiveness to dual antiplatelet therapy after percutaneous coronary intervention in patients with stable coronary artery disease (OMEGA-PCI Study)		Cardiac amyloid – An interesting and case report	
		2/8 Abdelsamee M.	18S	3/10 Bylova N. et al.	24S
		Coronary flow reserve versus nuclear perfusion imaging in assessment of functional severity of angiographically intermediate coronary lesions		Chronic heart failure (CHF): adipose tissue as a target organ	