

>> Research Reports >>

Cultivation Physiology

- 239 Growth of *Ardisia pusilla* as Affected by Starch or Polyacrylate Polymer Mixed in the Media
| Myung Syun Shim and Seong Youl Choi |
- 245 Utilization of Fruit Bags Coated with Nano-Silver for Controlling Black Stain on Fruit Skin of 'Niitaka' Pear (*Pyrus pyrifolia*)
| Jong Pil Chun, Jong Seung Choi, and Young Jik Ahn |
- 249 Effect of Plug Cell Size Used in Propagation on the Growth and Yield of Stenting-propagated Cut Roses
| Yoo Gyeong Park and Byoung Ryong Jeong |
- 253 Morphological Development and Chemical Composition of Epicuticular Wax Crystals in 'Campbell Early' Grape
| Kyoung-Hee Shin, In-Myung Choi, Kyu Hwan Chung, Jae Man Lee, and Hee-Seung Park |

Postharvest Technology

- 257 Combined Effect of Heat Treatment and Washing Solutions on the Quality and Microbial Reduction of Fresh-cut Paprika
| Basanta Kumar Das and Ji Gang Kim |
- 262 Pectin Solubility and Water Relations during Vase Life of Cut Flowers
| Maria Helena Teixeira Gomes, Susana Maria Pinto de Carvalho, and Domingos Paulo Ferreira de Almeida |
- 269 Effects of Poststorage Short-term Controlled Atmosphere Treatment and Shelf Temperature on Physiology and Quality of Cold-stored 'Fuji' Apples
| Youn-Moon Park, Hyo Geun Park, and Byung-Sun Lim |
- 275 Calcium Extends Flower Life in *Hibiscus syriacus* L.
| Song Kwon, Hye Jin Kwon, and Ki Sun Kim |
- 284 Role of Benzyladenine on Vase Life and Quality of Cut Lsianthus Flowers
| Mahnaz Karimi and Moazam Hassanpour Asil |
- 288 Pre-harvest Treatment with Aminoethoxyvinylglycine Influences Fruit Ripening and Post-storage Quality of Benzothiadiazole-treated Rockmelon (*Cucumis melo* L.)
| Duong Van Hung, Robyn McConchie, and Stephen Morris |

Genetics and Breeding

- 295 The Drought-induced *CaDs841* is Up-regulated by Multiple Abiotic Stress and Confers Abiotic Stress Resistance in Transgenic Tobacco
| Yang Ho Park, Beom Seok Seo, and Joo Bong Hong |
- 308 Assessment of Morphological Variation between Some Iranian Wild *Cerasus* Sub-genus Genotypes
| Ali Shahi-Gharahlar, Zabihollah Zamani, Mohammad Reza Fatahi, and Naser Bouzari |

319 Genetic Linkage Mapping Using Interspecific Hybrid Population between Korean Wild Pear (*Pyrus ussuriensis*) and Japanese Pear (*P. pyrifolia*)

| Jun Kyu Choi, Do Young Na, Daeil Kim, Il Sheob Shin, Moon Young Kim, and Hee Jae Lee |

326 Quantitative Trait Loci Analysis of Flowering Time and Vegetative Traits in Tomato Plants Grown Using Different Seedling Raising Methods

| Mae Rose Sumugat and Nobuo Sugiyama |

Tissue Culture/Biotechnology

335 Evaluation of Genetic Diversity among Some Populations of *Thymus daenensis* Celak., a Vulnerable Medicinal Plant from Iran

| Ali Reza Rustaiee, Mohammad Esmail Hassani, Seyed Mohammad Fakhr Tabatabaei, and Reza Omidbaigi |

343 Identification of Some *Citrus* Accessions in a Citrus Germplasm Utilizing Simple Sequence Repeat Markers (SSRs)

| Hamid Reza Rouhi Ghorabaie, Reza Fotouhi Ghazvini, Behrouz Golein, and Ali Reza Nabipour |

Others

348 Effects of Irrigation Methods on the Growth, Water Holding Capacity of Substrate and Nutrient Uptake of Lettuce, Chicory and Endive Grown in an Extensive Green Roof System

| Young Yeol Cho, Ki Young Choi, and Yong-Beom Lee |