



(Abstracted/indexed in: AGRICOLA, Biological Abstracts, Biological & Agricultural Index, Elsevier BIOBASE/Current Awareness in Biological Sciences, Ecological Abstracts, EMBiology, Environment Abstracts, Environmental Periodicals Bibliography, Excerpta Medica, Geo Abstracts, Geobase, Science Citation Index, TROPAG and RURAL Database. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.)

Reviews

- Biofuels, ecosystem services and human wellbeing: Putting biofuels in the ecosystem services narrative
A. Gasparatos, P. Stromberg and K. Takeuchi (Japan) 111
- Integrating associational resistance into arable weed management
R.M. Gunton (UK) 129

Research papers

- Pollination services in the UK: How important are honeybees?
T.D. Breeze, A.P. Bailey, K.G. Balcombe and S.G. Potts (UK) 137
- Use of topographic variability for assessing plant diversity in agricultural landscapes
G. Hofer, R.G.H. Bunce, P.J. Edwards, E. Szerencsits, H.H. Wagner and F. Herzog (Switzerland, The Netherlands, Canada) ... 144
- Nitrate leaching from organic arable crop rotations is mostly determined by autumn field management
M. Askegaard, J.E. Olesen, I.A. Rasmussen and K. Kristensen (Denmark) 149
- Seasonal distribution of meadow birds in relation to in-field heterogeneity and management
J. Verhulst, D. Kleijn, W. Loonen, F. Berendse and C. Smit (The Netherlands) 161
- Soil phosphorus storage capacity in manure-impacted Alaquods: Implications for water table management
D. Chakraborty, V.D. Nair, M. Chrysostome and W.G. Harris (USA) 167
- Effects of local-scale management on herbaceous plant communities in Brigalow (*Acacia harpophylla*) agroecosystems of southern Queensland, Australia
S.J. Collard, A.F. Le Brocque and C. Zammit (Australia) 176
- Effect of environmental factors on regional soil organic carbon stocks across the Loess Plateau region, China
Z. Liu, M. Shao and Y. Wang (PR China) 184
- Quantifying economically and ecologically optimum nitrogen rates for rice production in south-eastern China
J. Chen, Y. Huang and Y. Tang (China) 195
- A simplified model to assess landscape quality from rural roads in Spain
Á. Ramírez, E. Ayuga-Téllez, E. Gallego, J.M. Fuentes and A.I. García (Spain) 205
- Impact of elevated CO₂ on utilization of soil moisture and associated soil biophysical parameters in pigeon pea (*Cajanus cajan* L.)
S. Saha, D. Chakraborty, Lata, M. Pal and S. Nagarajan (India) 213
- Whole-farm systems modelling of greenhouse gas emissions from pastoral suckler beef cow production systems
P.A. Foley, P. Crosson, D.K. Lovett, T.M. Boland, F.P. O'Mara and D.A. Kenny (Ireland) 222
- Carbon footprint of China's crop production—An estimation using agro-statistics data over 1993–2007
K. Cheng, G. Pan, P. Smith, T. Luo, L. Li, J. Zheng, X. Zhang, X. Han and M. Yan (China, UK) 231
- Suitability of pesticide risk indicators for Less Developed Countries: A comparison
G. Feola, E. Rahn and C.R. Binder (Switzerland, Germany, Austria) 238
- Parameter uncertainty analysis in watershed total phosphorus modeling using the GLUE methodology
Y. Gong, Z. Shen, Q. Hong, R. Liu and Q. Liao (China) 246
- Seeded ryegrass swards allow granivorous birds to winter in agriculturally improved grassland landscapes
D.L. Buckingham, S. Bentley, S. Dodd and W.J. Peach (UK) 256
- Plant and invertebrate resources for farmland birds in pastoral landscapes
D.B. Westbury, S.R. Mortimer, A.J. Brook, S.J. Harris, R. Kessock-Philip, A.R. Edwards, K. Chaney, P. Lewis, S. Dodd, D.L. Buckingham and W.J. Peach (UK) 266
- Mammalian steroid hormones can reduce abundance and affect the sex ratio in a soil nematode community
C. Hu, G. Hermann, S. Pen-Mouratov, L. Shore and Y. Steinberger (Israel, PR China) 275

(Contents continued from outside back cover)

Differential influence of land use/cover change on topsoil carbon and microbial activity in low-latitude temperate forests A.M. Gamboa and L. Galicia (Mexico)	280
Climatic and non-climatic drivers of spatiotemporal maize-area dynamics across the northern limit for maize production—A case study from Denmark M.V. Odgaard, P.K. Bøcher, T. Dalgaard and J.-C. Svenning (Denmark)	291
Field, landscape and regional effects of farmland management on specialist open-land birds: Does body size matter? E.D. Concepción and M. Díaz (Spain)	303
Landscape and land-use effects on weed flora in Mediterranean cereal fields L. Armengot, L. José-María, J.M. Blanco-Moreno, A. Romero-Puente and F.X. Sans (Spain)	311
Biophysical regulation of net ecosystem carbon dioxide exchange over a temperate desert steppe in Inner Mongolia, China F. Yang, G. Zhou, J.E. Hunt and F. Zhang (New Zealand, China)	318
Management and land use change effects on soil carbon in northern China's grasslands: a synthesis S. Wang, A. Wilkes, Z. Zhang, X. Chang, R. Lang, Y. Wang and H. Niu (China)	329
Quantifying the effect of historical soil management on soil erosion rates in Mediterranean olive orchards T. Vanwalleghem, J.I. Amate, M.G. de Molina, D.S. Fernández and J.A. Gómez (Spain)	341
A new Nitrogen Index to evaluate nitrogen losses in intensive forage systems in Mexico U. Figueroa-Viramontes, J.A. Delgado, J.A. Cueto-Wong, G. Núñez-Hernández, D.G. Reta-Sánchez and K.A. Barbarick (USA, Mexico)	352
Soil organic carbon stocks under native vegetation – Revised estimates for use with the simple assessment option of the Carbon Benefits Project system N.H. Batjes (The Netherlands)	365
The combined effect of nitrogen and glyphosate on the competitive growth, survival and establishment of <i>Festuca ovina</i> and <i>Agrostis capillaris</i> C. Damgaard, B. Strandberg, S.K. Mathiassen and P. Kudsk (Denmark)	374
Temporal changes in rice-growing area and their impact on livelihood over a decade: A case study of Nepal M.K. Gumma, D. Gauchan, A. Nelson, S. Pandey and A. Rala (Philippines)	382
Dissolved carbon leaching from an Irish cropland soil is increased by reduced tillage and cover cropping D.C. Walmsley, J. Siemens, R. Kindler, L. Kirwan, K. Kaiser, M. Saunders, M. Kaupenjohann and B.A. Osborne (Germany, Ireland)	393
Gene flow increases the initial frequency of herbicide resistance alleles in unselected <i>Lolium rigidum</i> populations R. Busi, S. Michel, S.B. Powles and C. Délye (Australia, France)	403
Environmental effects on long-range outcrossing rates in maize S. Kawashima, H. Nozaki, T. Hamazaki, S. Sakata, T. Hama, K. Matsuo and A. Nagasawa (Japan)	410
Short-term response of physical and chemical aspects of soil quality of a kaolinitic Kandiuudalfs to agricultural practices and its association with microbiological variables M.F. Fernandes, A.C. Barreto, I.C. Mendes and R.P. Dick (Brazil, USA)	419
Short Communication	
Clipping stimulates productivity but not diversity in improved and semi-natural pastures in temperate Japan T. Sasaki, Y. Yoshihara, Y. Suyama and T. Nakashizuka (Japan)	428
Effect of elevated CO ₂ concentration on photosynthesis and flowering in three wheat species belonging to different ploidy levels P.G. Sinha, P.P. Saradhi, D.C. Uprety and A.K. Bhatnagar (India)	432
Commentaries	
Response to comments by J. Laubach on "Determination and mitigation of ammonia loss from urea applied to winter wheat with N-(n-butyl) thiophosphorictriamide" [Agric. Ecosyst. Environ. 137 (3–4) (2010) 261–266] D.A. Turner, R.B. Edis, D. Chen, J.R. Freney, O.T. Denmead and R. Christie (Australia)	437
Comment on "Determination and mitigation of ammonia loss from urea applied to winter wheat with N-(n-butyl) thiophosphorictriamide" [Agric. Ecosyst. Environ. 137 (2010) 261–266] J. Laubach (New Zealand)	439