

CONTENTS

- Qiu Z.B., Li Q., Bi Z.Z., Yue M.:
Hydrogen peroxide acts as a signal molecule in CO₂ laser pretreatment-induced osmotic tolerance in wheat seedlings 403
- Zhang J.G., Chen H.S., Su Y.R., Kong X.L., Zhang W., Shi Y., Liang H.B., Shen G.M.:
Spatial variability and patterns of surface soil moisture in a field plot of karst area in southwest China 409
- Gao H.J., Yang H.Q.:
Nitric oxide effect on root architecture development in *Malus* seedlings 418
- Matyášová E., Novák J., Stránská I., Hejtmánková A., Skalický M., Hejtmánková K., Hejnák V.:
Production of morphine and variability of significant characters of *Papaver somniferum* L. 423
- Zhong L., Hu C., Tan Q., Liu J., Sun X.:
Effects of sulfur application on sulfur and arsenic absorption by rapeseed in arsenic-contaminated soil 429
- Pospišil A., Pospišil M., Svečnjak Z., Matotan S.:
Influence of crop management upon the agronomic traits of spelt (*Triticum spelta* L.) 435
- Rybka A., Heřmánek P., Honzík I., Mašek J., Vent L.:
Analysis of various implementations of hop strings during hop production 441