

General Papers

- 1 Inhibitory effect of β -asarone, a component of *Acorus calamus* essential oil, on inhibition of adipogenesis in 3T3-L1 cells
M.-H. LEE, Y.-Y. CHEN, J.-W. TSAI, S.-C. WANG (Taiwan), T. WATANABE (Japan) & Y.-C. TSAI (Taiwan)
- 8 Temperature dependence of calcium and magnesium induced caseinate precipitation in H₂O and D₂O
F. CUOMO, A. CEGLIE & F. LOPEZ (Italy)
- 15 Characterisation of potential health promoting lipids in the co-products of de-flossed milkweed
V. SCHLEGEL, R. ZBASNIK, T. GRIES, B.H. LEE, T. CARR, J.-Y. LEE, C. WELLER & S. CUPPETT (USA)
- 21 New insights on the hard-to-boil massecuite phenomenon in raw sugar manufacture
G. EGGLESTON, G. CÔTÉ & C. SANTEE (USA)
- 31 Antioxidant and anticholinesterase active constituents from *Micromeria cilicica* by radical-scavenging activity-guided fractionation
M. ÖZTÜRK (Turkey, Pakistan), U. KOLAK, G. TOPÇU, S. ÖKSÜZ (Turkey) & M.I. CHOUDHARY (Pakistan)
- 39 Antioxidant and radioprotective properties of commercially grown litchi (*Litchi chinensis*) from India
S. SAXENA, S.N. HAJARE, V. MORE, S. KUMAR, S. WADHAWAN, B.B. MISHRA, M.N. PARTE, S. GAUTAM & A. SHARMA (India)
- 46 Purification and characterisation of a novel protease from *Cordyceps sinensis* and determination of the cleavage site motifs using oriented peptide library mixtures
B. BI, X. WANG, H. WU & Q. WEI (PR China)
- 54 Assessment of *in vitro* antioxidant capacity of stem and leaf extracts of *Rabdosia serra* (MAXIM.) HARA and identification of the major compound
L. LIN, C. CUI, L. WEN, B. YANG, W. LUO & M. ZHAO (China)
- 60 UV-B-induced changes of volatile metabolites and phenolic compounds in blueberries (*Vaccinium corymbosum* L.)
I. EICHHOLZ, S. HUYSKENS-KEIL, A. KELLER, D. ULRICH, L.W. KROH & S. ROHN (Germany)
- 65 Application of oat dextrine for fat substitute in mayonnaise
R. SHEN, S. LUO & J. DONG (China)

- 72 Barley β -glucan extracts as rich sources of polyphenols and antioxidants
P.S. THONDRE, L. RYAN & C.J.K. HENRY (UK)
- 78 Marine and farmed fish in the Polish market: Comparison of the nutritional value
Z. USYDUS, J. SZLINDER-RICHERT, M. ADAMCZYK & U. SZATKOWSKA (Poland)
- 85 Effect of amaranth seeds in diet on oxidative status in plasma and selected tissues of high fructose-fed rats
P. PAŚKO, H. BARTOŃ, P. ZAGRODZKI, J. CHŁOPICKA, A. IŻEWSKA, M. GAWLIK, M. GAWLIK (Poland) & S. GORINSTEIN (Israel)
- 91 Selenium contents of Portuguese commercial and wild edible mushrooms
F. COSTA-SILVA, G. MARQUES, C.C. MATOS, A.I.R.N.A. BARROS & F.M. NUNES (Portugal)
- 97 Evaluation of pesticides residues in Greek peaches during 2002–2007 after the implementation of integrated crop management
T.G. DANIS, D.T. KARAGIOZOGLOU, I.N. TSAKIRIS, A.K. ALEGAKIS & A.M. TSATSAKIS (Greece)
- 104 Amino phospholipids and lecithins as mitigating agents for acrylamide in asparagine/glucose and asparagine/2,4-decadienal model systems
R. ZAMORA, R.M. DELGADO & F.J. HIDALGO (Spain)
- 109 The effects of salt-curing and salting procedures on the microstructure of cod (*Gadus morhua*) muscle
K.A. THORARINSDOTTIR, S. ARASON, S. SIGURGISLADOTTIR, V.N. GUNNLAUGSSON, J. JOHANNSDOTTIR (Iceland) & E. TORNBERG (Sweden)
- 116 Enhanced functional properties of tannic acid after thermal hydrolysis
T.J. KIM, J.L. SILVA & Y.S. JUNG (USA)
- 121 Retention of antioxidant activity in gamma irradiated argentinian sage and oregano
M.B. PÉREZ, S.A. BANEK & C.A. CROCI (Argentina)
- 127 Effects of cultivar and harvesting conditions (age, season) on the texture and taste of boiled cassava roots
H. FRANCK (Benin), M. CHRISTIAN (France), A. NOËL (Benin), P. BRIGITTE (France), H.D. JOSEPH, D. CORNET (Benin, France) & N.C. MATHURIN (Benin)
- 134 Critical effect of oxygen on aroma compound production by *Proteus vulgaris*
P. DEETAE, A. SAINT-EVE, H.E. SPINNLER & S. HELINCK (France)
- 140 Protein expression and enzymatic activities in normal and soft textured Atlantic salmon (*Salmo salar*) muscle
I. MARTINEZ (Spain, Norway), P.A. WANG, R. SLIZYTÉ (Norway), A. JORGE (Spain), S.W. DAHLE (Norway), B. CAÑAS (Spain), M. YAMASHITA (Japan), R.L. OLSEN & U. ERIKSON (Norway)
- 149 Assessment of the influence of some spice extracts on the formation of heterocyclic amines in meat
J. DAMAŠIUS, P.R. VENSKUTONIS (Lithuania), R. FERRACANE & V. FOGLIANO (Italy)
- 157 Effects of direct-electric-current on secondary plant compounds and antioxidant activity in harvested tomato fruits (*Solanum lycopersicon* L.)
D. DANNEHL, S. HUYSKENS-KEIL, I. EICHHOLZ, C. ULRICHS & U. SCHMIDT (Germany)
- 166 Effects of lactate on ground lamb colour stability and mitochondria-mediated metmyoglobin reduction
R. RAMANATHAN, R.A. MANCINI, P. JOSEPH, S. YIN, N. TATIYABORWORNTHAM, K.H. PETERSSON (United States), Q. SUN (China) & M.R. KONDA (USA)
- 172 Quantification of antidiabetic extracts and compounds in bitter gourd varieties
S.D. HABICHT, V. KIND, S. RUDLOFF, C. BORSCH, A.S. MUELLER, J. PALLAUF (Germany), R.-Y. YANG (Taiwan) & M.B. KRAWINKEL (Germany)
- 177 Enzymatic properties and transglycosylation of α -galactosidase from *Penicillium oxalicum* SO
M. KURAKAKE, Y. MORIYAMA, R. SUNOUCHI & S. NAKATANI (Japan)
- 183 Beef stock reduction with red wine – Effects of preparation method and wine characteristics
P. SNITKJÆR, J. RISBO, L.H. SKIBSTED (Denmark), S. EBELER, H. HEYMANN, K. HARMON (USA) & M.B. FRØST (Denmark)
- 197 Characteristics and composition of *Washingtonia filifera* (Linden ex André) H. Wendl. seed and seed oil
I.A. NEHDI (Saudi Arabia)

CONTENTS—Continued from inside back cover

- 203 α -Glucosidase inhibitors from Chinese Yam (*Dioscorea opposita* Thunb.)
L. ZHANG, B. BAI, X. LIU, Y. WANG, M. LI & D. ZHAO (PR China)
- 207 Proteomic response of LAP-activated RAW 264.7 macrophages to the anti-inflammatory property of fungal ergosterol
C.-F. KUO, C.-H. HSIEH & W.-Y. LIN (Taiwan)
- 213 Proanthocyanidin profile and antioxidant capacity of Brazilian *Vitis vinifera* red wines
E.F. GRIS (Brazil), F. MATTIVI (Italy), E.A. FERREIRA (Brazil), U. VRHOVSEK (Italy), R.C. PEDROSA & M.T. BORDIGNON-LUIZ (Brazil)
- 221 Biological activities of Maillard reaction products (MRPs) in a sugar–amino acid model system
I.G. HWANG, H.Y. KIM, K.S. WOO, J. LEE & H.S. JEONG (Republic of Korea)
- 228 Antimicrobial potential and chemical composition of *Eucalyptus globulus* oil in liquid and vapour phase against food spoilage microorganisms
A.K. TYAGI & A. MALIK (India)
- 236 Cell wall invertase immobilisation within gelatin gel
Z. VUJČIĆ, Z. MILORADOVIĆ, A. MILOVANOVIĆ & N. BOŽIĆ (Serbia)
- 241 Hydroxychalcones as potent antioxidants: Structure–activity relationship analysis and mechanism considerations
Y.-P. QIAN, Y.-J. SHANG, Q.-F. TENG, J. CHANG, G.-J. FAN, X. WEI, R.-R. LI, H.-P. LI, X.-J. YAO, F. DAI & B. ZHOU (China)
- 249 Comparative study of the biochemical changes and volatile compound formations during the production of novel whey-based kefir beverages and traditional milk kefir
K.T. MAGALHÃES (Brazil, Portugal), G. DRAGONE (Portugal), G.V. DE MELO PEREIRA (Brazil), J.M. OLIVEIRA, L. DOMINGUES, J.A. TEIXEIRA (Portugal), J.B.A. E SILVA & R.F. SCHWAN (Brazil)
- 254 Comparison of thermal, ultraviolet-c, and high pressure treatments on quality parameters of watermelon juice
C. ZHANG (China), B. TRIERWEILER (Germany), W. LI (China), P. BUTZ (Germany), Y. XU (China), C.E. RÜFER (Germany), Y. MA & X. ZHAO (China)
- 261 The antioxidant and free-radical scavenging activities of extract and fractions from corn silk (*Zea mays* L.) and related flavone glycosides
J. LIU, C. WANG, Z. WANG, C. ZHANG, S. LU & J. LIU (PR China)
- 270 Effect of harvesting stress and storage conditions on protein degradation in fillets of farmed gilthead seabream (*Sparus aurata*): A differential scanning calorimetry study
E. MATOS, T.S. SILVA, T. TIAGO, M. AURELIANO, M.T. DINIS & J. DIAS (Portugal)
- 277 Antioxidant and antiproliferative capacities of phenolics purified from *Phyllanthus emblica* L. fruit
W. LUO, M. ZHAO, B. YANG, J. REN, G. SHEN & G. RAO (China)
- 283 Characterisation of fibre-rich powder and antioxidant capacity of *Mangifera pajang* K. fruit peels
F.A. HASSAN (Malaysia, Yemen), A. ISMAIL, A.A. HAMID, A. AZLAN (Malaysia) & S.H. AL-SHERAJI (Malaysia, Yemen)
- Short Communications**
- 289 Inhibitory effects of flavonoid glycosides isolated from the peel of Japanese persimmon (*Diospyros kaki* Fuyu) on antigen-stimulated degranulation in rat basophilic leukaemia RBL-2H3 cells
T. ITOH, K. OHGUCHI, C. NAKAJIMA, M. OYAMA, M. IINUMA, Y. NOZAWA, Y. AKAO & M. ITO (Japan)
- 295 Influence of extraction methodology on grape composition values
J. LEE & C. RENNAKER (USA)
- Corrigendum**
- 301 Corrigendum to "Occurrence of ochratoxin A in raw ham muscle, salami and dry-cured ham from pigs fed with contaminated diet" [Food Chemistry 120 (2010) 978–983]
C. DALL'ASTA, G. GALAVERNA, T. BERTUZZI, A. MOSERITI, A. PIETRI, A. DOSSENA & R. MARCHELLI (Italy)
- ANALYTICAL METHODS**
- 302 Occurrence of ochratoxin A in Rioja Alavesa wines
S. QUINTELA, M.C. VILLARÁN, I.L. DE ARMENTIA & E. ELEJALDE (Spain)
- 306 Direct analysis of glucuronidated metabolites of main olive oil phenols in human urine after dietary consumption of virgin olive oil
O. KHYMENETS, M. FARRÉ, M. PUJADAS, E. ORTIZ, J. JOGLAR, M.I. COVAS & R. DE LA TORRE (Spain)

CONTENTS—Continued from last page of the issue

- 315 Lipid damage during frozen storage of Atlantic halibut (*Hippoglossus hippoglossus*) in active packaging film containing antioxidants
D.A. PEREIRA DE ABREU, P.P. LOSADA, J. MAROTO & J.M. CRUZ (Spain)
- 321 Determination of ochratoxin A in brewing materials and beer by ultra performance liquid chromatography with fluorescence detection
S. BĚLÁKOVÁ, K. BENEŠOVÁ, R. MIKULÍKOVÁ & Z. SVOBODA (Czech Republic)
- 326 Ion chromatographic determination of perchlorate in foods consumed in Hatay region
Ş. SUNGUR & M.K. SANGÜN (Turkey)
- 332 Determination of phenolic and other polar compounds in flaxseed oil using liquid chromatography coupled with time-of-flight mass spectrometry
W. HERCHI (Tunisia), S. SAWALHA, D. ARRÁEZ-ROMÁN (Spain), S. BOUKHCHINA (Tunisia), A. SEGURA-CARRETERO (Spain), H. KALLEL (Tunisia) & A. FERNÁNDEZ-GUTIERREZ (Spain)
- 339 Optimisation of accelerated solvent extraction of antioxidant compounds from rosemary (*Rosmarinus officinalis* L.), marjoram (*Origanum majorana* L.) and oregano (*Origanum vulgare* L.) using response surface methodology
M.B. HOSSAIN, C. BARRY-RYAN, A.B. MARTIN-DIANA & N.P. BRUNTON (Ireland)
- 347 Observation and quantification of self-associated adenosine extracted from royal jelly products purchased in USA by HPLC
J. KIM & J. LEE (USA)
- 353 A derivatization procedure for the simultaneous analysis of iminosugars and other low molecular weight carbohydrates by GC-MS in mulberry (*Morus sp.*)
S. RODRÍGUEZ-SÁNCHEZ, O. HERNÁNDEZ-HERNÁNDEZ, A.I. RUIZ-MATUTE & M.L. SANZ (Spain)
- 360 Simultaneous determination of bisphenol A, octylphenol, and nonylphenol by pressurised liquid extraction and liquid chromatography-tandem mass spectrometry in powdered milk and infant formulas
E. FERRER (Spain), E. SANTONI, S. VITTORI (Italy), G. FONT, J. MAÑES (Spain) & G. SAGRATINI (Italy)
- 368 Nondestructive determination of herbicide-resistant genetically modified soybean seeds using near-infrared reflectance spectroscopy
J.H. LEE & M.-G. CHOUNG (Republic of Korea)
- 374 Determination of resveratrol in grains, hulls and leaves of common and tartary buckwheat by HPLC with electrochemical detection at carbon paste electrode
L. NĚMCOVÁ, J. ZIMA, J. BAREK & D. JANOVSÁ (Czech Republic)
- 379 A novel method for pesticide analysis in refined sugar samples using a gas chromatography-mass spectrometer (GC-MS/MS) and simple solvent extraction method
S.N. SINHA, V.K. BHATNAGAR, P. DOCTOR, G.S. TOTEJA, N.P. AGNIHOTRI & R.L. KALRA (India)
- 387 Determination of aloe emodin in *Aloe vera* extracts and commercial formulations by HPLC with tandem UV absorption and fluorescence detection
R. MANDRIOLI, L. MERCOLINI, A. FERRANTI, S. FANALI & M.A. RAGGI (Italy)