

**General Papers**

- 395 Isolation of antibacterial components from infusion of *Caesalpinia paraguariensis* bark. A bio-guided phytochemical study  
M.A. SGARIGLIA, J.R. SOBERÓN, D.A. SAMPIETRO, E.N. QUIROGA & M.A. VATTUONE (Argentina)
- 405 Changes in fatty acid composition in muscle of three farmed carp fish species (*Labeo rohita*, *Cirrhinus mrigala*, *Catla catla*) raised under the same conditions  
N.N. MEMON, F.N. TALPUR, M.I. BHANGER & A. BALOUCH (Pakistan)
- 411 Vitamin C and carotenoids in organic and conventional fruits grown in Brazil  
P.C. CARDOSO, A.P.B. TOMAZINI, P.C. STRINGHETA, S.M.R. RIBEIRO & H.M. PINHEIRO-SANT'ANA (Brazil)
- 417 Phenolic acids and flavonoids in leaf and floral stem of cultivated and wild *Cynara cardunculus* L. genotypes  
G. PANDINO (Italy, UK), S. LOMBARDO, G. MAUROMICALE (Italy) & G. WILLIAMSON (UK)
- 423 *In vitro* model to correlate viscosity and bile acid-binding capacity of digested water-soluble and insoluble dietary fibres  
C. ZACHERL, P. EISNER & K.-H. ENGEL (Germany)
- 429 Protective effects of the crude extracts from yam (*Dioscorea alata*) peel on *tert*-butylhydroperoxide-induced oxidative stress in mouse liver cells  
C.-K. HSU, J.-Y. YEH & J.-H. WEI (Taiwan, ROC)
- 435 Modelling the effect of asparaginase in reducing acrylamide formation in biscuits  
M. ANESE, B. QUARTA (Italy) & J. FRIAS (Ireland)
- 441 Identification of (furan-2-yl)methylated benzene diols and triols as a novel class of bitter compounds in roasted coffee  
S. KREPPENHOFER, O. FRANK & T. HOFMANN (Germany)
- 450 Quality attributes and cell wall properties of strawberries (*Fragaria annanassa* Duch.) under calcium chloride treatment  
F. CHEN, H. LIU, H. YANG (China), S. LAI (USA), X. CHENG, Y. XIN, B. YANG, H. HOU, Y. YAO, S. ZHANG, G. BU & Y. DENG (China)
- 460 Amino acid profile of raw and as-eaten products of spinach (*Spinacia oleracea* L.)  
Z. LISIEWSKA, W. KMIECIK, P. GĘBCZYŃSKI & L. SOB CZYŃSKA (Poland)

- 466 Grape skin extract inhibits mammalian intestinal  $\alpha$ -glucosidase activity and suppresses postprandial glycemic response in streptozocin-treated mice  
L. ZHANG (China), S. HOGAN (USA), J. LI (China), S. SUN, C. CANNING (USA), S.J. ZHENG (China) & K. ZHOU (USA)
- 472 A new cytotoxic cyclic pentadepsipeptide, neo-*N*-methylsalsalvamide produced by *Fusarium solani* KCCM90040, isolated from potato  
H.-H. SONG, H.-S. LEE & C. LEE (Republic of Korea)
- 479 Composition of fatty acids in the muscle of black-bone silky chicken (*Gallus gallus domesticus brissen*) and its bioactivity in mice  
Y. TIAN, S. ZHU, M. XIE, W. WANG, H. WU (China) & D. GONG (New Zealand)
- 484 Free-radical-scavenging and anti-inflammatory effect of yak milk casein before and after enzymatic hydrolysis  
X.-Y. MAO, X. CHENG, X. WANG & S.-J. WU (China)
- 491 Increasing the antioxidant power of tea extracts by biotransformation of polyphenols  
J.A. MACEDO, V. BATTESTIN, M.L. RIBEIRO & G.A. MACEDO (Brazil)
- 498 Factors affecting lipase digestibility of emulsified lipids using an *in vitro* digestion model: Proposal for a standardised pH-stat method  
Y. LI, M. HU & D.J. MCCLEMENTS (USA)
- 506 Impact of mild acid hydrolysis on structure and digestion properties of waxy maize starch  
M. MIAO, B. JIANG, T. ZHANG, Z. JIN & W. MU (PR China)
- 514 Health-promoting substances and antioxidant properties of *Opuntia sp.* fruits. Changes in bioactive-compound contents during ripening process  
Y.S. CORIA CAYUPÁN, M.J. OCHOA & M.A. NAZARENO (Argentina)
- 520 Xylan chitosan conjugate - A potential food preservative  
X. LI, X. SHI, M. WANG & Y. DU (China)
- 526 Structural variation and rheological properties of water-extractable arabinoxylans from six Greek wheat cultivars  
A. SKENDI, C.G. BILIADERIS (Greece), M.S. IZYDORCZYK (Canada), M. ZERVOU & P. ZOUMPOULAKIS (Greece)
- 537 Iron fortification of finger millet (*Eleusine coracana*) flour with EDTA and folic acid as co-fortificants  
B. TRIPATHI & K. PLATEL (India)
- 543 Biochemical characterisation of MX-4, a plant cysteine protease of broad specificity and high stability  
M.D.C. OLIVER-SALVADOR (Mexico), Z. LIAN, R.A. LAURSEN (USA), V.M. BOLAÑOS-GARCÍA (UK) & M. SORIANO-GARCÍA (Mexico)
- 553 Investigation of  $\alpha$ -glucosidase inhibitory activity of wheat bran and germ  
L. LIU, M.A. DESEO, C. MORRIS, K.M. WINTER & D.N. LEACH (Australia)
- 562 Preventive effects of rice bran oil on 1,2-dimethylhydrazine/dextran sodium sulphate-induced colon carcinogenesis in rats  
C.-K. SHIH, C.-J. HO, S.-C. LI, S.-H. YANG, W.-C. HOU & H.-H. CHENG (Taiwan)
- 568 A stability study of green tea catechins during the biscuit making process  
A. SHARMA & W. ZHOU (Singapore)
- 574 Influence of pollen addition on mead elaboration: Physicochemical and sensory characteristics  
A. ROLDÁN (Spain), G.C.J. VAN MUISWINKEL (The Netherlands), C. LASANTA, V. PALACIOS & I. CARO (Spain)
- 583 Antioxidant activity of the fractions separated from the unsaponifiable matter of bene hull oil  
R. FARHOOSH, M.H. TAVASSOLI-KAFRANI & A. SHARIF (Iran)
- 590 Structural characteristics of oligosaccharides from soy sauce lees and their potential prebiotic effect on lactic acid bacteria  
B. YANG (PR China), K.N. PRASAD (Malaysia), H. XIE, S. LIN & Y. JIANG (PR China)
- 595 Apoptosis of human breast cancer cells induced by hemagglutinin from *Phaseolus vulgaris* cv. Legumi secchi  
S.K. LAM & T.B. NG (Hong Kong)

- 603 Monitoring the oxidation of almond oils by HS-SPME-GC-MS and ATR-FTIR: Application of volatile compounds determination to cultivar authenticity  
A. BELTRÁN, M. RAMOS, N. GRANÉ, M.L. MARTÍN & M.C. GARRIGÓS (Spain)
- 610 Chemical composition of wild edible mushrooms and antioxidant properties of their water soluble polysaccharidic and ethanolic fractions  
J.A. VAZ (Portugal), L. BARROS (Portugal, Spain), A. MARTINS (Portugal), C. SANTOS-BUELGA (Spain), M.H. VASCONCELOS & I.C.F.R. FERREIRA (Portugal)
- 617 Antiproliferative activity of peptides prepared from enzymatic hydrolysates of tuna dark muscle on human breast cancer cell line MCF-7  
K.-C. HSU (Taiwan, ROC), E.C.Y. LI-CHAN (Canada) & C.-L. JAO (Taiwan, ROC)
- 623 Effect of sterol biosynthesis-inhibiting (SBI) fungicides on the fermentation rate and quality of young ale beer  
S. NAVARRO, N. VELA, G. PÉREZ & G. NAVARRO (Spain)
- 630 Interaction of milk  $\alpha$ - and  $\beta$ -caseins with tea polyphenols  
I. HASNI, P. BOURASSA, S. HAMDANI, G. SAMSON, R. CARPENTIER & H.-A. TAJMIR-RIahi (Canada)
- ANALYTICAL METHODS**
- 640 Discrimination of young and mature leaves of *Melicope ptelefolia* using  $^1\text{H}$  NMR and multivariate data analysis  
N.H. SHUIB, K. SHAARI, A. KHATIB, MAULIDIANI, R. KNEER, S. ZAREEN, S.M. RAO, N.H. LAJIS & V. NETO (Malaysia)
- 646 Analysis of multi-pesticide residues in the foods of animal origin by GC-MS coupled with accelerated solvent extraction and gel permeation chromatography cleanup  
G. WU, X. BAO, S. ZHAO, J. WU, A. HAN & Q. YE (China)
- 655 Quantification of *N*<sup>ε</sup>-carboxymethyl-lysine in selected chocolate-flavoured drink mixes using high-performance liquid chromatography-linear ion trap tandem mass spectrometry  
C. NIQUET-LÉRIDON & F.J. TESSIER (France)
- 664 Differentiation of blossom and honeydew honeys using multivariate analysis on the physicochemical parameters and sugar composition  
A. BENTABOL MANZANARES, Z.H. GARCÍA, B.R. GALDÓN, E.R. RODRÍGUEZ & C.D. ROMERO (Spain)
- 673 Can spectroscopy geographically classify Sauvignon Blanc wines from Australia and New Zealand?  
D. COZZOLINO, W.U. CYNKAR, N. SHAH & P.A. SMITH (Australia)
- 679 The reduction of Cu(II)/neocuproine complexes by some polyphenols: Total polyphenols determination in wine samples  
G. LEE, M.V. ROSSI, N. COICHEV & H.D. MOYA (Brazil)
- 687 Simplified extraction of tetracycline antibiotics from milk using a centrifugal ultrafiltration device  
K. KISHIDA (Japan)
- 691 Qualitative and quantitative changes in the essential oil of *Laurus nobilis* L. leaves as affected by different drying methods  
I.H. SELLAMI, W.A. WANNES, I. BETTAIEB, S. BERRIMA, T. CHAHED, B. MARZOUK & F. LIMAM (Tunisia)
- 698 Determination of hydrogen peroxide scavenging activity of phenolic acids by employing gold nanoshells precursor composites as nanoprobe  
X. MA, H. LI, J. DONG & W. QIAN (PR China)
- 705 Development of a SCAR marker for the identification of *Olea europaea* L.: A newly detected adulterant in commercial Mediterranean oregano  
M. MARIESCHI, A. TORELLI, A. BIANCHI & R. BRUNI (Italy)
- 710 Quantification of (+)-catechin and (-)-epicatechin in coconut water by LC-MS  
C.-L. CHANG & R.-T. WU (Taiwan, ROC)
- 718 About Sr isotopes in coffee 'Bourbon Pointu' of the Réunion Island  
I. TECHER, J. LANCELOT, F. DESCROIX & B. GUYOT (France)
- 725 Dynamic prediction models for alkaloid content using NIR technology for the study and online analysis of parching in Areca Seed  
J. XUE, C. WU, L. WANG, S. JIANG, G. HUANG, J. ZHANG, S. WEN & L. YE (PR China)

CONTENTS—Continued from last page of the issue

- 731 Hayward kiwifruits and Plant Growth Regulators: Detection and effects in post-harvest studied by Magnetic Resonance Imaging and Scanning Electron Microscopy  
A. TAGLIANTI, P. SEQUI, C. CAFIERO, S. COZZOLINO, M. RITOTA, G. CEREDI & M. VALENTINI (Italy)
- 737 UHPLC–MS/MS highly sensitive determination of aflatoxins, the aflatoxin metabolite M1 and ochratoxin A in baby food and milk  
E. BELTRÁN, M. IBÁÑEZ, J.V. SANCHO, M.Á. CORTÉS, V. YUSÀ & F. HERNÁNDEZ (Spain)
- 745 Spectrophotometric determination of melamine in milk by rank annihilation factor analysis based on pH gradual change-UV spectral data  
Y. LIU, J. DENG, L. AN, J. LIANG, F. CHEN & H. WANG (China)
- 751 Quantitative analysis of quercetin using Raman spectroscopy  
Y. NUMATA & H. TANAKA (Japan)
- 756 Development and validation of an HPLC-FLD method for rapid determination of histamine in skipjack tuna fish (*Katsuwonus pelamis*)  
S. TAHMOUZI, R. KHAKSAR & M. GHASEMLOU (Iran)
- 762 Fatty acids patterns in camel, moose, cow and human milk as determined with GC/MS after silver ion solid phase extraction  
J. DREIUCKER & W. VETTER (Germany)
- 772 Suitability of the TBA method for assessing lipid oxidation in a meat system with added phenolic-rich materials  
R. GANHÃO (Portugal), M. ESTÉVEZ & D. MORCUENDE (Spain)
- 779 Analysis of seven sulphonamides in milk by cloud point extraction and high performance liquid chromatography  
W. ZHANG, C. DUAN & M. WANG (China)
- 786 Immunodiagnostic analysis of transgenic vegetative insecticidal protein in genetically modified crops/produce  
C.K. SINGH, R. KUMAR, R.P. SINHA & P.C. MISRA (India)
- 793 Multiresidue HPLC method to measure benzimidazole anthelmintics in plasma and egg from laying hens. Evaluation of albendazole metabolites residue profiles  
M. BISTOLETTI, L. MORENO, L. ALVAREZ & C. LANUSSE (Argentina)
- 801 Quantitative analysis of glycoconjugate precursors of guaiacol in smoke-affected grapes using liquid chromatography–tandem mass spectrometry based stable isotope dilution analysis  
K.A. DUNGEY, Y. HAYASAKA & K.L. WILKINSON (Australia)
- 807 Sensor-containing microspheres of chitosan crosslinked with 8-hydroxyquinoline-5-sulphonic acid for determination of Cu(II) in instant coffee  
L. VITALI, I.C. VIEIRA & A. SPINELLI (Brazil)
- 815 Development of polyclonal antibody-based indirect competitive enzyme-linked immunosorbent assay for sodium saccharin residue in food samples  
Y. WANG, Z.-L. XU, Y.-Y. XIE, Y.-X. TIAN, Y.-D. SHEN (China), G.M. YOUNG (USA), H. WANG, H.-T. LEI & Y.-M. SUN (China)
- I Calendar