

<b>Occurrence of Honeysuckle Yellow Vein Virus (HYVV) containing a monopartite DNA-A genome in Korea</b>	<b>361–370</b>
Y. Wang, J. Ji, T.-K. Oh, S. Oh, S.H. Kim, H.J. Lee, M.Y. Shim, C.W. Choi, S.H. Kim, I.-S. Kim and Y.S. Kim	
<b>2-Aminobenzoic acid of <i>Bacillus</i> sp. BS107 as an ISR determinant against <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i> SCC1 in tobacco</b>	<b>317–378</b>
S.Y. Yang, M.R. Park, I.S. Kim, Y.C. Kim, J.W. Yang and C.-M. Ryu	
<b>Susceptibility of sugarcane, plantation weeds and grain cereals to infection by <i>Sugarcane yellow leaf virus</i> and selection by sugarcane breeding in Hawaii</b>	<b>379–388</b>
E. Komor	
<b>Tuber transmission of '<i>Candidatus Liberibacter solanacearum</i>' and its association with zebra chip on potato in New Zealand</b>	<b>389–398</b>
A.R. Pitman, G.M. Drayton, S.J. Kraberger, R.A. Genet and I.A.W. Scott	
<b>Molecular characterization of Hawaiian <i>Sugarcane yellow leaf virus</i> genotypes and their phylogenetic relationship to strains from other sugarcane-growing countries</b>	<b>399–412</b>
A.I. ElSayed, A.R. Weig and E. Komor	
<b>Characterization of <i>Pectobacterium</i> species from Iran using biochemical and molecular methods</b>	<b>413–425</b>
S. Baghaee-Ravari, H. Rahimian, M. Shams-Bakhsh, E. Lopez-Solanilla, M. Antúñez-Lamas and P. Rodríguez-Palenzuela	
<b>Prevalence, polyphasic identification, and molecular phylogeny of dagger and needle nematodes infesting vineyards in southern Spain</b>	<b>427–453</b>
C. Gutiérrez-Gutiérrez, J.E. Palomares Rius, C. Cantalapiedra-Navarrete, B.B. Landa and P. Castillo	
<b>Seasonal colonisation of apple trees by '<i>Candidatus Phytoplasma mali</i>' revealed by a new quantitative TaqMan real-time PCR approach</b>	<b>455–467</b>
S. Baric, J. Berger, C. Cainelli, C. Kerschbamer, T. Letschka and J. Dalla Via	
<b>Development and evaluation of a model for management of brown rot in organic apple orchards</b>	<b>469–483</b>
I.J. Holb, B. Balla, F. Abonyi, M. Fazekas, P. Lakatos and J.M. Gáll	
<b>Detection of Botryosphaeriaceae species within grapevine woody tissues by nested PCR, with particular emphasis on the <i>Neofusicoccum parvum</i>/<i>N. ribis</i> complex</b>	<b>485–500</b>
A. Spagnolo, G. Marchi, F. Peduto, A.J.L. Phillips and G. Surico	