

CONTENTS

Volume 127, issue 1, 1 July 2011 (Published 28 February 2011)

General Papers

- 1 Mumefural and related HMF derivatives from Japanese apricot fruit juice concentrate show multiple inhibitory effects on pandemic influenza A (H1N1) virus
N. SRIWILAIJAROEN (Thailand, Japan), A. KADOWAKI, Y. ONISHI, N. GATO, M. UJIKE, T. ODAGIRI, M. TASHIRO & Y. SUZUKI (Japan)
- 10 The analysis of phenolic constituents in glabrous canaryseed groats
W. LI, Y. QIU, C.A. PATTERSON & T. BETA (Canada)
- 21 Rapid isolation of geraniin from *Nephelium lappaceum* rind waste and its anti-hyperglycemic activity
U.D. PALANISAMY, L.T. LING, T. MANAHARAN & D. APPLETON (Malaysia)
- 28 Response surface modelling of the production of structured lipids from soybean oil using *Rhizomucor miehei* lipase
M.E.M.B. DE ARAÚJO, P.R.B. CAMPOS, T.M. NOSO, R.M. ALBERICI, I.B. DA SILVA CUNHA, R.C. SIMAS, M.N. EBERLIN & P. DE OLIVEIRA CARVALHO (Brazil)
- 34 HPLC profiling of phenolics in diverse potato genotypes
D.A. NAVARRE, S.S. PILLAI, R. SHAKYA & M.J. HOLDEN (United States)
- 42 Betalainic and nutritional profiles of pigment-enriched red beet root (*Beta vulgaris* L.) dried extracts
B. NEMZER, Z. PIETRZKOWSKI (USA), A. SPÓRNA, P. STALICA (Poland), W. THRESHER (USA), T. MICHAŁOWSKI & S. WYBRANIEC (Poland)
- 54 Inorganic elemental compositions of commercial multivitamin/mineral dietary supplements: Application of collision/reaction cell inductively coupled-mass spectroscopy
B. AVULA, Y.-H. WANG, N.S. DUZGOREN-AYDIN & I.A. KHAN (USA)
- 63 Trace element levels in raw milk from northern and southern regions of Croatia
N. BILANDŽIĆ, M. ĐOKIĆ, M. SEDAK, B. SOLOMUN, I. VARENINA, Z. KNEŽEVIĆ & M. BENIĆ (Croatia)
- 67 Evolution of anticarcinogenic substance in dietary fibre powder from cabbage outer leaves during drying
Y. TANONGKANKIT, N. CHIEWCHAN & S. DEVAHASTIN (Thailand)
- 74 Comparative antioxidative characteristics of polysaccharide-enriched extracts from natural sclerotia and cultured mycelia in submerged fermentation of *Inonotus obliquus*
X. XU, Y. WU & H. CHEN (China)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 80 LC-MS-MS characterisation of curry leaf flavonols and antioxidant activity
A.P. SINGH, T. WILSON, D. LUTHRIA, M.R. FREEMAN, R.M. SCOTT, D. BILENKER, S. SHAH,
S. SOMASUNDARAM & N. VORSA (United States)
- 86 Bioactive compounds in rice during grain development
P.-Y. LIN & H.-M. LAI (Taiwan)
- 94 Angiotensin I-converting enzyme inhibitory properties of lentil protein hydrolysates: Determination of the kinetics of inhibition
C. BARBANA & J.I. BOYE (Canada)
- 102 Orthogonal-function spectrophotometry for the measurement of amylose and amylopectin contents
J.P. WANG, B. YU, X. XU, N. YANG, Z. JIN (China) & J.M. KIM (USA)
- 109 Effect of ultimate pH and freezing on the biochemical properties of proteins in turkey breast meat
J.T.Y. CHAN, D.A. OMANA & M. BETTI (Canada)
- 118 Effect of rice wax on water vapour permeability and sorption properties of edible pullulan films
F.F. SHIH, K.W. DAIGLE & E.T. CHAMPAGNE (USA)
- 122 Isolation and characterisation of an α -glucosidase inhibitory substance from fructose-tyrosine Maillard reaction products
I.G. HWANG, H.Y. KIM, K.S. WOO, J.T. HONG, B.Y. HWANG, J.K. JUNG, J. LEE &
H.S. JEONG (Republic of Korea)
- 127 Cytotoxic effects of geranyl flavonoid derivatives from the fruit of *Artocarpus communis* in SK-Hep-1 human hepatocellular carcinoma cells
C.-L. HSU, M.-H. SHYU, J.-A. LIN, G.-C. YEN & S.-C. FANG (Taiwan)
- 135 Magnolol blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries
D.-H. KUO, S.-W. TSAI & M.-H. PAN (Taiwan)
- 141 Antioxidant and antityrosinase activity of aqueous extracts of green asparagus
B.-S. WANG, L.-W. CHANG, H.-C. WU, S.-L. HUANG, H.-L. CHU & M.-H. HUANG (Taiwan, ROC)
- 147 The mineral composition (Ca, P, Mg, K, Na) in cheeses (cow's, ewe's and goat's) with different ripening times using near infrared spectroscopy with a fibre-optic probe
I. GONZÁLEZ-MARTÍN, J.M. HERNÁNDEZ-HIERRO, I. REVILLA, A. VIVAR-QUINTANA &
I. LOBOS ORTEGA (Spain)
- 153 Physicochemical characteristics of rice starch supplemented with dietary fibre
P. LAI, K.Y. LI, S. LU & H.H. CHEN (Taiwan)
- 159 Chemical, microbiological and sensory changes of dried *Acetes chinensis* during accelerated storage
F. LU, J.-Y. ZHANG, S.-L. LIU, Y. WANG & Y.-T. DING (China)
- 169 Use of HPLC-DAD-ESI/MS to profile phenolic compounds in edible wild greens from Portugal
L. BARROS (Portugal, Spain), M. DUEÑAS (Spain), I.C.F.R. FERREIRA, A. MARIA CARVALHO (Portugal) &
C. SANTOS-BUELGA (Spain)
- 174 Phenolic compounds content and antioxidant activity in pomace from selected red grapes (*Vitis vinifera* L. and *Vitis labrusca* L.) widely produced in Brazil
I.I. ROCKENBACH, E. RODRIGUES, L.V. GONZAGA, V. CALIARI, M.I. GENOVESE, A.E.D.S.S. GONÇALVES &
R. FETT (Brazil)
- 180 Characterisation of polymeric skin and seed proanthocyanidins during ripening in six *Vitis vinifera* L. cv
M. BORDIGA, F. TRAVAGLIA, M. LOCATELLI, J.D. COÏSSON & M. ARLORIO (Italy)
- 188 Quantification of amorphous content in starch granules
X. DU (PR China, UK), B. MACNAUGHTAN & J.R. MITCHELL (PR China)
- Short Communication**
- 192 No *de novo* sulforaphane biosynthesis in broccoli seedlings
A. GORISSEN, N.U. KRAUT, R. DE VISSER, M. DE VRIES, H. ROELOFSEN & R.J. VONK (The Netherlands)

Continued on last page

ANALYTICAL METHODS**Review**

- 197 Overview on liquid chromatographic analysis of tetracycline residues in food matrices
A. ÖNAL (Turkey)
- General Papers**
- 204 A validated GC–MS method for the detection of tropane alkaloids in buckwheat (*Fagopyron esculentum* L.) fruits, flours and commercial foods
A. CALIGIANI, G. PALLA, F. BONZANINI, A. BIANCHI & R. BRUNI (Italy)
- 210 Bioassay-guided isolation and identification of antifungal components from propolis against *Penicillium italicum*
S.Z. YANG, L.T. PENG, X.J. SU (PR China), F. CHEN (USA), Y.J. CHENG, G. FAN & S.Y. PAN (PR China)
- 216 A spectroscopic and chemometric study of virgin olive oils subjected to thermal stress
R.M. MAGGIO (Argentina, Italy), E. VALLI, A. BENDINI (Italy), A.M. GÓMEZ-CARAVACA (Italy, Spain), T.G. TOSCHI & L. CERRETANI (Italy)
- 222 Optical fibre-based methodology for screening the effect of probiotic bacteria on conjugated linoleic acid (CLA) in curdled milk
L.I.B. SILVA, D.M. RODRIGUES, A.C. FREITAS, A.M. GOMES, T.A.P. ROCHA-SANTOS, M.E. PEREIRA & A.C. DUARTE (Portugal)
- 228 Development of a dielectric spectroscopy technique for the determination of key biochemical markers of meat quality
M. CASTRO-GIRÁLDEZ, L. DOLS, F. TOLDRÁ & P. FITO (Spain)
- 234 Estimation of beer stability by sulphur dioxide and polyphenol determination. Evaluation of a Laccase-Sonogel-Carbon biosensor
E. MARTINEZ-PERIÑAN, M.P. HERNÁNDEZ-ARTIGA, J.M. PALACIOS-SANTANDER, M. ELKAOUTIT, I. NARANJO-RODRIGUEZ & D. BELLIDO-MILLA (Spain)
- 240 Rapid HPLC-UV method for quantification of L-citrulline in watermelon and its potential role on smooth muscle relaxation markers
G.K. JAYAPRAKASHA, K.N. CHIDAMBARA MURTHY & B.S. PATIL (United States)
- 249 Fast and reliable analyses of sulphite in fruit juices using a supramolecular amperometric detector encompassing in flow gas diffusion unit
P.R. MARTINS, W.D. POPOLIM, L.A.F. NAGATO, E. TAKEMOTO, K. ARAKI, H.E. TOMA, L. ANGNES & M.D.V.C. PENTEADO (Brazil)
- 256 Prediction of sensory attributes of cheese by near-infrared spectroscopy
M.I. GONZÁLEZ-MARTÍN (Spain), P. SEVERIANO-PÉREZ (México), I. REVILLA, A.M. VIVAR-QUINTANA, J.M. HERNÁNDEZ-HIERRO, C. GONZÁLEZ-PÉREZ & I.A. LOBOS-ORTEGA (Spain)
- 264 Use of a portable time-resolved fluorometer to determine oxytetracycline residue in four fruit crops
G. CHEN (USA), G. LIU & F. QIN (China)
- 270 Pico molar assay of riboflavin in human urine using voltammetry
S.Y. LY, H.S. YOO, J.Y. AHN & K.H. NAM (South Korea)
- 275 Prediction of the amino acid composition in brown rice using different sample status by near-infrared reflectance spectroscopy
B. ZHANG, Z.Q. RONG, Y. SHI, J.G. WU & C.H. SHI (PR China)
- 282 Comparison and characterisation of fat and protein composition for camel milk from eight Jordanian locations
K.I. EREIFEJ, M.H. ALU'DATT, H.A. ALKHALIDY (Jordan), I. ALLI (Canada) & T. RABABAH (Jordan)
- 290 Determination of THMs in soft drink by solid-phase microextraction and gas chromatography
M.S. DOS SANTOS, E. MARTENDAL & E. CARASEK (Brazil)
- 296 LC-DAD-ESI/MS analysis of flavonoids and abscisic acid with chemometric approach for the classification of Slovenian honey
J. BERTONCELJ, T. POLAK, U. KROPF, M. KOROŠEC & T. GOLOB (Slovenia)
- 303 Effects of sampling and extraction on deoxynivalenol quantification
A. HALLIER, F. CELETTE & C. DAVID (France)

- 308 A simple and portable multi-colour light emitting diode based photocolourimeter for the analysis of mixtures of five common food dyes
M.-H. SOROURADDIN, A. ROSTAMI & M. SAADATI (Iran)
- 314 Determination of flavonoids in propolis-rich functional foods by reversed phase high performance liquid chromatography with diode array detection
C. LUO, X. ZOU, Y. LI, C. SUN, Y. JIANG & Z. WU (China)
- 321 Determination of ionophores in raw bovine milk using LC-MS/MS: Application to residue surveillance
T.S. THOMPSON, D.K. NOOT & J.D. KENDALL (Canada)
- 327 Validation of an ultra-performance liquid chromatography-tandem mass spectrometry method for determination of ractopamine: Application to residue depletion study in swine
Y. DONG, X. XIA, X. WANG, S. DING, X. LI, S. ZHANG, H. JIANG, J. LIU, J. LI, Z. FENG, N. YE, M. ZHOU & J. SHEN (China)
- 333 The oxidative and lipolytic stability of Yayık butter produced from different species of mammals milk (cow, sheep, goat) yoghurt
E. ŞENEL, M. ATAMER & F.Ş. ÖZTEKIN (Turkey)
- 340 Simultaneous determination of ascorbic and dehydroascorbic acids in vegetables and fruits by liquid chromatography with tandem-mass spectrometry
J. FENOLL, A. MARTÍNEZ, P. HELLÍN & P. FLORES (Spain)
- 345 Development and validation of HPLC method for determination of salicin in poplar buds: Application for screening of counterfeit propolis
C.-P. ZHANG, H.-Q. ZHENG, G. LIU & F.-L. HU (China)
- 351 Validation of a UHPLC-FLD method for the simultaneous quantification of aflatoxins, ochratoxin A and zearalenone in barley
M. IBÁÑEZ-VEA, L.A. CORCUERA, R. REMIRO, M.T. MURILLO-ARBIZU, E. GONZÁLEZ-PEÑAS & E. LIZARRAGA (Spain)
- 359 Use of Cu(II) and Fe(III) N-benzoyl-N-phenylhydroxylamine coprecipitants for preconcentration of some trace metal ions in food samples
Ş. TOKALIOĞLU & H. AYHANÖZ (Turkey)
- 364 Pyridine-functionalized mesoporous silica as an adsorbent material for the determination of nickel and lead in vegetables grown in close proximity by electrothermal atomic adsorption spectroscopy
O. SADEGHI, N. TAVASSOLI, M.M. AMINI, H. EBRAHIMZADEH & N. DAEI (Iran)
- 369 Rapid determination of safranal in the quality control of saffron spice (*Crocus sativus* L.)
L. MAGGI, A.M. SÁNCHEZ, M. CARMONA (Spain), C.D. KANAKIS, E. ANASTASAKI, P.A. TARANTILIS, M.G. POLISSIOU (Greece) & G.L. ALONSO (Spain)
- Short Communication**
- 374 Detection and quantification of Ochratoxin A in milk produced in organic farms
D. PATTONO, P.F. GALLO & T. CIVERA (Italy)
- I Calendar