

## Contents

- 117 Effect of lipid supplementation on reproductive performance of female channel catfish, *Ictalurus punctatus*, induced and strip-spawned for hybridization**  
Quintero, H. E., Durland, E., Allen Davis, D. & Dunham, R.
- 130 Antioxidant and immune defences of rainbow trout (*Oncorhynchus mykiss*) offered plant oils differing in fatty acid profiles from early stages**  
Kiron, V., Thawonsuwan, J., Panigrahi, A., Scharsack, J. P. & Satoh, S.
- 141 Effect of arachidonic acid supplementation on reproductive performance of tank-domesticated *Penaeus monodon***  
Coman, G. J., Arnold, S. J., Barclay, M. & Smith, D. M.
- 152 Ingestion of artificial diets with different textures as determined by the inert marker ytterbium oxide during culture of early-stage phyllosoma of the spiny lobster, *Jasus edwardsii***  
Cox, S. L., Bruce, M. P. & Ritar, A. J.
- 159 Dietary phosphorus requirement of juvenile Chinese sucker, *Myxocyprinus asiaticus***  
Yuan, Y. C., Yang, H. J., Gong, S. Y., Luo, Z., Yu, D. H., Yan, J. L. & Yang, X. F.
- 170 Dietary copper requirement of juvenile yellow catfish *Pelteobagrus fulvidraco***  
Tan, X.-Y., Luo, Z., Liu, X. & Xie, C.-X.
- 177 High n-3 HUFA levels in the diet of Atlantic salmon affect muscle and mitochondrial membrane lipids and their susceptibility to oxidative stress**  
Østbye, T.-K., Kjær, M. A., Rørå, A. M. B., Torstensen, B. & Ruyter, B.
- 191 The effects of dietary long-chain essential fatty acids on growth and stress tolerance in pikeperch larvae (*Sander lucioperca*, L.)**  
Lund, I. & Steinfeldt, S. J.
- 200 The effect of soybean oil containing stearidonic acid on growth performance, n-3 fatty acid deposition and sensory characteristics of pacific white shrimp (*Litopenaeus vannamei*)**  
Forster, I. P., Dominy, W. G., Obaldo, L. G., Hartnell, G. F., Sanders, E. F., Hickman, T. C. & Ruebel, M. C.
- 214 Evaluation of soybean meal in the formulated diets for juvenile *Pangasianodon hypophthalmus* (Sauvage, 1878)**  
Phumee, P., Wei, W. Y., Ramachandran, S. & Hashim, R.
- 223 Improved feed utilization, intestinal mucus production and immune parameters in sea bass (*Dicentrarchus labrax*) fed mannan oligosaccharides (MOS)**  
Torrecillas, S., Makol, A., Caballero, M. J., Montero, D., Ginés, R., Sweetman, J. & Izquierdo, M.

The papers listed below are available online only under this volume and issue number at [wileyonlinelibrary.com/journal/anu](http://wileyonlinelibrary.com/journal/anu). All papers can be viewed in an internet browser or downloaded as a PDF.

- e1 Effects of supplementation of crystalline or coated methionine on growth performance and feed utilization of the pacific white shrimp, *Litopenaeus vannamei***  
Chi, S. Y., Tan, B. P., Lin, H. Z., Mai, K. S., Ai, Q. H., Wang, X. J., Zhang, W. B., Xu, W. & Liufu, Z. G.
- e10 Utilization of different carbohydrate sources and starch forms by bagrid catfish (*Mystus nemurus*) (Cuv & Val)**  
Hamid, N. K. A., Mahayat, M. & Hashim, R.

- e19 Effects of postharvest processes on quality of Australian sardines (*Sardinops sagax*) and redbait (*Emmelichthys nitidus nitidus*) for feeding aquacultured southern bluefin tuna (*Thunnus maccoyii*)**  
Musgrove, R. J., Carragher, J. F., Manning, A. D., Zammit, B. J., Thomas, P. M. & Buchanan, J.
- e30 On-farm evaluation of formulated feeds on the breeding performance of *Catla catla* reared in rural ponds**  
Chattopadhyay, D. N., Verma, J. P., Radheyshyam., Behera, B., Sarkar, S. & Mukhopadhyay, P. K.
- e39 Low levels of Aflatoxin B<sub>1</sub> could cause mortalities in juvenile hybrid sturgeon, *Acipenser ruthenus* ♂ × *A. baeri* ♀**  
Rajeev Raghavan, P., Zhu, X., Lei, W., Han, D., Yang, Y. & Xie, S.
- e48 Effect of masking organoleptic properties of fat on diet self-selection by the sparid *Diplodus puntazzo***  
Almáida-Pagán, P. F., Hernández, M. D., Madrid, J. A., de Costa, J. & Mendiola, P.
- e56 Optimum dietary protein and lipid levels for growth of juvenile sea cucumber *Apostichopus japonicus***  
Seo, J.-Y. & Lee, S.-M.
- e62 Growth and biochemical composition of juvenile green abalone *Haliotis fulgens* fed rehydrated macroalgae**  
Pérez-Estrada, C. J., Civera-Cerecedo, R., Hernández-Llamas, A. & Serviere-Zaragoza, E.
- e70 Dietary conjugated linoleic acid (CLA) for finishing Nile tilapia**  
dos Santos, L. D., Furuya, W. M., da Silva, L. C. R., Matsushita, M. & de Castro Silva, T. S.
- e82 Growth performance, survival, feed utilization and nutrient utilization of African catfish (*Clarias gariepinus*) larvae co-fed *Artemia* and a micro-diet containing freshwater atyid shrimp (*Caridina nilotica*) during weaning**  
Chepkirui-Boit, V., Ngugi, C. C., Bowman, J., Oyoo-Okoth, E., Rasowo, J., Mugo-Bundi, J. & Cherop, L.
- e90 Dietary carotenoids and skin melanin content influence the coloration of farmed red porgy (*Pagrus pagrus*)**  
Chatzifotis, S., vaz Juan, I., Kyriazi, P., Divanach, P. & Pavlidis, M.
- e101 Substitution of fish meal with raw or treated cowpea (*Vigna unguiculata* L Walp, IT86-D719) meal in diets for Nile tilapia (*Oreochromis niloticus*, L.) fry**  
Olivera-Castillo, L., Pino-Aguilar, M., Lara-Flores, M., Granados-Puerto, S., Montero-Muñoz, J., Olvera-Novoa, M. A. & Grant, G.
- e112 α-Tocopherol in weaning diets for European sea bass (*Dicentrarchus labrax*) improves survival and reduces tissue damage caused by excess dietary DHA contents**  
Betancor, M. B., Atalah, E., Caballero, M<sup>a</sup>. J., Benítez-Santana, T., Roo, J., Montero, D. & Izquierdo, M.
- e123 Amino acid availability from selected animal- and plant-derived feedstuffs for market-size sunshine bass (*Morone chrysops* × *Morone saxatilis*)**  
Metts, L. S., Rawles, S. D., Brady, Y. J., Thompson, K. R., Gannam, A. L., Twibell, R. G. & Webster, C. D.
- e132 Incorporation dynamics of dietary vegetable oil fatty acids into the triacylglycerols and phospholipids of tilapia (*Oreochromis niloticus*) tissues (fillet, liver, visceral fat and gonads)**  
Szabó, A., Mézes, M., Hancz, C., Molnár, T., Varga, D., Romvári, R. & Fébel, H.
- e148 Substituting vegetable oil for fish oil in pikeperch diets: the impact on growth, internal organ histology, blood biochemical parameters, and proximate composition**  
Kowalska, A., Zakeś, Z., Jankowska, B. & Siwicki, A.
- e164 Evaluation of raw and hydrothermally processed *Prosopis juliflora* seed meal as supplementary feed for the growth of *Labeo rohita* fingerlings**  
Bhatt, S. S., Chovatiya, S. G. & Shah, A. R.
- e174 Growth, partial energy balance, mantle and digestive gland lipid composition of *Octopus vulgaris* (Cuvier, 1797) fed with two artificial diets**  
García, S., Domingues, P., Navarro, J. C., Hachero, I., Garrido, D. & Rosas, C.

- e188 Beneficial influences of germination and subsequent autoclaving of grain legumes on proximate composition, antinutritional factors and apparent digestibility in black tiger shrimp, *Penaeus monodon* Fabricius**  
Kumaraguru vasagam, K. P. & Rajkumar, M.
- e196 Bacterial colonization of winter flounder *Pseudopleuronectes americanus* fed live feed enriched with three different commercial diets**  
Seychelles, L. H., Audet, C., Tremblay, R., Lemarchand, K. & Pernet, F.
- e207 A comparison of the digestibility of diets and ingredients fed to rainbow trout (*Oncorhynchus mykiss*) or barramundi (*Lates calcarifer*) – the potential for inference of digestibility values among species**  
Glencross, B.
- e216 n-3 and n-6 fatty acid bioconversion abilities in Eurasian perch (*Perca fluviatilis*) at two developmental stages**  
Henrotte, E., Kpogue, D., Mandiki, S. N. M., Wang, N., Douxfils, J., Dick, J., Tocher, D. & Kestemont, P.
- e226 Effects of pyridoxine on antioxidative parameters in juvenile Jian carp (*Cyprinus carpio* var. Jian)**  
Hu, K., He, W., Feng, L., Jiang, J., Liu, Y., Jiang, W.-D., Li, S.-H. & Zhou, X.-Q.
- e233 Effects of dietary thiamin supplement on growth, body composition and intestinal enzyme activities of juvenile Jian carp (*Cyprinus carpio* var. Jian)**  
Huang, H.-H., Feng, L., Liu, Y., Jiang, J., Jiang, W.-D., Hu, K., Li, S.-H. & Zhou, X.-Q.
- e241 Development of a rainbow trout intestinal epithelial cell line and its response to lipopolysaccharide**  
Kawano, A., Haiduk, C., Schirmer, K., Hanner, R., Lee, L. E. J., Dixon, B. & Bols, N. C.
- e253 Growth and metabolic responses of tambaqui (*Colossoma macropomum*) fed different levels of protein and lipid**  
de Almeida, L. C., Avilez, I. M., Honorato, C. A., Hori, T. S. F. & Moraes, G.
- e263 *In vitro* effect of levamisole on the cell viability, phagocytosis and respiratory burst of Barbel chub (*Squaliobarbus curriculus*) macrophages**  
Li, G.-F., Liu, L.-B., Tan, Y.-L., Liu, L.-Z., Deng, H.-Z., Wan, H., Zhong, W.-Z. & Chen, S.-J.
- e271 A meta-analysis of the effects of dietary marine oil replacement with vegetable oils on growth, feed conversion and muscle fatty acid composition of fish species**  
Sales, J. & Glencross, B.
- e288 Effects of dietary inclusion of peas, chickpeas and faba beans on growth, feed utilization and health of gilthead seabream (*Sparus aurata*)**  
Adamidou, S., Nengas, I., Henry, M., Ioakei Midoy, N., Rigos, G., Bell, G. J. & Jauncey, K.
- e297 Potential use of *Artemia* biomass by-products from *Artemia* cyst production for the nursing of goby *Pseudapocryptes elongatus* in Vietnam: effects on growth and feed utilization**  
Anh, N. T. N., Wille, M., van Hoa, N. & Sorgeloos, P.
- e306 The pigmenting effect of different carotenoids on fancy carp (*Cyprinus carpio*)**  
Yuangsoi, B., Jintasataporn, O., Areechon, N. & Tabthipwon, P.
- e317 A comparison of the growth performance of rainbow trout (*Oncorhynchus mykiss*) when fed soybean, narrow-leaf or yellow lupin meals in extruded diets**  
Glencross, B., Rutherford, N. & Hawkins, W.
- e326 Pea and wheat starch possess different processing characteristics and affect physical quality and viscosity of extruded feed for Atlantic salmon**  
Sørensen, M., Morken, T., Kosanovic, M. & Øverland, M.
- e337 Incorporation of a mixture of meat and bone meal, poultry by-product meal, blood meal and corn gluten meal as a replacement for fish meal in practical diets of Pacific white shrimp *Litopenaeus vannamei* at two dietary protein levels**  
Ye, J.-D., Wang, K., Li, F.-D., Sun, Y.-Z. & Liu, X.-H.
- e348 Investigation of the potential effect of diet, body mass and maturity on growth and feed performance of common octopus *Octopus vulgaris*: an information theory approach**  
Petza, D., Katsanevakis, S., Lykouri, N., Spiliotis, V. & Verriopoulos, G.

- e362 **Do plant-based diets for Atlantic cod (*Gadus morhua*, L.) need additions of crystalline lysine or methionine?**  
Hansen, A.-C., Hemre, G.-I., Karlsen, Ø., Koppe, W. & Rosenlund, G.
- e372 **Use of probiotics *Bacillus coagulans*, *Rhodopseudomonas palustris* and *Lactobacillus acidophilus* as growth promoters in grass carp (*Ctenopharyngodon idella*) fingerlings**  
Wang, Y.
- e379 **Relationship between nutritional and rearing parameters of *Octopus maya* juveniles fed with different rations of crab paste**  
Quintana, D., Rosas, C. & Moreno-Villegas, E.
- e389 **Replacement of fish meal with blend of rendered animal protein in diets for Siberian sturgeon (*Acipenser baerii* Brandt), results in performance equal to fish meal fed fish**  
Zhu, H., Gong, G., Wang, J., Wu, X., Xue, M., Niu, C., Guo, L. & Yu, Y.
- e396 **A factorial approach to defining the energy and protein requirements of Tra Catfish, *Pangasianodon hypophthalmus***  
Glencross, B., Hien, T. T. T., Phuong, N., T. & Cam Tu, T. L.
- e406 **Effects of dietary chitosan on growth, survival and stress tolerance of postlarval shrimp, *Litopenaeus vannamei***  
Niu, J., Liu, Y.-J., Lin, H.-Z., Mai, K.-S., Yang, H.-J., Liang, G.-Y. & Tian, L.-X.
- e413 **Proteomics analysis of mitochondrial extract from liver of female zebrafish undergoing starvation and refeeding**  
Enyu, Y.-L. & Shu-Chien, A. C.
- e424 **Hepatic oxidative stress in Atlantic salmon (*Salmo salar*, L.) transferred from a diet based on marine feed ingredients to a diet based on plant ingredients**  
Olsvik, P. A., Torstensen, B. E., Hemre, G.-I., Sanden, M. & Waagbø, R.
- e437 **Effect of replacing dietary fish oil with soybean oil on production performance and fillet lipid and fatty acid composition of juvenile cobia *Rachycentron canadum***  
Trushenski, J., Schwarz, M., Lewis, H., Laporte, J., Delbos, B., Takeuchi, R. & Sampaio, L. A.
- e448 **Variability of the total free amino acid (TFAA) pool in *Mytilus galloprovincialis* cultured on a raft system. Effect of body size**  
Babarro, J. M. F., Fernández Reiriz, M. J., Labarta, U. & Garrido, J. L.
- e459 **Dietary modulation of digestive enzymes by the administration of feed additives to rainbow trout, *Oncorhynchus mykiss* Walbaum**  
Nya, E. J. & Austin, B.
- e467 **D-lysine can be effectively utilized for growth by common carp (*Cyprinus carpio*)**  
Deng, J., Zhang, X., Tao, L., Bi, B., Kong, L. & Lei, X.
- e476 **Effect of dietary n-3 HUFA on growth performance and tissue fatty acid composition of gibel carp *Carassius auratus gibelio***  
Chen, J., Zhu, X., Han, D., Yang, Y., Lei, W. & Xie, S.
- e486 **Evaluation of weaning performance of California halibut (*Paralichthys californicus*) larvae using growth, survival and digestive proteolytic activity**  
Muguet, J.-B., Lazo, J. P., Conklin, D. E. & Piedrahita, R. H.
- e494 **Effects of cellulase addition to canola meal in tilapia (*Oreochromis niloticus*, L.) diets**  
Yigit, N. O. & Olmez, M.
- e501 **Enhancing highly unsaturated  $\omega$ -3 fatty acids in phase-fed rainbow trout (*Oncorhynchus mykiss*) using Alaskan fish oils**  
Stone, D. A. J., Oliveira, A. C. M., Plante, S., Smiley, S., Bechtel, P. & Hardy, R. W.
- e511 **Growth performance of the white shrimp, *Litopenaeus vannamei*, fed on practical diets with increasing levels of the Antarctic krill meal, *Euphausia superba*, reared in clear- versus green-water culture tanks**  
Nunes, A. J. P., Sá, M. V. C. & Sabry-Neto, H.
- e521 **The effects of phase-feeding rainbow trout (*Oncorhynchus mykiss*) with canola oil and Alaskan pollock fish oil on fillet fatty acid composition and sensory attributes**  
Stone, D. A. J., Oliveira, A. C. M., Ross, C. F., Plante, S., Smiley, S., Bechtel, P. & Hardy, R. W.
- e530 **Pigmentation and carotenoid content of shrimp fed with *Haematococcus pluvialis* and soy lecithin**  
Parisenti, J., Beirão, L. H., Maraschin, M., Mouriño, J. L., do Nascimento Vieira, F., Bedin, L. H. & Rodrigues, E.

- e536** A determination of the quantitative requirements for docosahexaenoic acid for juvenile barramundi (*Lates calcarifer*)  
Glencross, B. & Rutherford, N.
- e549** Effect of different forms of *Artemia* biomass as a food source on survival, molting and growth rate of mud crab (*Scylla paramamosain*)  
Anh, N. T. N., Ut, V. N., Wille, M., Hoa, N. V. & Sorgeloos, P.
- e559** Comparison of dietary essential amino acid requirements determined from group-housed versus individually-housed juvenile bluegill, *Lepomis macrochirus*  
Masagounder, K., Hayward, R. S. & Firman, J. D.
- e572** Effects of different levels of plant proteins on the ongrowth of meagre (*Argyrosomus regius*) juveniles at low temperatures  
Estévez, A., Treviño, L., Kotzamanis, Y., Karacostas, I., Tort, L. & Gisbert, E.
- e583** Total sulphur amino acid requirement and cystine replacement value for fingerling rohu, *Labeo rohita*: effects on growth, nutrient retention and body composition  
Abidi, S. F. & Khan, M. A.
- e595** Effect of prey type and size on the growth, survival and pigmentation of cod (*Gadus morhua*, L.) larvae  
Busch, K. E. T., Peruzzi, S., Tønning, F. & Falk-Petersen, I.-B.
- e604** Amino acid retention of gilthead sea bream (*Sparus aurata*, L.) fed with pea protein concentrate  
Sánchez-Lozano, N. B., Martínez-Llorens, S., Tomás-Vidal, A. & Jover Cerdá, M.
- e615** Influence of dietary phospholipids level on growth performance, body composition and lipid class of early postlarval *Litopenaeus vannamei*  
Niu, J., Liu, Y.-J., Tian, L.-X., Mai, K.-S., Lin, H.-Z., Chen, X., Yang, H.-J. & Liang, G.-Y.
- e622** Effect of promoted natural feed on the production, nutritional, and immunological parameters of *Litopenaeus vannamei* (Boone, 1931) semi-intensively farmed  
Porchas-Cornejo, M. A., Martínez-Córdova, L. R., Ramos-Trujillo, L., Hernández-López, J., Martínez-Porchas, M. & Mendoza-Cano, F.
- e629** Effects of dietary mannan oligosaccharide on the survival, growth, immunity and digestive enzyme activity of freshwater crayfish, *Cherax destructor* Clark (1936)  
Sang, H. M., Fotadar, R. & Filer, K.
- e636** A comparative study on the apparent digestibility of selected feedstuffs in hybrid catfish (*Clarias macrocephalus* × *Clarias gariepinus*) and Nile tilapia (*Oreochromis niloticus*)  
Tram, N. D. Q., Ngoan, L. D., Hung, L. T. & Lindberg, J. E.
- e644** Free amino acid distribution in plasma and liver of juvenile cobia (*Rachycentron canadum*) fed increased levels of lizardfish silage  
Mach, D. T. N. & Nortvedt, R.
- e657** Effect of dietary L-lysine levels on growth, feed conversion, lysine retention efficiency and haematological indices of *Heteropneustes fossilis* (Bloch) fry  
Khan, M. A. & Abidi, S. F.
- e668** Quantification of dietary DNA in tissues of Atlantic salmon (*Salmo salar* L.) fed genetically modified feed ingredients  
Wiik-Nielsen, C. R., Holst-Jensen, A., Bøydler, C. & Berdal, K. G.