

# CONTENTS

Volume 125, issue 2, 15 March 2011 (Published 11 November 2010)

## Rapid Communications

- 277 Intestinal transport of pure theanine and theanine in green tea extract: Green tea components inhibit theanine absorption and promote theanine excretion  
Y. LU, J. ZHANG, X. WAN, M. LONG, D. LI, P. LEI & Z. ZHANG (China)
- 282 New benzenoids and anti-inflammatory constituents from *Zanthoxylum nitidum*  
J.-J. CHEN, Y.-H. LIN, S.-H. DAY, T.-L. HWANG & I.-S. CHEN (Taiwan)

## Reviews

- 288 The molecular basis of working mechanism of natural polyphenolic antioxidants  
M. LEOPOLDINI, N. RUSSO & M. TOSCANO (Italy)
- 307 The effects of silage feeding on some sensory and health attributes of cow's milk: A review  
P. KALACĀ (Czech Republic)

## General Papers

- 318 Identification of bioactive response in traditional cherries from Portugal  
A.T. SERRA, R.O. DUARTE, M.R. BRONZE & C.M.M. DUARTE (Portugal)
- 326 Oxidative stability of oil-in-water emulsions containing iron chelates: Transfer of iron from chelates to milk proteins at interface  
T. GUZUN-COJOCARU (France, Republic of Moldova), C. KOEV, M. YORDANOV (France, Bulgaria),  
T. KARBOWIAK, E. CASES & P. CAYOT (France)
- 334 Contribution of Leu and Hyp residues to antioxidant and ACE-inhibitory activities of peptide sequences isolated from squid gelatin hydrolysate  
A. ALEMÁN, B. GIMÉNEZ, E. PÉREZ-SANTIN, M.C. GÓMEZ-GUILLÉN & P. MONTERO (Spain)
- 342 Free-amino acid profiles of *thua nao*, a Thai fermented soybean  
K. DAJANTA, A. APICARTSRANGKON, E. CHUKEATIROTE (Thailand) & R.A. FRAZIER (UK)
- 348 Genotypic effects on the phytochemical quality of seeds and sprouts from commercial broccoli cultivars  
S. PÉREZ-BALIBREA, D.A. MORENO & C. GARCÍA-VIGUERA (Spain)
- 355 Fat globules selected from whole milk according to their size: Different compositions and structure of the biomembrane, revealing sphingomyelin-rich domains  
C. LOPEZ, V. BRIARD-BION, O. MÉNARD, E. BEAUCHER, F. ROUSSEAU, J. FAUQUANT, N. LECONTE & B. ROBERT (France)

*Continued on inside back cover*

**CONTENTS—Continued from outside back cover**

- 369 The chloroform fraction of guava (*Psidium cattleianum* Sabine) leaf extract inhibits human gastric cancer cell proliferation via induction of apoptosis  
J.Y. MOON, A. MOSADDIK, H. KIM, M. CHO, H.-K. CHOI, Y.S. KIM & S.K. CHO (Republic of Korea)
- 376 Study of chemical compositions, anti-nutritional contents and digestibility of electron beam irradiated sorghum grains  
P. SHAWRANG, A.A. SADEGHI, M. BEHGAR, H. ZARESHAHI & G. SHAHHOSEINI (Iran)
- 380 Characterisation of a stable radical from dark roasted malt in wort and beer  
D. JEHLÉ, M.N. LUND, L.H. ØGENDAL & M.L. ANDERSEN (Denmark)
- 388 Influence of origin, harvesting time and weather conditions on content of inositols and methylinositols in sea buckthorn (*Hippophaë rhamnoides*) berries  
B. YANG, J. ZHENG & H. KALLIO (Finland)
- 397 Plasma lipid regulatory effect of compounded freshwater clam hydrolysate and *Gracilaria* insoluble dietary fibre  
Y.-H. LIN, J.-S. TSAI, L.-B. HUNG & B.S. PAN (Taiwan, ROC)
- 402 Distribution of trace metals in a ling (*Genypterus blacodes*) fish fillet  
S. ASHOKA, B.M. PEAKE, G. BREMNER & K.J. HAGEMAN (New Zealand)
- 410 Microstructure and nutrient composition of hairless canary seed and its potential as a blending flour for food use  
E.-S.M. ABDEL-AAL, P. HUCL, S. SHEA MILLER, C.A. PATTERSON & D. GRAY (Canada)
- 417 Neuronal cell protective and antioxidant effects of phenolics obtained from *Zanthoxylum piperitum* leaf using *in vitro* model system  
C.-H. JEONG, J.H. KWAK, J.H. KIM, G.N. CHOI, D.-O. KIM & H.J. HEO (Republic of Korea)
- 423 High hydrostatic pressure effects on immunoreactivity and nutritional quality of soybean products  
E. PEÑAS, R. GOMEZ, J. FRIAS, M.L. BAEZA & C. VIDAL-VALVERDE (Spain)
- 430 Clarifying agents effect on the nitrogen composition in must and wine during fermentation  
E. VALDÉS, M. VILANOVA, E. SABIO & M.J. BENALTE (Spain)
- 438 Recycling of industrial essential oil waste: *Brutieridin* and *Melitidin*, two anticholesterolaemic active principles from bergamot albedo  
L. DI DONNA, G. GALLUCCI, N. MALAJ, E. ROMANO, A. TAGARELLI & G. SINDONA (Italy)
- 442 Suppression of inducible nitric oxide synthase expression and amelioration of lipopolysaccharide-induced liver injury by polyphenolic compounds in *Eucalyptus globulus* leaf extract  
K. SUGIMOTO, S. SAKAMOTO, K. NAKAGAWA, S. HAYASHI, N. HARADA, R. YAMAJI, Y. NAKANO & H. INUI (Japan)
- 447 Spirostane and cholestane glycosides from the bulbs of *Allium nigrum* L.  
A. JABRANE (France, Tunisia), H. BEN JANNET (Tunisia), T. MIYAMOTO (Japan), J.-F. MIRJOLET, O. DUCHAMP (France), F. HARZALLAH-SKHIRI (Tunisia) & M.-A. LACAILLE-DUBOIS (France)
- 456 Antioxidant activity and chemical constituents of essential oil and extracts of *Rhizoma Homalomenae*  
L.-B. ZENG, Z.-R. ZHANG, Z.-H. LUO & J.-X. ZHU (China)
- 464 Volatile profiles of *thua nao*, a Thai fermented soy product  
K. DAJANTA, A. APICHRATSRANGKON & E. CHUKEATIROTE (Thailand)
- 471 Antimutagenic and  $\alpha$ -glucosidase inhibitory effects of constituents from *Kaempferia parviflora*  
T. AZUMA, S.-I. KAYANO, Y. MATSUMURA, Y. KONISHI, Y. TANAKA & H. KIKUZAKI (Japan)
- 476  $\beta$ -Glucoside metabolism in *Oenococcus oeni*: Cloning and characterisation of the phospho- $\beta$ -glucosidase bgID  
A. CAPALDO, M.E. WALKER, C.M. FORD & V. JIRANEK (Australia)
- 483 *In vitro* investigation of antioxidant and anti-apoptotic activities of Korean wild edible vegetable extracts and their correlation with apoptotic gene expression in HepG2 cells  
H. KYUNG-A, H. YU-JIN, P. DONG-SIK, K. JAEHYUN & O. AE-SON (Republic of Korea)

CONTENTS—Continued from inside back cover

- 488 Nutritional and *in vitro* antioxidant properties of edible wild greens in Iberian Peninsula traditional diet  
D. MARTINS, L. BARROS, A.M. CARVALHO & I.C.F.R. FERREIRA (Portugal)
- 495 Effect of angiotensin I converting enzyme inhibitory peptide purified from skate skin hydrolysate  
J.K. LEE, J.-K. JEON & H.-G. BYUN (Republic of Korea)
- 500 Type I collagen from the skin of ornate threadfin bream (*Nemipterus hexodon*): Characteristics and effect of pepsin hydrolysis  
S. NALINANON, S. BENJAKUL (Thailand), H. KISHIMURA & K. OSAKO (Japan)
- 508 Dual effect of free and liposomal forms of phenolic lipids on the activity of GPI-anchor-deprived acetylcholinesterase from erythrocytes  
M. STASIUK, M. KLETA & A. KOZUBEK (Poland)
- 513 Isoflavones reduce inflammation in 3T3-L1 adipocytes  
M. PINENT, A.E. ESPINEL, M.A. DELGADO, I. BAIGES, C. BLADÉ & L. AROLA (Spain)
- 521 *In vivo* and *in vitro* studies to identify the hypoglycaemic constituents of *Momordica charantia* wild variant WB24  
C.-I. CHANG, H.-I. TSENG, Y.-W. LIAO, C.-H. YEN, T.-M. CHEN, C.-C. LIN & H.-L. CHENG (Taiwan)
- 529 Modelling the stability of lycopene-rich by-products of tomato processing  
V. LAVELLI & M.C. TORRESANI (Italy)
- 536 Variation in antioxidant potential and total polyphenol content of fresh and fully-fermented Sri Lankan tea  
S. JAYASEKERA, A.L. MOLAN (New Zealand), M. GARG (Australia) & P.J. MOUGHAN (New Zealand)
- 542 Evidence of 4-ethylcatechol as one of the main phenolic off-flavour markers in French ciders  
N. BURON, H. GUICHARD, E. COTON, J. LEDAUPHIN & D. BARILLIER (France)
- 549 Decay of fungicide residues during vinification of white grapes harvested after the application of some new active substances against downy mildew  
R.M. GONZÁLEZ-RODRÍGUEZ, B. CANCHO-GRANDE & J. SIMAL-GÁNDARA (Spain)
- 561 Angiotensin I-converting enzyme (ACE) inhibitory peptides derived from arachin by simulated gastric digestion  
V.K. JIMSHEENA & L.R. GOWDA (India)
- 570 The recognition of high molecular weight melanoidins as the main components responsible for radical-scavenging capacity of unheated and heat-treated Canadian honeys  
K. BRUDZYNSKI & D. MIOTTO (Canada)
- 576 B-HIVE: Beeswax hydrogen isotopes as validation of environment. Part I: Bulk honey and honeycomb stable isotope analysis  
L.A. CHESSON, B.J. TIPPLE, B.R. ERKKILA, T.E. CERLING & J.R. EHLERINGER (United States)
- 582 The formation of IQ type mutagens from Maillard reaction in ethanolic solution  
M.-C. WU, C.-Y. MA, C.-C. YANG, W.-C. KAO & S.-C. SHEN (Taiwan)
- 588 How much theanine in a cup of tea? Effects of tea type and method of preparation  
E.K. KEENAN, M.D.A. FINNIE, P.S. JONES, P.J. ROGERS & C.M. PRIESTLEY (UK)
- 595 Lessening of high-pressure-induced changes in Atlantic salmon muscle by the combined use of a fish gelatin–lignin film  
S.M. OJAGH (Iran), R. NÚÑEZ-FLORES, M.E. LÓPEZ-CABALLERO, M.P. MONTERO & M.C. GÓMEZ-GUILLÉN (Spain)
- 607 Distribution of a novel angiotensin I-converting enzyme inhibitory substance (2''-hydroxynicotianamine) in the flour, plant parts, and processed products of buckwheat  
S. HIGASA, S. FUJIHARA, A. HAYASHI, K. KIMOTO & Y. AOYAGI (Japan)
- 614 Characterisation of a thermostable family 42  $\beta$ -galactosidase (BgalC) family from *Thermotoga maritima* showing efficient lactose hydrolysis  
P. KATROLIA, M. ZHANG, Q. YAN, Z. JIANG, C. SONG & L. LI (PR China)
- 622 Antioxidant/prooxidant properties of model phenolic compounds: Part I. Studies on equimolar mixtures by chemiluminescence and cyclic voltammetry  
M. ABOU SAMRA (Greece), V.S. CHEDEA (Romania), A. ECONOMOU, A. CALOKERINOS & P. KEFALAS (Greece)

- 630 Cell proliferation inhibitory and apoptosis-inducing properties of anacardic acid and lunasin in human breast cancer MDA-MB-231 cells  
C.-C. HSIEH, B. HERNÁNDEZ-LEDESMA & B.O. DE LUMEN (USA)
- 637 Structural characterisation and immunomodulatory property of an acidic polysaccharide from mycelial culture of *Cordyceps sinensis* fungus Cs-HK1  
Z.-M. WANG (China, Hong Kong), X. PENG, K.-L.D. LEE, J.C.-O. TANG, P.C.-K. CHEUNG & J.-Y. WU (Hong Kong)
- 644 Effect of the supplementation of dairy sheep diet with incremental amounts of sunflower oil on animal performance and milk fatty acid profile  
P. GÓMEZ-CORTÉS, P.G. TORAL, P. FRUTOS, M. JUÁREZ, M.A. DE LA FUENTE & G. HERVÁS (Spain)
- 652 The *in vitro* and *in vivo* antioxidant properties of seabuckthorn (*Hippophae rhamnoides* L.) seed oil  
H.-C. TING, Y.-W. HSU, C.-F. TSAI, F.-J. LU, M.-C. CHOU & W.-K. CHEN (Taiwan)
- 660 Phenolic composition and antioxidant activity of culms and sugarcane (*Saccharum officinarum* L.) products  
J.M. DUARTE-ALMEIDA, A. SALATINO, M.I. GENOVESE & F.M. LAJOLO (Brazil)
- 665 Inhibition of  $\alpha$ -amylase activity by condensed tannins  
R. GONÇALVES, N. MATEUS & V. DE FREITAS (Portugal)
- 673 Hepatoprotective effects of almond oil against carbon tetrachloride induced liver injury in rats  
X.-Y. JIA, Q.-A. ZHANG, Z.-Q. ZHANG, Y. WANG, J.-F. YUAN, H.-Y. WANG & D. ZHAO (China)
- 679 Aqueous enzymatic sesame oil and protein extraction  
S. LATIF (Pakistan, Germany) & F. ANWAR (Pakistan)
- 685 The cellular antioxidant activity in red blood cells (CAA-RBC): A new approach to bioavailability and synergy of phytochemicals and botanical extracts  
M. BLASA, D. ANGELINO, L. GENNARI & P. NINFALI (Italy)
- 692 Nutritional composition of *Canarium pimela* L. kernels  
Z.-C. LV, K. CHEN, Y.-W. ZENG & Y.-H. PENG (China)
- 696 Enhancement of pasta antioxidant activity with oregano and carrot leaf  
M. BOROSKI, A.C. DE AGUIAR, J.S. BOEING, E.M. ROTTA, C.L. WIBBY, E.G. BONAFÉ, N.E. DE SOUZA & J.V. VISENTAINER (Brazil)
- 701 Chinese bayberry fruit extract alleviates oxidative stress and prevents 1,2-dimethylhydrazine-induced aberrant crypt foci development in rat colon carcinogenesis  
Z. YANG, S. CAO & Y. ZHENG (PR China)
- 706 Effect of NaCl on thermal aggregation of egg white proteins from duck egg  
T. KAEWMANEE, S. BENJAKUL & W. VISESSANGUAN (Thailand)
- 713 Investigation of the roasting conditions with minimal acrylamide generation in tropical almond (*Terminalia catappa*) nuts by response surface methodology  
O. LASEKAN & K. ABBAS (Malaysia)
- 719 Hepatoprotective activity of the total flavonoids from *Rosa laevigata* Michx fruit in mice treated by paracetamol  
Y.-T. LIU, B.-N. LU & J.-Y. PENG (China)
- 726 Phytocompounds from *Vitis kelungensis* stem prevent carbon tetrachloride-induced acute liver injury in mice  
C.-C. HUANG, Y.-T. TUNG, K.-C. CHENG & J.-H. WU (Taiwan)
- Short Communication**
- 732 Lactate-mediated enzymatic reduction of metmyoglobin *in vitro*  
G. RODRÍGUEZ (The Netherlands), Y.H. BRAD KIM (New Zealand), S. FAGET, C. ROSAZZA (The Netherlands) & J.T. KEETON (USA)
- ANALYTICAL METHODS**
- 736 Naturally-occurring folates in foods: Method development and analysis using liquid chromatography–tandem mass spectrometry (LC–MS/MS)  
S. VISHNUMOHAN, J. ARCOT & R. PICKFORD (Australia)
- 743 Using headspace solid phase micro-extraction for analysis of aromatic compounds during alcoholic fermentation of red wine  
M. ZHANG, Q. PAN, G. YAN & C. DUAN (China)

CONTENTS—Continued from last page of the issue

- 750 Rapid HPLC/DAD/MS method to determine phenolic acids, glycoalkaloids and anthocyanins in pigmented potatoes (*Solanum tuberosum* L.) and correlations with variety and geographical origin  
F. IERI, M. INNOCENTI, L. ANDRENELLI, V. VECCHIO & N. MULINACCI (Italy)
- 760 A new methodology to determine cell wall mannoprotein content and release in wine yeasts  
M. QUIRÓS, P. MORALES, L. PÉREZ-TRAVÉS, J.M. BARCENILLA & R. GONZALEZ (Spain)
- 767 Authenticity control and identification of origin of synthetic creatine-monohydrate by isotope ratio mass spectrometry  
F. HÜLSEMANN, U. FLENKER, M. PARR, H. GEYER & W. SCHÄNZER (Germany)
- 773 Evaluation of QuEChERS method for the determination of organochlorine pesticide residues in selected groups of fruits  
E. CIEŚLIK, A. SADOWSKA-ROCIK, J.M.M. RUIZ & M. SURMA-ZADORA (Poland)
- 779 Sensitive detection of *Salmonella* with fluorescent bioconjugated nanoparticles probe  
Z. WANG, H. XU, J. WU, J. YE & Z. YANG (China)
- 785 An optimised method for the rapid measurement and calculation of radical scavenger profiles in plant extracts by HPLC  
J. PAZOUREK, J. VÁCLAVÍK & M. ŽEMLIČKA (Czech Republic)
- 791 Modified paramagnetic beads in a microfluidic system for the determination of zearalenone in feedstuffs samples  
N.V. PANINI, E. SALINAS, G.A. MESSINA & J. RABA (Argentina)
- 797 Fingerprint of volatile flavour constituents and antioxidant activities of teas from Thailand  
P. PRIPDEEVECH & T. MACHAN (Thailand)
- I Calendar