

Publisher's Note

239 Publisher's note

Review Article

240 The metal silo: An effective grain storage technology for reducing post-harvest insect and pathogen losses in maize while improving smallholder farmers' food security in developing countries
T. Tefera, F. Kanampiu, H. De Groot, J. Hellin, S. Mugo, S. Kimenju, Y. Beyene, P.M. Boddupalli, B. Shiferaw and M. Banziger

Regular Articles

- 246 Suppressiveness of steam-exploded biomass of *Miscanthus sinensis* var. *giganteus* against soil-borne plant pathogens
U. De Corato, N. Sharma, O. Maccioni and F. Zimbardi
- 253 Effect of intercropping pepper with sugarcane on populations of *Liriomyza huidobrensis* (Diptera: Agromyzidae) and its parasitoids
B. Chen, J. Wang, L. Zhang, Z. Li and G. Xiao
- 259 Infection and decontamination of citrus canker-inoculated leaf surfaces
C.H. Bock, P.E. Parker, A.Z. Cook, J.H. Graham and T.R. Gottwald
- 265 Growth photosynthetic activity and antioxidant responses of mycorrhizal and non-mycorrhizal bajra (*Pennisetum glaucum*) crop under salinity stress condition
M. Borde, M. Dudhane and P. Jite
- 272 Monitoring resistance of field populations of diamondback moth *Plutella xylostella* L. (Lepidoptera: Yponomeutidae) to five insecticides in South China: A ten-year case study
L. Zhou, J. Huang and H. Xu
- 279 Can polycultural manipulation effectively control rice planthoppers in rice-based ecosystems?
S. Lin, M.S. You, G. Yang and L.L. Chen

continued from outside back cover)

- 285 Management of the root-knot nematode *Meloidogyne incognita* on tomato with combinations of different biocontrol organisms
M. Hashem and K.A. Abo-Elyousr
- 293 Characterisation and management of *Phalaris paradoxa* resistant to ACCase-inhibitors
A. Collavo, S. Panozzo, G. Lucchesi, L. Scarabel and M. Sattin
- 300 Development of a formulation of *Trichoderma asperellum* to control black rot disease on pineapple caused by (*Thielaviopsis paradoxa*)
C.J. Wijesinghe, R.S.W. Wijeratnam, J.K.R.R. Samarasekara and R.L.C. Wijesundera
- 307 Evaluation of combinations of paraquat plus photosystem II-inhibiting herbicides for controlling failed stands of maize (*Zea mays*)
J.K. Norsworthy, K.L. Smith and G. Griffith
- 311 Flaxleaf fleabane (*Conyza bonariensis*) populations have developed glyphosate resistance in north-east Australian cropping fields
S. Walker, K. Bell, G. Robinson and M. Widderick
- 318 Are traditional neem extract preparations as efficient as a commercial formulation of azadirachtin A?
C.M. Boursier, D. Bosco, A. Coulibaly and M. Negre
- 323 The effect of aluminum treatments on the root growth and cell ultrastructure of two soybean genotypes
H.N. Yu, P. Liu, Z.Y. Wang, W.R. Chen and G.D. Xu
- 329 Laboratory evaluation of diatomaceous earth deposits mined from several locations in central and southeastern Europe as potential protectants against coleopteran grain pests
C.G. Athanassiou, N.G. Kavallieratos, B.J. Vayias, Željko Tomanović, A. Petrović, V. Rozman, C. Adler, Z. Korunic and D. Milovanović
- 340 Agronomic and economic assessment of intensive pest management of dry bean (*Phaseolus vulgaris*)
G.M. Pynenburg, P.H. Sikkema and C.L. Gillard
- 349 Endophytic *Lecanicillium lecanii* and *Beauveria bassiana* reduce the survival and fecundity of *Aphis gossypii* following contact with conidia and secondary metabolites
P. Gurulingappa, P.A. McGee and G. Sword

(contents continued on bm 1)

(contents continued from inside back cover)

- 354 Baseline and differential sensitivity to mandipropamid among isolates of *Peronophythora litchii*, the causal agent of downy blight on litchi
Z.-H. Tang, H.-C. Wang, Y.-P. Hou, S.-P. Zhang, J.-X. Wang and M.-g. Zhou
- 360 Effect of morphological traits of plant, head and seed of sunflower hybrids on house sparrow damage rate
A. Khaleghizadeh
- 368 Combining residues of herb crops with soil heating for control of soilborne pathogens in a controlled laboratory system
E. Klein, J. Katan and A. Gamliel

Short Communications

- 375 Effects of leaf scales of different pineapple cultivars on the epiphytic stage of *Fusarium guttiforme*
G.M. de F.V. Aquije, A.M.N. Korres, D.S. Buss, J.A. Ventura, P.M.B. Fernandes and A.A.R. Fernandes
- 379 Susceptibility of stem and root tissues of tobacco cultivars carrying or not the *Ph* gene to Pythium stem rot, caused by *Pythium aphanidermatum*
D.F. Antonopoulos and A.L. Mila
- 384 IAPPS Newsletter
- 386 Calender