

General Papers

- 379 Antioxidant enzyme activities and antioxidant capacity in *longissimus* muscle from bulls fed diets rich in polyunsaturated fatty acids
L. MAHECHA (Colombia), K. NUERNBERG, G. NUERNBERG, J. MARTIN, E.M. HUBBERMANN, S. KNOELLER (Germany), E. CLAEYS, S. DE SMET (Belgium) & D. DANNENBERGER (Germany)
- 387 A potential probiotic culture ST2 produces siderophore 2,3-dihydroxybenzoylserine under intestinal conditions
J.J. AHIRE, K.P. PATIL, B.L. CHAUDHARI & S.B. CHINCHOLKAR (India)
- 394 Chemical composition and biological activity of *Citrus jambhiri* Lush
D. HAMDAN (Germany, Egypt), M.Z. EL-READI, A. TAHRANI, F. HERRMANN, D. KAUFMANN (Germany), N. FARRAG, A. EL-SHAZLY (Egypt) & M. WINK (Germany)
- 404 Antiproliferative, proapoptotic and morphogenic effects of the flavonoid rutin on human glioblastoma cells
B.L. SANTOS, A.R. SILVA, B.P.S. PITANGA, C.S. SOUSA, M.S. GRANGEIRO, B.O. FRAGOMENI, P.L.C. COELHO, M.N. OLIVEIRA, N.J. MENEZES-FILHO, M.F.D. COSTA, R.S. EL-BACHÁ, E.S. VELOZO, G.P. SAMPAIO, S.M. FREIRE (Brazil), M. TARDY (France) & S.L. COSTA (Brazil)
- 412 Characterisation of a new antihypertensive angiotensin I-converting enzyme inhibitory peptide from *Pleurotus cornucopiae*
J.-H. JANG, S.-C. JEONG, J.-H. KIM, Y.-H. LEE, Y.-C. JU & J.-S. LEE (Republic of Korea)
- 419 *In vitro* scavenging capacity of annatto seed extracts against reactive oxygen and nitrogen species
R.C. CHISTÉ, A.Z. MERCADANTE (Brazil), A. GOMES, E. FERNANDES, J.L.F. DA COSTA LIMA (Portugal) & N. BRAGAGNOLO (Brazil)
- 427 Influence of the phenophase on the phenolic profile and antioxidant properties of Dalmatian sage
I. GENERALIĆ, D. SKROZA, I. LJUBENKOV, A. KATALINIĆ, F. BURČUL & V. KATALINIĆ (Croatia)
- 434 Antioxidant and immunobiological activity of water-soluble polysaccharide fractions purified from *Acanthopanax senticosu*
R. CHEN, Z. LIU, J. ZHAO, R. CHEN, F. MENG, M. ZHANG & W. GE (China)
- 441 Amino acid uptake by wild and commercial yeasts in single fermentations and co-fermentations
N. BARRAJÓN-SIMANCAS (Spain), E. GIESE (Brazil), M. ARÉVALO-VILLENA, J. ÚBEDA & A. BRIONES (Spain)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 447 Influence of ultra-high pressure homogenisation on antioxidant capacity, polyphenol and vitamin content of clear apple juice
Á. SUÁREZ-JACOBO (Spain), C.E. RÜFER (Germany), R. GERVILLA, B. GUAMIS, A.X. ROIG-SAGUÉS & J. SALDO (Spain)
- 455 *In vitro* retardation of glucose diffusion with gum extracted from malva nut seeds produced in Thailand
A. SRICHAMROEN & V. CHAVASIT (Thailand)
- 461 Effect of gamma-ray irradiation on the fatty acid profile of irradiated beef meat
R. STEFANOVA (Bulgaria), S. TOSHKOV (USA), N.V. VASILEV, N.G. VASSILEV & I.N. MAREKOV (Bulgaria)
- 467 Actual ratios of triacylglycerol positional isomers consisting of saturated and highly unsaturated fatty acids in fishes and marine mammals
N. GOTOH, Y. MATSUMOTO, T. NAGAI, H. MIZOBE, I. OTAKE, K. ICHIOKA, I. KURODA, H. WATANABE, N. NOGUCHI & S. WADA (Japan)
- 473 Interactions between yeast autolysates and volatile compounds in wine and model solution
P. COMUZZO, L. TAT, D. FENZI, L. BROTTTO, F. BATTISTUTTA & R. ZIRONI (Italy)
- 481 Effect of ripening on protein content and enzymatic activity of Crimson Seedless table grape
S. LÓPEZ-MIRANDA, P. HERNÁNDEZ-SÁNCHEZ, A. SERRANO-MARTÍNEZ, P. HELLÍN, J. FENOLL & E. NÚÑEZ-DELICADO (Spain)
- 487 Proteolytic action of *Lactobacillus delbrueckii* subsp. *bulgaricus* CRL 656 reduces antigenic response to bovine β -lactoglobulin
M. PESCUA, E.M. HÉBERT (Argentina), H. RABESONA, M. DROUET, Y. CHOISSET, T. HAERTLÉ (France), F. MOZZI, G.F. DE VALDEZ (Argentina) & J.-M. CHOBERT (France)
- 493 Phenolic composition and free radical scavenging activity of different apple varieties in relation to the cultivar, tissue type and storage
K. CARBONE, B. GIANNINI, V. PICCHI, R. LO SCALZO & F. CECCHINI (Italy)
- 501 Effect of sterilisation on dietary fibre and physicochemical properties of onion by-products
V. BENÍTEZ, E. MOLLÁ, M.A. MARTÍN-CABREJAS, Y. AGUILERA, F.J. LÓPEZ-ANDRÉU & R.M. ESTEBAN (Spain)
- 508 Indigenous proteases in the skin of unicorn leatherjacket (*Alutherus monoceros*) and their influence on characteristic and functional properties of gelatin
M. AHMAD, S. BENJAKUL (Thailand), M. OVISSIPOUR (Iran) & T. PRODPRAN (Thailand)
- 516 Impact of cover crops in vineyard on the aroma compounds of *Vitis vinifera* L. cv Cabernet Sauvignon wine
Z.-M. XI, Y.-S. TAO, L. ZHANG & H. LI (China)
- 523 The role of polyphenol oxidase and peroxidase in the browning of water caltrop pericarp during heat treatment
J.-Y. CIOU, H.-H. LIN, P.-Y. CHIANG, C.-C. WANG & A.L. CHARLES (Taiwan)
- 528 Techniques for improving or replacing ageing on lees of oak aged red wines: The effects on polysaccharides and the phenolic composition
R. DEL BARRIO-GALÁN, S. PÉREZ-MAGARIÑO & M. ORTEGA-HERAS (Spain)
- 541 Effect of non-starch polysaccharides on the *in vitro* digestibility and rheological properties of rice starch gel
T. SASAKI & K. KOHYAMA (Japan)
- 547 Evaluation of different *Saccharomyces cerevisiae* strains on the profile of volatile compounds and polyphenols in cherry wines
S.Y. SUN, W.G. JIANG & Y.P. ZHAO (PR China)
- 556 Antioxidant capacity, total phenolics, glucosinolates and colour parameters of rapeseed cultivars
A. SZYDŁOWSKA-CZERNIAK, I. BARTKOWIAK-BRODA (Poland), I. KARLOVIĆ (Serbia), G. KARLOVITS & E. SZŁYK (Poland)
- 564 Evaluation of the antioxidant activity of five endemic *Ligustrum* species leaves from Taiwan flora *in vitro*
C.-R. WU, W.-H. LIN, Y.-C. HSEU, J.-C. LIEN, Y.-T. LIN, T.-P. KUO & H. CHING (Taiwan, ROC)
- 572 Encapsulation of ethylene gas into α -cyclodextrin and characterisation of the inclusion complexes
B.T. HO, D.C. JOYCE & B.R. BHANDARI (Australia)

Continued on last page

CONTENTS—Continued from inside back cover

- 581 Phenylethanoid glycosides as major antioxidants in *Lippia multiflora* herbal infusion and their stability during steam pasteurisation of plant material
H. ARTHUR, E. JOUBERT, D. DE BEER, C.J. MALHERBE & R.C. WITTHUHN (South Africa)
- 589 Stability and anti-glycation properties of intermediate moisture apple products fortified with green tea
V. LAVELLI (Italy), M. COREY, W. KERR (United States) & C. VANTAGGI (Italy)
- 596 Effects of pressure on the glucose–ammonium sulphite caramel solutions
Y.-G. GUAN, P. YU, S.-J. YU, X.-B. XU, W.-H. SHI & W.-W. SUN (China)
- 602 The influence of organic and conventional crop management, variety and year on the yield and flavonoid level in common buckwheat groats
J. KALINOVA & N. VRCHOTOVA (Czech Republic)
- 609 Antioxidant constituents from the stems and fruits of *Momordica charantia*
K.-W. LIN, S.-C. YANG & C.-N. LIN (Taiwan)
- 615 Main nutrients, phenolics, antioxidant activity, DNA damage protective effect and microstructure of *Sphallerocarpus gracilis* root at different harvest time
C.-Y. GAO, Y.-H. LU, C.-R. TIAN, J.-G. XU, X.-P. GUO, R. ZHOU & G. HAO (China)
- 623 Effect of pectinase treatment on extraction of antioxidant phenols from pomace, for the production of puree-enriched cloudy apple juices
J. OSZMIANSKI, A. WOJDYŁO & J. KOLNIAK (Poland)
- 632 Trace metal concentrations in Mediterranean blue mussel and surface sediments and evaluation of the mussels quality and possible risks of high human consumption
D. JOKSIMOVIC (Montenegro), I. TOMIC, A.R. STANKOVIC, M. JOVIC & S. STANKOVIC (Serbia)
- Short Communications**
- 638 Acidic ribosomal protein 60S: A new tomato allergen
M.A. LÓPEZ-MATAS, A. FERRER, C.H. LARRAMENDI, A.J. HUERTAS, J.A. PAGÁN, J.L. GARCÍA-ABUJETA, J. BARTRA, C. ANDREU, J.R. LAVÍN & J. CARNÉS (Spain)
- 641 Quality attributes of starfruit (*Averrhoa carambola* L.) juice treated with ultraviolet radiation
R. BHAT, S.B. AMERAN, H.C. VOON, A.A. KARIM & L.M. TZE (Malaysia)
- ANALYTICAL METHODS**
- 645 VIS/NIR hyper-spectroscopy technique for the measurement of moisture and fat contents of breaded-fried chicken nuggets
A. YAVARI, A. HESHMATI, M. HAMEDI & S. HAGHBIN (Iran)
- 651 Determination of catechins in green tea infusions by reduced flow micellar electrokinetic chromatography
R.G. PERES, F.G. TONIN, M.F.M. TAVARES & D.B. RODRIGUEZ-AMAYA (Brazil)
- 656 Equations for spectrophotometric determination of relative concentrations of myoglobin derivatives in aqueous tuna meat extracts
C. VIRIYARATTANASAK, N. HAMADA-SATO, M. WATANABE, K. KAJIWARA & T. SUZUKI (Japan)
- 662 Analysis of volatile compounds of *Antrodia camphorata* in submerged culture using headspace solid-phase microextraction
Z.-M. LU, W.-Y. TAO, H.-Y. XU, J. LIM, X.-M. ZHANG, L.-P. WANG, J.-H. CHEN & Z.-H. XU (PR China)
- 669 Influence of baking time and matrix effects on the detection of milk allergens in cookie model food system by ELISA
L. MONACI (Belgium, Italy), M. BROHÉE, V. TREGOAT & A. VAN HENGEL (Belgium)
- 676 Determination of calcium-binding constants of caseins, phosphoserine, citrate and pyrophosphate: A modelling approach using free calcium measurement
O. MEKMENE & F. GAUCHERON (France)
- 683 Cloud point extraction coupled with ultrasonic-assisted back-extraction for the determination of organophosphorus pesticides in concentrated fruit juice by gas chromatography with flame photometric detection
W.-J. ZHAO, X.-K. SUN, X.-N. DENG, L. HUANG, M.-M. YANG & Z.-M. ZHOU (China)
- 689 Volatile compounds of leaves and fruits of *Mangifera indica* var. *coquinho* (Anacardiaceae) obtained using solid phase microextraction and hydrodistillation
S.S. GEBARA, W. DE OLIVEIRA FERREIRA, N. RÉ-POPPI, E. SIMIONATTO & E. CARASEK (Brazil)

- 694 Sensitive electrochemical determination of luteolin in peanut hulls using multi-walled carbon nanotubes modified electrode
D. ZHAO, X. ZHANG, L. FENG, Q. QI & S. WANG (PR China)
- 699 Electrooxidation of flavonoids at platinum electrode studied by cyclic voltammetry
A. MASEK, M. ZABORSKI & E. CHRZESCIJANSKA (Poland)
- 705 Application of molecular modelling and spectroscopic approaches for investigating binding of vanillin to human serum albumin
X. WANG, X. XIE, C. REN, Y. YANG, X. XU & X. CHEN (China)
- 711 Determination of water-soluble vitamins using a colorimetric microbial viability assay based on the reduction of water-soluble tetrazolium salts
T. TSUKATANI, H. SUENAGA, M. ISHIYAMA, T. EZOE & K. MATSUMOTO (Japan)
- 716 Iron or zinc dialyzability obtained from a modified in vitro digestion procedure compare well with iron or zinc absorption from meals
K. ARGYRI, E. THEOPHANIDI, A. KAPNA, C. STAIKIDOU, G. POUNIS, M. KOMAITIS, C. GEORGIU & M. KAPSOKEFALOU (Greece)
- 722 A rapid liquid chromatography method for determination of glufosinate residue in maize after derivatisation
K. QIAN, S. HE, T. TANG, T. SHI, J. LI & Y. CAO (China)
- 727 Identification of isomers of resveratrol dimer and their analogues from wine grapes by HPLC/MSⁿ and HPLC/DAD-UV
Q.J. KONG, X.Y. REN, N. HU, C.R. SUN & Y.J. PAN (China)
- 735 Visible micro-Raman spectroscopy for determining glucose content in beverage industry
I. DELFINO, C. CAMERLINGO, M. PORTACCIO, B.D. VENTURA, L. MITA, D.G. MITA & M. LEPORE (Italy)
- 743 Mid infrared and fluorescence spectroscopies coupled with factorial discriminant analysis technique to identify sheep milk from different feeding systems
R. KAROUI (France), M. HAMMAMI, H. ROUISSI (Tunisia) & C. BLECKER (Belgium)
- 749 Real time monitoring of alcoholic fermentation with low-cost amperometric biosensors
S. PIERMARINI, G. VOLPE, M. ESTI, M. SIMONETTI & G. PALLESCHI (Italy)
- 755 Discrimination of cinnamon bark and cinnamon twig samples sourced from various countries using HPLC-based fingerprint analysis
Y. DING, E.Q. WU, C. LIANG, J. CHEN, M.N. TRAN, C.H. HONG, Y. JANG, K.L. PARK, K. BAE, Y.H. KIM & J.S. KANG (Republic of Korea)
- 761 Validation of a quantitative assay for the total content of lipophilic and hydrophilic antioxidants in foods
B.L. HALVORSEN & R. BLOMHOFF (Norway)
- 769 Micelle mediated extraction and simultaneous spectrophotometric determination of vanadium(V) and molybdenum(VI) in plant foodstuff samples
T. MADRAKIAN, A. AFKHAMI, R. SIRI & M. MOHAMMADNEJAD (Iran)
- 774 Alcohol oxidase- and formaldehyde dehydrogenase-based enzymatic methods for formaldehyde assay in fish food products
V. SIBIRNY (Poland), O. DEMKIV, H. KLEPACH, T. HONCHAR (Ukraine) & M. GONCHAR (Ukraine, Poland)
- 780 Multi-element determination of Cu, Fe, Ni and Zn content in vegetable oils samples by high-resolution continuum source atomic absorption spectrometry and microemulsion sample preparation
L.S. NUNES, J.T.P. BARBOSA, A.P. FERNANDES, V.A. LEMOS, W.N.L. DOS SANTOS, M.G.A. KORN & L.S.G. TEIXEIRA (Brazil)
- 784 Monitoring multi-class pesticide residues in fresh grape by hollow fibre sorptive extraction combined with gas chromatography–mass spectrometry
J. LI, H.-F. ZHANG (People's Republic of China, China) & Y.-P. SHI (People's Republic of China)
- 791 A new colorimetric method to quantify β -1,3-1,6-glucans in comparison with total β -1,3-glucans in edible mushrooms
J. NITSCHKE, H. MODICK, E. BUSCH, R.W. VON REKOWSKI, H.-J. ALTENBACH & H. MÖLLEKEN (Germany)
- 797 A rapid quantitative determination of phenolic acids in *Brassica oleracea* by capillary zone electrophoresis
I.S.L. LEE, M.C. BOYCE & M.C. BREADMORE (Australia)

CONTENTS—Continued from last page of the issue

- 802 A very simple, fast, and non-destructive approach to predict the time at which edible oils submitted to high temperature reach the established limits of safety
M.D. GUILLÉN & P.S. URIARTE (Spain)
- 807 Identification and quantification of phenolic compounds from pomegranate (*Punica granatum* L.) peel, mesocarp, aril and differently produced juices by HPLC-DAD-ESI/MSⁿ
U.A. FISCHER, R. CARLE & D.R. KAMMERER (Germany)
- 822 One-year monitoring of aflatoxins and ochratoxin A in tiger-nuts and their beverages
J. RUBERT, N. SEBASTIÀ, J.M. SORIANO, C. SOLER & J. MAÑES (Spain)
- 827 Exploiting second-order advantage using PARAFAC2 for fast HPLC-DAD quantification of mixture of aflatoxins in pistachio nuts
M. VOSOUGH & A. SALEMI (Iran)
- 834 Development of a real-time PCR method for the simultaneous detection of soya and lupin mitochondrial DNA as markers for the presence of allergens in processed food
A.M.G. GALAN, M. BROHÉE, E. DE ANDRADE SILVA, A.J. VAN HENGEL (Belgium) & H. CHASSAIGNE (Italy)
- 842 Determination of melamine by flow injection analysis based on chemiluminescence system
H.-J. ZENG, R. YANG, Q.-W. WANG, J.-J. LI & L.-B. QU (China)
- 847 Analysis of nisin A, nisin Z and their degradation products by LCMS/MS
N. SCHNEIDER, K. WERKMEISTER & M. PISCHETSRIEDER (Germany)
- 855 Multiresidue method for determination of 88 pesticides in berry fruits using solid-phase extraction and gas chromatography–mass spectrometry: Determination of 88 pesticides in berries using SPE and GC–MS
X. YANG, H. ZHANG, Y. LIU, J. WANG, Y.C. ZHANG, A.J. DONG, H.T. ZHAO, C.H. SUN & J. CUI (PR China)
- 866 Integrating satellite images and spectroscopy to measuring green and black tea quality
R. DUTTA, A. STEIN (Netherlands) & R.M. BHAGAT (India)
- 875 Microwave-assisted extraction and determination of cyanuric acid residue in infant formula samples by liquid chromatography–tandem mass spectrometry
C. HAN, C. LIU, Y. ZHOU, B. XIA, Z. ZHU, X. LEI & Y. SHEN (China)
- Short Communications**
- 880 Simultaneous determination of flavanones, hydroxycinnamic acids and alkaloids in citrus fruits by HPLC-DAD-ESI/MS
D. HE, Y. SHAN, Y. WU, G. LIU, B. CHEN & S. YAO (China)
- 886 A headspace solid-phase microextraction gas-chromatographic mass-spectrometric method (HS-SPME–GC/MS) to quantify hexanal in butter during storage as marker of lipid oxidation
S. PANSERI, S. SONCIN, L.M. CHIESA & P.A. BIONDI (Italy)
- 890 Determination of Gibberellin A3 residue in fruit samples by liquid chromatography–tandem mass spectrometry
W. XIE, C. HAN, Z. ZHENG, X. CHEN, Y. QIAN, H. DING, L. SHI & C. LV (China)