

CONTENTS

Review

- 117 QTL for percentage of carcass and carcass parts in a broiler x layer cross
E E Baron, A S A M T Moura, M C Ledur, L F B Pinto, C Boschiero, D C Ruy, K Nones, E L Zanella, M F Rosário, D W Burt, L L Coutinho

Articles

- 125 East Asian contributions to Dutch traditional and western commercial chickens inferred from mtDNA analysis
N Dana, H-J Megens, R P M A Crooijmans, O Hanotte, J Mwacharo, M A M Groenen, J A M van Arendonk
- 134 Genome-wide SNP analysis identifies major QTL for *Salmonella* colonization in the chicken
M S Fife, J S Howell, N Salmon, P M Hocking, P M van Diemen, M A Jones, M P Stevens, P Kaiser
- 141 Whole-genome association study for fatty acid composition of oleic acid in Japanese Black cattle
Y Uemoto, T Abe, N Tameoka, H Hasebe, K Inoue, H Nakajima, N Shoji, M Kobayashi, E Kobayashi
- 149 Whole-Genome association analysis of susceptibility to paratuberculosis in Holstein cattle
B W Kirkpatrick, X Shi, G E Shook, M T Collins
- 161 Transcriptome analysis to identify differential gene expression affecting meat quality in heavy Italian pigs
C Gorni, C Garino, S Iacuniello, B Castiglioni, A Stella, G L Restelli, G Pagnacco, P Mariani
- 172 Characterization of OAR1 and OAR18 QTL associated with muscle depth in British commercial terminal sire sheep
O Matika, S Sechi, R Pong-Wong, R D Houston, A Clop, J A Woolliams, S C Bishop
- 181 Assessment of the functionality of genome-wide canine SNP arrays and implications for canine disease association studies
X Ke, L J Kennedy, A D Short, E H Seppälä, A Barnes, D N Clements, S H Wood, S D Carter, G M Happ, H Lohi, W E R Ollier
- 191 Quantitative trait loci for resistance to fish pasteurellosis in gilthead sea bream (*Sparus aurata*)
C Massault, R Franch, C Haley, D J de Koning, H Bovenhuis, C Pellizzari, T Patarnello, L Bargelloni

Short Communications

- 204 Closing a gap in the physical map of the ovine major histocompatibility complex
K Liu, P Zhang, J Gao, H Liu, G Li, Z Qiu, Y Zhang, J Ren, P Tan, R Z Ma
- 208 Chimaerism detection in bovine twins, triplets and quadruplets using sex chromosome-linked markers
M Ron, B Porat, M R Band, J I Weller
- 212 Association of bovine β -casein protein variant I with milk production and milk protein composition
M H P W Visker, B W Dibbits, S M Kinders, H J F van Valenberg, J A M van Arendonk, H Bovenhuis

Contents continued overleaf

Contents continued

- 219 A single nucleotide polymorphism in *suppressor of cytokine signalling-2* is associated with growth and feed conversion efficiency in pigs

Y Chen, E Piper, Y Zhang, B Tier, H U Graser, B G Luxford, C Moran

- 222 Fine-mapping of a locus on linkage group 23 for sex determination in Nile tilapia (*Oreochromis niloticus*)

O Eshel, A Shirak, J I Weller, T Slossman, G Hulata, A Cnaani, M Ron

Brief Notes

- 225 Population studies and parentage testing for Arabian horses using 15 microsatellite markers

D Monies, N Abu Al Saud, N Sahar, B F Meyer

- 226 An allelic ladder for eleven short tandem repeat loci for use in the cattle identity test

H-T Lim, B-W Kim, D Yoon, S-H Lee, C-K Yoo, J-H Lee, J-T Jeon