

**ORIGINAL ARTICLES**

- C. L. CHANG, F. AFUOLA, Q. X. LI**  
Canola, corn, and vegetable oils as alternatives for wheat germ oil in fruit fly larval diets **161–167**
- N. AHMED, I. ÅHMAN, J.-E. ENGLUND, E. JOHANSSON**  
Effect on radish pests by application of insecticides in a nearby spring oilseed rape field **168–176**
- L. M. CARVALHO, V. H. P. BUENO, C. CASTAÑÉ**  
Olfactory response towards its prey *Frankliniella occidentalis* of wild and laboratory-reared *Orius insidiosus* and *Orius laevigatus* **177–183**
- A.-M. DULAURENT, J.-P. ROSSI, C. DEBORDE, A. MOING, P. MENASSIEU, H. JACTEL**  
Honeydew feeding increased the longevity of two egg parasitoids of the pine processionary moth **184–194**
- M. R. PAIVA, E. MATEUS, M. H. SANTOS, M. R. BRANCO**  
Pine volatiles mediate host selection for oviposition by *Thaumetopoea pityocampa* (Lep., Notodontidae) **195–203**
- O. NICETIC, Y. R. CHO, D. J. RAE**  
Impact of physical characteristics of some mineral and plant oils on efficacy against selected pests **204–213**
- M. M. ERO, C. J. NEALE, E. HAMACEK, T. PEEK, A. R. CLARKE**  
Preference and performance of *Diachasmimorpha kraussii* (Fullaway) (Hymenoptera: Braconidae) on five commercial fruit species **214–224**
- A. ER, F. UÇKAN, D. B. RIVERS, O. SAK**  
Cytotoxic effects of parasitism and application of venom from the endoparasitoid *Pimpla turionellae* on hemocytes of the host *Galleria mellonella* **225–236**
- SHORT COMMUNICATION**
- P. MARTIN, S. N. JOHNSON**  
Evidence that elevated CO<sub>2</sub> reduces resistance to the European large raspberry aphid in some raspberry cultivars **237–240**