

CONTENTS

Volume 25, Issue 5, 2011

- 843 Transglutaminase cross-linking kinetics of sodium caseinate is changed after emulsification
A. MACIERZANKA (UK), F. BORDRON (France), N. M. RIGBY, E. N. C. MILLS (UK), M. LILLE,
K. POUTANEN (Finland) AND A. R. MACKIE (UK)
- 851 Cluster classification of dysphagia-oriented products considering flow, thixotropy and oscillatory testing
A. CASANOVAS, M. J. HERNÁNDEZ, E. MARTÍ-BONMATÍ AND M. DOLZ (Spain)
- 860 Casein glycomacropeptide pH-driven self-assembly and gelation upon heating
M. J. MARTINEZ, M. E. FARÍAS AND A. M. R. PILOSOF (Argentina)
- 868 Ability of whey protein isolate and/or fish gelatin to inhibit physical separation and lipid oxidation in fish oil-in-water
beverage emulsion
A. R. TAHERIAN, M. BRITTEN, H. SABIK AND P. FUSTIER (Canada)
- 879 Characterization of quinoa protein–chitosan blend edible films
L. E. ABUGOCH, C. TAPIA, M. C. VILLAMÁN, M. YAZDANI-PEDRAM AND M. DÍAZ-DOSQUE (Chile)
- 887 Modifications of soy protein isolates using combined extrusion pre-treatment and controlled enzymatic hydrolysis for
improved emulsifying properties
L. CHEN (China), J. CHEN (UK), J. REN AND M. ZHAO (China)
- 898 Contribution of protein conformation and intermolecular bonds to fish and pork gelation properties
R. LIU, S.-M. ZHAO, B.-J. XIE AND S.-B. XIONG (PR China)
- 907 Physicochemical properties of gelatin gels from walleye pollock (*Theragra chalcogramma*) skin cross-linked by gallic
acid and rutin
M. YAN, B. LI, X. ZHAO AND J. YI (PR China)
- 915 Extraction optimization of a hydrocolloid extract from cress seed (*Lepidium sativum*) using response surface methodology
H. KARAZHIYAN, S. M. A. RAZAVI (Iran) AND G. O. PHILLIPS (United Kingdom)
- 921 Dynamic surface pressure and dilatational viscoelasticity of sodium caseinate/xanthan gum mixtures at the oil–water
interface
L. LIU, Q. ZHAO, T. LIU AND M. ZHAO (PR China)
- 928 Physical properties of acid milk gels: Acidification rate significantly interacts with cross-linking and heat treatment of
milk
M. JACOB, S. NÖBEL, D. JAROS AND H. ROHM (Germany)
- 935 Mixed aqueous chitin nanocrystal–whey protein dispersions: Microstructure and rheological behaviour
M. V. TZOUMAKI, T. MOSCHAKIS AND C. G. BILIADERIS (Greece)
- 943 Extraction and functional properties of gelatin from the skin of cuttlefish (*Sepia officinalis*) using smooth hound crude
acid protease-aided process
R. BALTI, M. JRIDI, A. SILA, N. SOUISSI (Tunisia), N. NEDJAR-ARROUME, D. GUILLOCHON (France)
AND M. NASRI (Tunisia)
- 951 Characteristics of wheat dough and Chinese steamed bread added with sodium alginates or konjac glucomannan
S. Y. SIM, A. A. NOOR AZIAH AND L. H. CHENG (Malaysia)
- 958 Ultrasonic generation of aerated gelatin gels stabilized by whey protein β -lactoglobulin
R. N. ZÚÑIGA (Chile), U. KULOZIK (Germany) AND J. M. AGUILERA (Chile)

Contents continued on BM IV

- 968 Relationship between the structure, physicochemical properties and *in vitro* digestibility of rice starches with different amylose contents
H.-J. CHUNG, Q. LIU (Canada), L. LEE AND D. WEI (PR China)
- 976 Physicochemical properties of lactoferrin stabilized oil-in-water emulsions: Effects of pH, salt and heating
T. TOKLE AND D. J. MCCLEMENTS (USA)
- 983 Milk proteins differentiation and competitive adsorption during spray-drying
C. GAIANI, M. MULLET, E. ARAB-TEHRANY, M. JACQUOT, C. PERROUD, A. RENARD AND J. SCHER (France)
- 991 Contribution of okra extracts to the stability and rheology of oil-in-water emulsions
N. GEORGIADIS, C. RITZOULIS, G. SIOURA, P. KORNEZOU, C. VASILIOU AND C. TSIOPTSIAS (Greece)
- 1000 Formation of nanoemulsions stabilized by model food-grade emulsifiers using high-pressure homogenization: Factors affecting particle size
C. QIAN AND D. J. MCCLEMENTS (USA)
- 1009 Effects of heat-treated β -lactoglobulin and its aggregates on foaming properties
A. MORO, G. D. BÁEZ, P. A. BUSTI, G. A. BALLERINI AND N. J. DELORENZI (Argentina)
- 1016 Swallowing profiles of food polysaccharide gels in relation to bolus rheology
S. ISHIHARA, M. NAKAUMA, T. FUNAMI, S. ODAKE AND K. NISHINARI (Japan)
- 1025 Controlling lipid digestion by encapsulation of protein-stabilized lipid droplets within alginate–chitosan complex coacervates
Y. LI AND D. J. MCCLEMENTS (USA)
- 1034 Effect of γ -polyglutamate on the rheological properties and microstructure of tofu
C.-Y. LEE AND M.-I. KUO (Taiwan)
- 1041 Effect of sodium chloride, sucrose and chestnut starch on rheological properties of chestnut flour doughs
R. MOREIRA, F. CHENLO AND M. D. TORRES (Spain)
- 1051 Hydroxypropylmethylcellulose at the oil-water interface. Part II. Submicron-emulsions as affected by pH
N. A. CAMINO AND A. M. R. PILOSOF (Argentina)
- 1063 Competitive displacement of oil body surface proteins by Tween 80 – Effect on physical stability
C. V. NIKIFORIDIS AND V. KIOSSEOGLOU (Greece)
- 1069 Effect of protein:starch ratio on microwave expansion of imitation cheese-based product
J. M. ARIMI, E. DUGGAN, M. O'SULLIVAN, J. G. LYNNG AND E. D. O'RIORDAN (Ireland)
- 1077 Influence of green tea polyphenols on the colloidal stability and gelation of WPC
M. VON STASZEWSKI, R. J. JAGUS AND A. M. R. PILOSOF (Argentina)
- 1085 Properties of film from cuttlefish (*Sepia pharaonis*) skin gelatin incorporated with cinnamon, clove and star anise extracts
MD. S. HOQUE, S. BENJAKUL AND T. PRODPRAN (Thailand)
- 1098 Fabrication and characterization of TiO₂/whey protein isolate nanocomposite film
Y. LI, Y. JIANG, F. LIU, F. REN, G. ZHAO AND X. LENG (China)
- 1105 Acid gelation of low acyl gellan gum relevant to self-structuring in the human stomach
A. B. NORTON, P. W. COX AND F. SPYROPOULOS (UK)
- 1112 Influence of the homogenization conditions and lipid self-association on properties of sodium caseinate based films containing oleic and stearic acids
M. J. FABRA, R. PÉREZ-MASIÁ, P. TALENS AND A. CHIRALT (Spain)
- 1122 Exploitation of maize germ for the preparation of a stable oil-body nanoemulsion using a combined aqueous extraction–ultrafiltration method
C. V. NIKIFORIDIS, O. A. KARKANI AND V. KIOSSEOGLOU (Greece)
- 1128 Transport parameters for aroma compounds through i-carrageenan and sodium alginate-based edible films
A. HAMBLETONA, A. VOILLEYA, F. DEBEAUFORT (France)
- 1134 Chromatographic separation and physicochemical properties of collagen species in the skin of deep-sea redfish (*Sebastes mentella*)
L. WANG, Y. ZOU, S. JIANG, J. XU, S. JIANG AND Q. HU (PR China)
- 1139 Preparation of high protein micro-particles using two-step emulsification
D. SAĞLAM, P. VENEMA, R. DE VRIES, L. M. C. SAGIS AND E. VAN DER LINDEN (The Netherlands)

- 1149 Effect of *Alyssum homolocarpum* seed gum, Tween 80 and NaCl on droplets characteristics, flow properties and physical stability of ultrasonically prepared corn oil-in-water emulsions
A. KOOCHEKI AND R. KADKHODAE (Iran)
- 1158 Effect of homogenization conditions on physicochemical properties of chitosan-based film-forming dispersions and films
M. VARGAS, Á. PERDONES, A. CHIRALT, M. CHÁFER AND C. GONZÁLEZ-MARTÍNEZ (Spain)
- 1165 Swallowing profiles of food polysaccharide solutions with different flow behaviors
M. NAKAUMA, S. ISHIHARA, T. FUNAMI AND K. NISHINARI (Japan)
- 1174 Antioxidant *Parkia speciosa* pod powder as potential functional flour in food application: Physicochemical properties' characterization
C.-Y. GAN AND A. A. LATIFF (Malaysia)
- 1181 Modulation of physicochemical properties of lipid droplets using β -lactoglobulin and/or lactoferrin interfacial coatings
T. SCHMELZ (Germany), U. LESMES (Israel), J. WEISS (Germany) AND D. J. MCCLEMENTS (USA)
- 1190 Encapsulation of lipid by alginate beads reduces bio-accessibility: An *in vivo* ^{13}C breath test and MRI study
C. HOAD, P. RAYMENT, V. RISSE, E. COX, E. CIAMPI, S. PREGENT, L. MARCIANI, M. BUTLER, R. SPILLER AND P. GOWLAND (UK)
- 1201 Modulation of bulk physicochemical properties of emulsions by hetero-aggregation of oppositely charged protein-coated lipid droplets
Y. MAO AND D. J. MCCLEMENTS (USA)
- 1210 Viscoelastic and fragmentation characters of model bolus from polysaccharide gels after instrumental mastication
S. ISHIHARA, M. NAKAUMA, T. FUNAMI, S. ODAKE AND K. NISHINARI (Japan)
- 1219 New method for the purification of electrically charged polysaccharides
H. GARNA (Tunisia), T. H. EMAGA (Belgium, Cameroon), C. ROBERT AND M. PAQUOT (Belgium)
- 1227 Formation and characterization of lactoferrin/pectin electrostatic complexes: Impact of composition, pH and thermal treatment
C. BENGOCHEA (Spain), O. G. JONES (USA), A. GUERRERO (Spain) AND D. J. MCCLEMENTS (USA)
- 1233 Investigation of bovine serum albumin denaturation using ultrasonic spectroscopy
M. J. W. POVEY, J. D. MOORE, J. BRAYBROOK, H. SIMONS, R. BELCHAMBER, M. RAGANATHAN AND V. PINFIELD (United Kingdom)
- 1242 Chemical, physico-chemical and cytotoxicity characterisation of xyloglucan from *Guibourtia hymenifolia* (Moric.) J. Leonard seeds
N. LUCYSZYN, A. F. LUBAMBO, L. ONO, T. A. JÓ, C. F. DE SOUZA AND M. R. SIERAKOWSKI (Brazil)
- 1251 Effect of drying temperature and beeswax content on physical properties of whey protein emulsion films
M. SOAZO, A. C. RUBIOLO AND R. A. VERDINI (Argentina)
- 1256 Gelatins from three cultured freshwater fish skins obtained by liming process
B. JAMILAH, K. W. TAN, M. R. UMI HARTINA AND A. AZIZAH (Malaysia)
- 1261 Kefiran films plasticized with sugars and polyols: water vapor barrier and mechanical properties in relation to their microstructure analyzed by ATR/FT-IR spectroscopy
J. PIERMARIA, A. BOSCH, A. PINOTTI, O. YANTORNO, M. A. GARCIA AND A. G. ABRAHAM (Argentina)
- 1270 Re-assembled casein micelles and casein nanoparticles as nano-vehicles for ω -3 polyunsaturated fatty acids
P. ZIMET, D. ROSENBERG AND Y. D. LIVNEY (Israel)
- 1277 Improvement of foaming properties of cuttlefish skin gelatin by modification with *N*-hydroxysuccinimide esters of fatty acid
T. AEWSIRI, S. BENJAKUL, W. VISESSANGUAN (Thailand), P. A. WIERENGA AND H. GRUPPEN (The Netherlands)
- 1285 Fractionation and physicochemical characterization of peach gum polysaccharides
H. F. QIAN (China), S. W. CUI (China, Canada), Q. WANG, C. WANG (Canada) AND H. M. ZHOU (China)
- 1291 Effect of the degree of sulfation on the physicochemical and biological properties of *Pleurotus eryngii* polysaccharides
H. Y. JUNG, I. Y. BAE, S. LEE AND H. G. LEE (Republic of Korea)
- 1296 Evaluation of extrusion-modified fenugreek gum
Y. H. CHANG, S. W. CUI, K. T. ROBERTS (Canada), P. K. W. NG (USA) AND Q. WANG (Canada)
- 1302 Cold-set whey protein-flaxseed gum gels induced by mono or divalent salt addition
K. R. KUHN, Á. L. F. CAVALLIERI AND R. L. DA CUNHA (Brazil)
- 1311 Phase transitions of dairy proteins, dextrans and their mixtures as a function of water interactions
H. GLORIA HERNÁNDEZ, S. LIVINGS (Switzerland), J. M. AGUILERA (Chile) AND A. CHIRALT (Spain)

- 1319 Simplex lattice mixture design approach on the rheological behavior of glucomannan based salep-honey drink mixtures: An optimization study based on the sensory properties
S. KARAMAN, M. T. YILMAZ AND A. KAYACIER (Turkey)
- 1327 Freeze–thaw stability of lecithin and modified starch-based nanoemulsions
F. DONSI (USA, Italy), Y. WANG AND Q. HUANG (USA)
- 1337 Influence of dehulling pretreatment on physicochemical properties of *Gleditsia sinensis* Lam. gum
H.-L. JIAN (China), C. CRISTHIAN (Sweden), W.-M. ZHANG AND J.-X. JIANG (China)
- 1344 Effect of long term ingestion of gum arabic on the adipose tissues of female mice
K. USHIDA, H. HATANAKA, R. INOUE, T. TSUKAHARA (Japan) AND G. O. PHILLIPS (UK)
- 1350 Study on effect of jellyfish collagen hydrolysate on anti-fatigue and anti-oxidation
J.-F. DING, Y.-Y. LI, J.-J. XU, X.-R. SU, X. GAO AND F.-P. YUE (PR China)
- 1354 Formation of protein nanoparticles by controlled heat treatment of lactoferrin: Factors affecting particle characteristics
C. BENGOCHEA, I. PEINADO (Spain) AND D. J. MCCLEMENTS (USA)
- 1361 Rheology of commercial chestnut flour doughs incorporated with gelling agents
R. MOREIRA, F. CHENLO AND M. D. TORRES (Spain)
- 1372 Chitosan-gelatin composites and bi-layer films with potential antimicrobial activity
M. PEREDA, A. G. PONCE, N. E. MARCOVICH, R. A. RUSECKAITE AND J. F. MARTUCCI (Argentina)
- 1382 Rheological characterization of edible films made from collagen colloidal particle suspensions
J. A. DEIBER, M. B. PEIROTTI AND M. L. OTTONE (Argentina)
- i 393 Electrospinning of food-grade polysaccharides
A. C. STIJNMAN, I. BODNAR AND R. HANS TROMP (The Netherlands)
- 1399 The effect of ultrasound treatment on some properties of methylcellulose films
E. AHMADI, S. SAREMINEZHAD AND M. H. AZIZI (Iran)
- 1402 Orientation of short microcrystalline cellulose fibers in a gelatin matrix
L. W. KOH (Singapore) AND S. KASAPIS (Australia)
- 1406 Plant Exudates of the World: sources, distribution, properties and applications, Amos Nussinovitch. (2010). ISBN 978-1-4200-5225-7; price 119 pounds sterling
G. O. PHILLIPS (UK)
- 1407 Corrigendum “How emulsion composition and structure affect sensory perception of low viscosity model emulsions”
Food Hydrocolloids 22 (4) (2008) 631–646
M. H. VINGERHOEDS, R. A. DE WIJK, F. D. ZOET, R. R. NIXDORF, G. A. VAN AKEN (The Netherlands)
- 1408 Calendar