

# CONTENTS

Volume 128, issue 2, 15 September 2011 (Published 9 May 2011)

## General Papers

- 259 Evaluation of the antioxidant activity of passion fruit (*Passiflora edulis* and *Passiflora alata*) extracts on stimulated neutrophils and myeloperoxidase activity assays  
M.L. ZERAIK (Brazil), D. SERTEYN, G. DEBY-DUPONT, J.-N. WAUTERS, M. TITS (Belgium), J.H. YARIWAKE (Brazil), L. ANGENOT & T. FRANCK (Belgium)
- 266 Effects of enzymatically modified starch on the encapsulation efficiency and stability of water-in-oil-in-water emulsions  
S. MUN, Y. CHOI, J.-Y. SHIM, K.-H. PARK & Y.-R. KIM (Republic of Korea)
- 276 Effect of white grape extract and modified atmosphere packaging on lipid and protein oxidation in chill stored beef patties  
S. JONGBERG, S.H. SKOV, M.A. TØRNGREN, L.H. SKIBSTED & M.N. LUND (Denmark)
- 284 Effect of acid concentration and treatment time on acid-alcohol modified jackfruit seed starch properties  
H. DUTTA, S.K. PAUL, D. KALITA & C.L. MAHANTA (India)
- 292 Protein-binding and antioxidant potential of phenolics of mangosteen fruit (*Garcinia mangostana*)  
M. NACZK, M. TOWNSEND (Canada), R. ZADERNOWSKI (Poland) & F. SHAHIDI (Canada)
- 299 Antioxidant effect of fractions from chicken breast and beef loin homogenates in phospholipid liposome systems  
B. MIN, J.C. CORDRAY (USA) & D.U. AHN (USA, South Korea)
- 308  $\alpha$ -Glucosidase inhibitors from the bulb of *Eleutherine americana*  
T. IEYAMA, M.D.P.T. GUNAWAN-PUTERI & J. KAWABATA (Japan)
- 312 Kaempferol inhibits enterovirus 71 replication and internal ribosome entry site (IRES) activity through FUBP and HNRP proteins  
F.-J. TSAI, C.-W. LIN, C.-C. LAI, Y.-C. LAN, C.-H. LAI, C.-H. HUNG, K.-C. HSUEH, T.-H. LIN, H.C. CHANG, L. WAN, J.J.-C. SHEU & Y.-J. LIN (Taiwan, ROC)
- 323 Influence of thermal treatment and storage on astringency and quality of a spreadable product from persimmon fruit  
M.L. CASTELLÓ, A. HEREDIA, E. DOMÍNGUEZ, M.D. ORTOLÁ & J. TARRAZÓ (Spain)
- 330 Lactic fermentation to improve the aroma of protein extracts of sweet lupin (*Lupinus angustifolius*)  
S. SCHINDLER, M. WITTIG, K. ZELENÁ, U. KRINGS, J. BEZ, P. EISNER & R.G. BERGER (Germany)

*Continued on inside back cover*

**CONTENTS—Continued from outside back cover**

- 338 Bioavailability and antioxidant potential of rooibos flavonoids in humans following the consumption of different rooibos formulations  
T. BREITER, C. LAUE, G. KRESSEL, S. GRÖLL, U.H. ENGELHARDT & A. HAHN (Germany)
- 348 New and bioactive lignans from the fruits of *Schisandra sphenanthera*  
H.-C. HUANG, Y.-C. LIN, A.E. FAZARY, I.-W. LO, C.-C. LIAW, Y.-Z. HUANG, S.-S. LIU & Y.-C. SHEN (Taiwan)
- 358 Effects of solubility characteristics of sensitiser and pH on the photooxidation of oil in tuna oil-added acidic O/W emulsions  
S. AN (Republic of Korea), E. LEE (USA) & E. CHOE (Republic of Korea)
- 364 Valorisation of grape pomace by the extraction of phenolic antioxidants: Application of high voltage electrical discharges  
N. BOUSSETTA, E. VOROBIEV, V. DELOISON, F. POCHEZ, A. FALCIMAIGNE-CORDIN & J.-L. LANOISELLÉ (France)
- 371 Storage stability of cauliflower soup powder: The effect of lipid oxidation and protein degradation reactions  
R. RAITIO, V. ORLIEN & L.H. SKIBSTED (Denmark)
- 380 Mechanisms explaining the role of viscosity and post-deglutitive pharyngeal residue on *in vivo* aroma release: A combined experimental and modeling study  
M. DOYENNETTE, C. DE LOUBENS, I. DÉLÉRIS, I. SOUCHON & I.C. TRELEA (France)
- 391 Fatty acid composition, oxidative stability, antioxidant and antiproliferative properties of selected cold-pressed grape seed oils and flours  
H. LUTTERODT, M. SLAVIN, M. WHENT, E. TURNER & L. (LUCY) YU (USA)
- 400 Nutrient composition and protein quality evaluation of eri silkworm (*Samia ricinii*) prepupae and pupae  
T. LONGVAH, K. MANGTHYA & P. RAMULU (India)
- 404 Effect of bioprocessing of wheat bran in wholemeal wheat breads on the colonic SCFA production *in vitro* and postprandial plasma concentrations in men  
N.M. ANSON, R. HAVENAAR, W. VAES, L. COULIER, K. VENEMA (The Netherlands), E. SELINHEIMO (Finland), A. BAST & G.R.M.M. HAENEN (The Netherlands)
- 410 Changes in oxidative stability, antioxidant capacity and phytochemical composition of *Pistacia terebinthus* oil with roasting  
G. DURMAZ & V. GÖKMEN (Turkey)
- 415 Melatonin contents in mulberry (*Morus* spp.) leaves: Effects of sample preparation, cultivar, leaf age and tea processing  
P. POTHINUCH & S. TONGCHITPAKDEE (Thailand)
- 420 Physicochemical and structural characterisation of protein isolate, globulin and albumin from soapnut seeds (*Sapindus mukorossi* Gaertn.)  
S.-W. YIN, J.-C. CHEN, S.-D. SUN, C.-H. TANG, X.-Q. YANG, Q.-B. WEN & J.-R. QI (PR China)
- 427 Inhibition of melanosis formation in Pacific white shrimp by the extract of lead (*Leucaena leucocephala*) seed  
N.P. NIRMAL & S. BENJAKUL (Thailand)
- 433 Effects of catechin-rich oil palm leaf extract on normal and hypertensive rats' kidney and liver  
J.M. JAFFRI, S. MOHAMED, I.N. AHMAD, N.M. MUSTAPHA, Y.A. MANAP & N. ROHIMI (Malaysia)
- 442 The pathways for the removal of acrylamide in model systems using glycine based on the identification of reaction products  
J. LIU, F. CHEN, Y. MAN, J. DONG & X. HU (China)
- 450 Developmental changes in storage proteins and peptidyl prolyl *cis-trans* isomerase activity in grains of different wheat cultivars  
T. DUTTA, H. KAUR, S. SINGH, A. MISHRA, J.K. TRIPATHI, N. SINGH, A. PAREEK & P. SINGH (India)
- 458 Antioxidant and cytoprotective properties of 2-(hydroxymethyl)-3-methoxybenzaldehyde  
A. SRIVASTAVA (USA) & T. SHIVANANDAPPA (India)

**Continued on last page**

- 465 Strecker aldehydes and  $\alpha$ -keto acids, produced by carbonyl–amine reactions, contribute to the formation of acrylamide  
R. ZAMORA, R.M. DELGADO & F.J. HIDALGO (Spain)
- 471 Heat damage of water biscuits from einkorn, durum and bread wheat flours  
A. HIDALGO & A. BRANDOLINI (Italy)
- 479 Biogenic amines and potential histamine – Forming bacteria in Rihaakuru (a cooked fish paste)  
A. NAILA, S. FLINT, G.C. FLETCHER, P.J. BREMER (New Zealand) & G. MEERDINK (United Kingdom)
- 485 Sensory and molecular characterisation of human milk odour profiles after maternal fish oil supplementation during pregnancy and breastfeeding  
S. SANDGRUBER, D. MUCH, U. AMANN-GASSNER, H. HAUNER & A. BUETTNER (Germany)
- 495 Antifungal activities of triterpenoids from the roots of *Astilbe myriantha Diels*  
Q.-Y. SONG, W.-Y. QI, Z.-M. LI, J. ZHAO, J.-J. CHEN & K. GAO (People's Republic of China)
- 500 Comparison of the rheology of mozzarella-type curd made from buffalo and cows' milk  
I. HUSSAIN, A.E. BELL & A.S. GRANDISON (United Kingdom)
- 505 New vitamin E isomers (gamma-tococomonoenol and alpha-tococomonoenol) in seeds, roasted seeds and roasted seed oil from the Slovenian pumpkin variety '*Slovenska golica*'  
B. BUTINAR, M. BUČAR-MIKLAVČIČ (Slovenia), C. MARIANI (Italy) & P. RASPOR (Slovenia)
- 513 Kaempferol induces apoptosis in ovarian cancer cells through activating p53 in the intrinsic pathway  
H. LUO, G.O. RANKIN, Z. LI, L. DEPRIEST & Y.C. CHEN (USA)
- 520 Effects of high hydrostatic pressure (HHP) on bioaccessibility, as well as antioxidant activity, mineral and starch contents in Granny Smith apple  
V. BRIONES-LABARCA, G. VENEGAS-CUBILLOS, S. ORTIZ-PORTILLA, M. CHACANA-OJEDA & H. MAUREIRA (Chile)
- Short Communication**
- 530 Identification of phenolic components in dried spices and influence of irradiation  
T.O. NAGY, S. SOLAR, G. SONTAG & J. KOENIG (Austria)
- Corrigendum**
- 535 Corrigendum to "Characterization of flavonoids in *Orostachys japonicus* A. Berger using HPLC-MS/MS: Contribution to the overall antioxidant effect" (Food Chemistry 124 (2011) 1627–1633)  
J.H. LEE, S.J. LEE, S. PARK, H.K. KIM, W.Y. JEONG, J.Y. CHOI, N.-J. SUNG, W.S. LEE, C.-S. LIM, G.-S. KIM & S.C. SHIN (Republic of Korea)
- ANALYTICAL METHODS**
- 536 Optimisation of octadecyl (C<sub>18</sub>) sorbent amount in QuEChERS analytical method for the accurate organophosphorus pesticide residues determination in low-fatty baby foods with response surface methodology  
P. GEORGAKOPOULOS, R. ZACHARI, M. MATARAGAS, P. ATHANASOPOULOS, E.H. DROSINOS & P.N. SKANDAMIS (Greece)
- 543 Geographical origin differentiation of saffron spice (*Crocus sativus* L. stigmas) – Preliminary investigation using chemical and multi-element (H, C, N) stable isotope analysis  
L. MAGGI, M. CARMONA (Spain), S.D. KELLY, N. MARIGHETO (UK) & G.L. ALONSO (Spain)
- 549 Voltammetric behaviour and square-wave voltammetric determination of the potent antioxidant and anticarcinogenic agent ellagic acid in foodstuffs  
M. CUARTERO, J.A. ORTUÑO, P. TRUCHADO, M.S. GARCÍA, F.A. TOMÁS-BARBERÁN & M.I. ALBERO (Spain)
- 555 Preliminary study on the application of near infrared spectroscopy and pattern recognition methods to classify different types of apple samples  
W. LUO, S. HUAN, H. FU, G. WEN, H. CHENG, J. ZHOU, H. WU, G. SHEN & R. YU (China)
- 562 Ultrasound-assisted hydrolysis and gas chromatography–mass spectrometric determination of phenolic compounds in cranberry products  
C. WANG (USA, China) & Y. Zuo (USA)
- 569 Electrochemical sensor for hazardous food colourant quinoline yellow based on carbon nanotube-modified electrode  
J. ZHAO, Y. ZHANG, K. WU, J. CHEN & Y. ZHOU (China)