

- 753 Genetic improvement of sorghum for grain mould resistance: I. Performance of sorghum recombinant inbred lines for grain mould reactions across environments
S. Audilakshmi, I.K. Das, R.B. Ghorade, P.N. Mane, M.Y. Kamatar, Y.D. Narayana and N. Seetharama
- 759 Genetic enhancement of Sorghum (*Sorghum bicolor* (L) Moench) for grain mould resistance: II. Breeding for grain mould resistance
S.S. Ambekar, M.Y. Kamatar, K. Ganesamurthy, R.B. Ghorade, U. Saxena, P. Chand, B.D. Jadav, I.K. Das, T.G. Nageshwararao, S. Audilakshmi and N. Seetharama
- 765 Changes in the survival rate and fecundity of the rice leaffolder, *Cnaphalocrocis medinalis* Guenée (Lepidoptera: Pyralidae), at different magnesium concentrations in hydroponic culture
J. Xu, L.-B. Jiang and J.-C. Wu
- 770 Combined use of *Streptomyces* sp. A6 and chemical fungicides against fusarium wilt of *Cajanus cajan* may reduce the dosage of fungicides required in the field
A.K. Singh and H.S. Chhatpar
- 776 Are there alternatives to copper for controlling grapevine downy mildew in organic viticulture?
S. Dagostin, H.-J. Schärer, I. Pertot and L. Tamm
- 789 Weed control and sweet maize (*Zea mays* L.) yield as affected by pyroxasulfone dose
R.E. Nurse, P.H. Sikkema and D.E. Robinson
- 794 Elicitation of resistance and defense related enzymes by raw cow milk and amino acids in pearl millet against downy mildew disease caused by *Sclerospora graminicola*
J. Sudisha, A. Kumar, K.N. Amruthesh, S.R. Niranjana and H.S. Shetty
- 802 Peach brown rot incidence related to pathogen infection at different stages of fruit development in an organic peach production system
C. Keske, L. Amorim and L.L. May-De Mio
- 807 Biocontrol of vascular wilt and corm rot of gladiolus caused by *Fusarium oxysporum* f. sp. *gladioli* using plant growth promoting rhizobacterial mixture
V. Shanmugam, N. Kanoujia, M. Singh, S. Singh and R. Prasad
- 814 The impact of the locust control insecticide fipronil on termites and ants in two contrasting habitats in northern Australia
M.J. Steinbauer and R. Peveling

(contents continued from outside back cover)

- 826 Field efficacy of wintertime insecticide applications against greenbugs, *Schizaphis graminum* (Rondani) (Hemiptera: Aphididae) on winter wheat (*Triticumaestivum* L.)
T.A. Royer, N.C. Elliott, K.L. Giles and S. Dean Kindler
- 833 Balancing pest management and forest biodiversity: Vole populations and habitat in clearcut vs. variable retention harvested sites
T.P. Sullivan and D.S. Sullivan
- 844 Population density and life-history parameters of the psyllid *Bactericera nigricornis* (Forster) on four commercial cultivars of potato
S.A.A. Fathi
- 849 Response of spring planted barley (*Hordeum vulgare* L.), oats (*Avena sativa* L.) and wheat (*Triticum aestivum* L.) to mesotrione
N. Soltani, C. Shropshire and P.H. Sikkema
- 854 Effects of different brassicaceous host plants on the fitness of *Pieris brassicae* (L.)
F. Hasan and M.S. Ansari
- 863 Feeding disruption tests for monitoring the frequency of larval lepidopteran resistance to Cry1Ac, Cry1F and Cry1Ab
J.B. van Kretschmar, W.D. Bailey, C. Arellano, G.D. Thompson, C.L. Sutula and R.M. Roe
- 871 Visual inspections of nursery stock fail to protect new plantings from *Blueberry scorch virus* infection
P.V. Oudemans, B.I. Hillman, D. Linder-Basso and J.J. Polashock
- 876 Sensitivity of *Sclerotinia sclerotiorum* to fludioxonil: *In vitro* determination of baseline sensitivity and resistance risk
J. Kuang, Y.-P. Hou, J.-X. Wang and M.-G. Zhou
- 883 Population dynamics of *Xanthomonas campestris* pv. *vitians* on different plant species and management of bacterial leaf spot of lettuce under greenhouse conditions
M.A. Al-Saleh, Y.E. Ibrahim, K.A.M. Abo-Elyousr and J.S. Alibrahim
- 888 Effect of cultural practices and fungicides on *Phytophthora* fruit rot of watermelon in the Carolinas
C.S. Kousik, M.L. Adams, W.R. Jester, R. Hassell, H.F. Harrison and G.J. Holmes
- 895 Alternate crop and weed host plant oviposition preferences by the Mexican rice borer (Lepidoptera: Crambidae)
A.T. Showler, J.M. Beuzelin and T.E. Reagan

(contents continued on bm III)

(contents continued from inside back cover)

- 902 Comparative assessment of the field-susceptibility of *Sesamia nonagrioides* to the Cry1Ab toxin in areas with different adoption rates of Bt maize and in Bt-free areas
G.P. Farinós, S.S. Andreadis, M. de la Poza, G.K. Mironidis, F. Ortego, M. Savopoulou-Soultani and P. Castañera.
- 907 Chemical control of faba bean rust (*Uromyces viciae-fabae*)
A.A. Emeran, J.C. Sillero, M. Fernández-Aparicio and D. Rubiales
- 913 Response of two tephritid species, *Bactrocera oleae* and *Ceratitis capitata*, to different emission levels of pheromone and parapheromone
V. Navarro-Llopis, C. Alfaro, J. Primo and S. Vacas
- 919 Monitoring and action threshold determination for the obscure mealybug *Pseudococcus viburni* (Signoret) (Hemiptera: Pseudococcidae) using pheromone-baited traps
P. Mudavanhu, P. Addison and L. Pringle Ken
- 925 Suppression of cucurbit scab on cucumber leaves by photodynamic dyes
A.A. Aver'yanov, V.P. Lapikova, T.D. Pasechnik, T.S. Zakharenkova, S.I. Pogosyan and C.J. Baker
- 931 A meta analysis of spray drift sampling
P. Donkersley and D. Nuyttens
- 937 Effects of integrated pest management, biological control and prophylactic use of insecticides on the management and sustainability of soybean
A.d.F. Bueno, M.J. Batistela, R.C.O.d.F. Bueno, J.d.B. França-Neto, M.A. Naime Nishikawa and A.L. Filho
- 946 IAPPS Newsletter
- 949 Calendar