

Historical morphogenesis of the Turia River coastal flood plain in the Mediterranean littoral of Spain P. Carmona and J.M. Ruiz . . . . .	139
The effect of some watershed, soil characteristics and morphometric factors on the relationship between the gully volume and length in Fars Province, Iran M. Kompani-Zare, M. Soufi, H. Hamzehzarghani and M. Dehghani . . . . .	150
Performance of a distributed semi-conceptual hydrological model under tropical watershed conditions S. Beskow, C.R. Mello, L.D. Norton and A.M. da Silva . . . . .	160
Using plot soil loss distribution for soil conservation design V. Bagarello, C. Di Stefano, V. Ferro and V. Pampalone . . . . .	172
Organic carbon and nitrogen in soil particle-size aggregates under dry tropical forests from Guanacaste, Costa Rica — Implications for within-site soil organic carbon stabilization J.J. Jiménez, K. Lorenz and R. Lal . . . . .	178
Surprisingly small increase of the sedimentation rate in the floodplain of Morava River in the Strážnice area, Czech Republic, in the last 1300 years T. Matys Grygar, T. Nováková, M. Mihaljevič, L. Strnad, I. Světlík, L. Koptíková, L. Lisá, R. Brázdil, Z. Máčka, Z. Stachoň, H. Svitavská-Svobodová and D.S. Wray . . . . .	192