

## Contents

Genomics of plant genetic resources: an introduction <i>Roberto Tuberosa, Andreas Graner and Rajeev K. Varshney</i> . . . . .	151
Genomics of plant genetic resources: past, present and future <i>Kyujung Van, Dong Hyun Kim, Jin Hee Shin and Suk-Ha Lee</i> . . . . .	155
Genomic tools for the analysis of genetic diversity <i>J. Antoni Rafalski</i> . . . . .	159
Long terminal repeat retrotransposon <i>Jeli</i> provides multiple genetic markers for common wheat ( <i>Triticum aestivum</i> ) <i>Nataliya V. Melnikova, Fedor A. Konovalov and Alexander M. Kudryavtsev</i> . . . . .	163
HRM technology for the identification and characterization of INDEL and SNP mutations in genes involved in drought and salt tolerance of durum wheat <i>Linda Mondini, Miloudi M. Nachit, Enrico Porceddu and Mario A. Pagnotta</i> . . . . .	166
Starch metabolism mutants in barley: A TILLING approach <i>Riccardo Bovina, Valentina Talamè, Salvi Silvio, Maria Corinna Sanguineti, Paolo Trost, Francesca Sparla and Roberto Tuberosa</i> . . . . .	170
Collection of mutants for functional genomics in the legume <i>Medicago truncatula</i> <i>O. Calderini, M. Carelli, F. Panara, E. Biazzì, C. Scotti, A. Tava, A. Porceddu and S. Arcioni</i> . . . . .	174
Polymorphisms in intron 1 of carrot <i>AOX2b</i> – a useful tool to develop a functional marker? <i>Hélia Cardoso, Maria Doroteia Campos, Thomas Nothnagel and Birgit Arnholdt-Schmitt</i> . . . . .	177
Next-Gen sequencing of the transcriptome of triticale <i>Y. Xu, C. Badea, F. Tran, M. Frick, D. Schneiderman, L. Robert, L. Harris, D. Thomas, N. Tinker, D. Gaudet and A. Laroche</i> . . . . .	181
A comparison of population types used for QTL mapping in <i>Arabidopsis thaliana</i> <i>Joost J. B. Keurentjes, Glenda Willemse, Fred van Eeuwijk, Magnus Nordborg and Maarten Koornneef</i> . . . . .	185
Molecular characterization of the Latvian apple ( <i>Malus</i> ) genetic resource collection based on SSR markers and scab resistance gene <i>Vf</i> analysis <i>Gunars Lacis, Irita Kota, Laila Ikase and Dainis Rungis</i> . . . . .	189
Molecular adaptation of the chloroplast <i>matK</i> gene in <i>Nymphaea tetragona</i> , a critically rare and endangered plant of India <i>Jeremy Dkhar, Suman Kumaria and Pramod Tandon</i> . . . . .	193

The genetic make-up of the European landraces of the common bean <i>S. A. Angioi, D. Rau, L. Nanni, E. Bellucci, R. Papa and G. Attene</i>	197
Investigation of genetic diversity in Russian collections of raspberry and blue honeysuckle <i>Didier Lamoureaux, Artem Sorokin, Isabelle Lefèvre, Sergey Alexanian, Pablo Eyzaguirre and Jean-François Hausman</i>	202
Morpho-agronomic characterization and variation of indigo precursors in woad ( <i>Isatis tinctoria</i> L.) accessions <i>Luís Rocha, Carlos Carvalho, Sandra Martins, Fernando Braga and Valdemar Carnide</i>	206
Genetic diversity in woad ( <i>Isatis tinctoria</i> L.) accessions detected by ISSR markers <i>Luís Rocha, Sandra Martins, Valdemar Carnide, Fernando Braga and Carlos Carvalho</i>	210
Genetic diversity among Italian melon <i>inodorus</i> ( <i>Cucumis melo</i> L.) germplasm revealed by ISSR analysis and agronomic traits <i>S. Sestili, A. Giardini and N. Ficcadenti</i>	214
Analysis of genetic diversity in <i>Citrus</i> <i>François Luro, Julia Gatto, Gilles Costantino and Olivier Pailly</i>	218
Diversity of seed storage protein patterns of Slovak accessions in jointed goatgrass ( <i>Aegilops cylindrica</i> Host.) <i>Edita Gregová, Pavol Hauptvogel, René Hauptvogel, Gábor Vörösváry and Gábor Málnási Csizmadia</i>	222
Assessment of genetic diversity among Sri Lankan rice varieties by AFLP markers <i>Gowri Rajkumar, Jagathpriya Weerasena, Kumudu Fernando and Athula Liyanage</i>	224
Molecular and morphological diversity in Japanese rice germplasm <i>Fátima Bosetti, Maria Imaculada Zucchi and José Baldin Pinheiro</i>	229
Molecular characterization of the European rice collection in view of association mapping <i>Brigitte Courtois, Raffaella Greco, Gianluca Bruschi, Julien Frouin, Nourollah Ahmadi, Gaëtan Droc, Chantal Hamelin, Manuel Ruiz, Jean-Charles Evrard, Dimitrios Katsantonis, Margarida Oliveira, Sonia Negrao, Stefano Cavigiolo, Elisabetta Lupotto and Pietro Piffanelli</i>	233
Screening of barley germplasm for resistance to root lesion nematodes <i>Shiveta Sharma, Shaileendra Sharma, Tobias Keil, Eberhard Laubach and Christian Jung</i>	236
Allelic variation at the <i>EF-G</i> locus among northern Moroccan six-rowed barleys <i>Takahide Baba, Ken-ichi Tanno, Masahiko Furusho and Takao Komatsuda</i>	240
Comparison of genomic and EST-derived SSR markers in phylogenetic analysis of wheat <i>Agata Gadaleta, Angelica Giancaspro, Silvana Zacheo, Domenica Nigro, Stefania Lucia Giove, Pasqualina Colasunno and Antonio Blanco</i>	243
Exploring the genetic diversity of the <i>DRF1</i> gene in durum wheat and its wild relatives <i>Domenico Di Bianco, Karthikeyan Thiagarajan, Arianna Latini, Cristina Cantale, Fabio Felici and Patrizia Galeffi</i>	247
Allele variation in loci for adaptive response in Bulgarian wheat cultivars and landraces and its effect on heading date <i>Stanislav Kolev, Dimitar Vassilev, Kostadin Kostov and Elena Todorovska</i>	251

Diversity of seed storage proteins in common wheat ( <i>Triticum aestivum</i> L.) <i>Zuzana Šramková, Edita Gregová, Svetlana Šliková and Ernest Šturdík</i> . . . . .	256
Seed longevity in oilseed rape ( <i>Brassica napus</i> L.) – genetic variation and QTL mapping <i>Manuela Nagel, Maria Rosenbauer, Evelin Willner, Rod J. Snowdon, Wolfgang Friedt and Andreas Börner</i> . . . . .	260
Genetic variation at flowering time loci in wild and cultivated barley <i>James Cockram, Huw Hones and Donal M. O'Sullivan</i> . . . . .	264
Cold-modulated expression of genes encoding for key enzymes of the sugar metabolism in spring and autumn cvs. of <i>Beta vulgaris</i> L. <i>D. Pacifico, C. Onofri and G. Mandolino</i> . . . . .	268
Study of symptoms and gene expression in four <i>Pinus</i> species after pinewood nematode infection <i>Albina R. Franco, Carla Santos, Mariana Roriz, Rui Rodrigues, Marta R. M. Lima and Marta W. Vasconcelos</i> . . . . .	272
Development and application of EST-SSRs for diversity analysis in Ethiopian grass pea <i>M. Ponnaiah, E. Shiferaw, M. E. Pè and E. Porceddu</i> . . . . .	276
A novel genetic framework for studying response to artificial selection <i>Randall J. Wisser, Peter J. Balint-Kurti and James B. Holland</i> . . . . .	281
Molecular basis of cytoplasmic male sterility in beets: an overview <i>Tetsuo Mikami, Masayuki P. Yamamoto, Hiroaki Matsubira, Kazuyoshi Kitazaki and Tomohiko Kubo</i> . . . . .	284
Agronomic and molecular analysis of heterosis in alfalfa <i>C. Scotti, M. Carelli, O. Calderini, F. Panara, P. Gaudenzi, E. Biazzì, S. May, N. Graham, F. Paolocci and S. Arcioni</i> . . . . .	288
Mapping QTLs for yield components and chlorophyll a fluorescence parameters in wheat under three levels of water availability <i>Ilona Czyczyłko-Mysza, Izabela Marcinińska, Edyta Skrzypek, Małgorzata Chrupek, Stanisław Grzesiak, Tomasz Hura, Stefan Stojalowski, Beata Myskow, Paweł Milczarski and Steve Quarrie</i> . . . . .	291
Identifying QTLs for cold-induced resistance to <i>Microdochium nivale</i> in winter triticale <i>Magdalena Szechyńska-Hebda, Maria Wędzony, Mirosław Tyrka, Gabriela Gołębiowska, Małgorzata Chrupek, Ilona Czyczyłko-Mysza, Ewa Dubas, Iwona Żur and Elżbieta Golemieć</i> . . . . .	296
Use of EcoTILLING to identify natural allelic variants of rice candidate genes involved in salinity tolerance <i>S. Negrão, C. Almadan, I. Pires, K. L. McNally and M. M. Oliveira</i> . . . . .	300
Allele mining in the gene pool of wild <i>Solanum</i> species for homologues of late blight resistance gene <i>RB/Rpi-blb1</i> <i>Artem Pankin, Ekaterina Sokolova, Elena Rogozina, Maria Kuznetsova, Kenneth Deahl, Richard Jones and Emil Khavkin</i> . . . . .	305
SCAR markers of the <i>R</i> -genes and germplasm of wild <i>Solanum</i> species for breeding late blight-resistant potato cultivars <i>Ekaterina Sokolova, Artem Pankin, Maria Béketova, Maria Kuznetsova, Svetlana Spiglavova, Elena Rogozina, Isol'da Yashina and Emil Khavkin</i> . . . . .	309
Exploitation of nuclear and cytoplasm variability in <i>Hordeum chilense</i> for wheat breeding <i>Cristina Rodríguez-Suárez, María J. Giménez, María C. Ramírez, Azahara C. Martín, Natalia Gutierrez, Carmen M. Ávila, Antonio Martín and Sergio G. Attienza</i> . . . . .	313

Improvement of crop protection against greenbug using the worldwide sorghum germplasm collection and genomics-based approaches <i>Yinghua Huang</i>	317
An overlooked cause of seed degradation and its implications in the efficient exploitation of plant genetic resources <i>Dionysia A. Fasoula</i>	321
Cultivated and wild <i>Solanum</i> species as potential sources for health-promoting quality traits <i>Christina B. Wegener and Gisela Jansen</i>	324
Iron biofortification of maize grain <i>Owen A. Hoekenga, Mercy G. Lung'aho, Elad Tako, Leon V. Kochian and Raymond P. Glahn</i>	327
Polymorphism of waxy proteins in Spanish hulled wheats <i>C. Guzmán, L. Caballero, M. V. Gutierrez and J. B. Alvarez</i>	330
Molecular characterization of the <i>Glu-Ay</i> gene from <i>Triticum urartu</i> for its potential use in quality wheat breeding <i>M. V. Gutiérrez, C. Guzmán, L. M. Martín and J. B. Alvarez</i>	334
Protein disulphide isomerase promoter sequence analysis of <i>Triticum urartu</i> , <i>Aegilops speltoides</i> and <i>Aegilops tauschii</i> <i>Arun Prabhu Dhanapal, Mario Ciaffi, Enrico Porceddu and Elisa d'Aloisio</i>	338
Protein disulphide isomerase family in bread wheat ( <i>Triticum aestivum</i> L.): genomic structure, synteny conservation and phylogenetic analysis <i>E. d'Aloisio, A. R. Paolacci, A. P. Dhanapal, O. A. Tanzarella, E. Porceddu and M. Ciaffi</i>	342
Protein disulphide isomerase family in bread wheat ( <i>Triticum aestivum</i> L.): protein structure and expression analysis <i>A. R. Paolacci, M. Ciaffi, A. P. Dhanapal, O. A. Tanzarella, E. Porceddu and E. d'Aloisio</i>	347
Deployment of either a whole or dissected wild nuclear genome into the wheat gene pool meets the breeding challenges posed by the sustainable farming systems <i>Ciro De Pace, Marina Pasquini, Patrizia Vaccino, Marco Bizzarri, Francesca Nocente, Maria Corbellini, Maria Eugenia Caceres, Pier Giorgio Cionini, Doriano Vittori and Gyula Vida</i>	352
Identification of root morphology mutants in barley <i>Riccardo Bovina, Valentina Talamè, Matteo Ferri, Roberto Tuberosa, Beata Chmielewska, Iwona Szarejko and Maria Corinna Sanguineti</i>	357