

# CONTENTS

Volume 129, issue 2, 15 November 2011 (Published 12 July 2011)

## Review

- 235 Angiotensin-I-converting enzyme and prolyl endopeptidase inhibitory peptides from natural sources with a focus on marine processing by-products  
J. WILSON, M. HAYES & B. CARNEY (Ireland)

## General Papers

- 245 Lotus (*Nelumbo nucifera* Gaertn) plumule polysaccharide protects the spleen and liver from spontaneous inflammation in non-obese diabetic mice by modulating pro-/anti-inflammatory cytokine gene expression  
C.-H. LIAO & J.-Y. LIN (Taiwan, ROC)
- 253 Oxidative stability of water/oil mixtures as influenced by the addition of free Cu<sup>2+</sup> or Cu–alginate gel beads  
R.I. ALEXA, J.S. MOUNSEY, B.T. O’KENNEDY & J.-C. JACQUIER (Ireland)
- 259 Release kinetics of ethylene gas from ethylene– $\alpha$ -cyclodextrin inclusion complexes  
B.T. HO, D.C. JOYCE & B.R. BHANDARI (Australia)
- 267 Inhibitory effects of Lemon balm (*Melissa officinalis*, L.) extract on the formation of advanced glycation end products  
M. MIROLIAEI (Iran, UK), S. KHAZAEI, S. MOSHKELGOSHA & M. SHIRVANI (Iran)
- 272 Anthocyanin compositions and biological activities from the red petals of Korean edible rose (*Rosa hybrida* cv. Noblered)  
J.H. LEE, H.-J. LEE & M.-G. CHOUNG (Republic of Korea)
- 279 Analyses of marine-derived tocopherol in processed foods containing fish  
N. GOTOH, D. MASHIMO, T. OKA, K. SEKIGUCHI, M. TANGE, H. WATANABE, N. NOGUCHI & S. WADA (Japan)
- 284 Chemical constituents of selected unifloral Greek bee-honeys with antimicrobial activity  
E. MELLIYOU & I. CHINOOU (Greece)
- 291 Oleuropein/ligstroside isomers and their derivatives in Portuguese olive mill wastewaters  
S.M. CARDOSO, S.I. FALCÃO, A.M. PERES & M.R.M. DOMINGUES (Portugal)
- 297 The molecular weight, solubility and viscosity of oat beta-glucan affect human glycemc response by modifying starch digestibility  
A. REGAND, Z. CHOWDHURY, S.M. TOSH, T.M.S. WOLEVER & P. WOOD (Canada)

*Continued on inside back cover*

**CONTENTS—Continued from outside back cover**

- 305 Structure and degree of polymerisation of fructooligosaccharides present in roots and leaves of *Stevia rebaudiana* (Bert.) Bertoni  
A.J.B. DE OLIVEIRA, R.A.C. GONÇALVES, T.P.C. CHIERRITO, M.M. DOS SANTOS, L.M. DE SOUZA, P.A.J. GORIN, G.L. SASSAKI & M. IACOMINI (Brazil)
- 312 Comparing physicochemical properties of banana pulp and peel flours prepared from green and ripe fruits  
A.F.M. ALKARKHI, S.B. RAMLI, Y.S. YONG & A.M. EASA (Malaysia)
- 319 Polymeric protein formation during pasta-making with barley and semolina mixtures, and prediction of its effect on cooking behaviour and acceptability  
C. LAMACCHIA, A. BAIANO, S. LAMPARELLI, C. TERRACONE, A. TRANI & A. DI LUCCIA (Italy)
- 329 Distribution of zearalenone in malted barley fractions dependent on *Fusarium graminearum* growing conditions  
K. HABSCHIED, B. ŠARKANJ, T. KLAPEC & V. KRSTANOVIĆ (Croatia)
- 333 Characterisation of phenolic acid derivatives and flavonoids from different morphological parts of *Helichrysum obconicum* by a RP-HPLC-DAD(-)-ESI-MS<sup>n</sup> method  
S. GOUVEIA & P.C. CASTILHO (Portugal)
- 345 Antioxidant capacities and total phenolic contents of 62 fruits  
L. FU, B.-T. XU, X.-R. XU, R.-Y. GAN, Y. ZHANG, E.-Q. XIA & H.-B. LI (China)
- 351 Polyphenolic antioxidant profiles of yellow camellia  
L. SONG, X. WANG, X. ZHENG (China) & D. HUANG (Singapore)
- 358 Effect of the cooking on physicochemical and starch digestibility properties of two varieties of common bean (*Phaseolus vulgaris* L.) grown under different water regimes  
M. OVANDO-MARTÍNEZ, P. OSORIO-DÍAZ (Mexico), K. WHITNEY (USA), L.A. BELLO-PÉREZ (Mexico) & S. SIMSEK (USA)
- 366 Phenolic composition of South American red wines classified according to their antioxidant activity, retail price and sensory quality  
D. GRANATO, F.C.U. KATAYAMA & I.A. DE CASTRO (Brazil)
- 374 *In vitro* antioxidant properties and phenolic composition of *Salvia halophila* Hedge from Turkey  
M. KOŞAR, F. GÖGER (Turkey) & K. HÜSNÜ CAN BAŞER (Turkey, Saudi Arabia)
- 380 Production of functional oligosaccharides through limited acid hydrolysis of agave fructans  
Á. ÁVILA-FERNÁNDEZ, N. GALICIA-LAGUNAS, M.E. RODRÍGUEZ-ALEGRÍA, C. OLVERA & A. LÓPEZ-MUNGUÍA (Mexico)
- 387 Curcumin protects mouse neuroblastoma Neuro-2A cells against hydrogen-peroxide-induced oxidative stress  
X.-C. ZHAO, L. ZHANG, H.-X. YU, Z. SUN, X.-F. LIN, C. TAN & R.-R. LU (China)
- 395 *In situ* production of  $\gamma$ -aminobutyric acid in breakfast cereals  
I.J. JOYE, L. LAMBERTS, K. BRIJS & J.A. DELCOUR (Belgium)
- 402 Cold-field fruit extracts exert different antioxidant and antiproliferative activities *in vitro*  
Z.-L. FAN, Z.-Y. WANG (PR China) & J.-R. LIU (USA)
- 408 Estrogenic properties of six compounds derived from *Eucommia ulmoides* Oliv. and their differing biological activity through estrogen receptors  $\alpha$  and  $\beta$   
H. WANG, M.-C. LI, J. YANG, D. YANG, Y.-F. SU, G.-W. FAN (China), Y. ZHU (China, USA), X.-M. GAO (China) & R. PAOLETTI (Italy)
- 417 Flavonoid profile and radical-scavenging activity of Mediterranean sweet lemon (*Citrus limetta* Risso) juice  
D. BARRECA, E. BELLOCCO, C. CARISTI, U. LEUZZI & G. GATTUSO (Italy)
- 423 Antioxidant and semicarbazide-sensitive amine oxidase inhibitory activities of glucuronic acid hydroxamate  
Y.-H. LIU, W.-L. LIANG, C.-C. LEE, Y.-F. TSAI & W.-C. HOU (Taiwan)
- 429 Antioxidant activity of hydroxytyrosol in frankfurters enriched with *n*-3 polyunsaturated fatty acids  
S. COFRADES, L. SALCEDO SANDOVAL, G. DELGADO-PANDO, I. LÓPEZ-LÓPEZ, C. RUIZ-CAPILLAS & F. JIMÉNEZ-COLMENERO (Spain)

**Continued on last page**

- 437 Characterisation of the glycerophospholipid fraction in flaxseed oil using liquid chromatography–mass spectrometry  
W. HERCHI, F. SAKOUHI, S. KHALED (Tunisia), Y. XIONG (Canada), S. BOUKHCHINA, H. KALLEL (Tunisia) & J.M. CURTIS (Canada)
- 443 Aqueous two-phase extraction, identification and antioxidant activity of anthocyanins from mulberry (*Morus atropurpurea* Roxb.)  
X. WU, L. LIANG, Y. ZOU, T. ZHAO, J. ZHAO, F. LI & L. YANG (China)
- 454 *In vitro* studies to assess the antidiabetic, anti-cholinesterase and antioxidant potential of *Spergularia rubra*  
J. VINHOLES, C. GROSSO, P.B. ANDRADE (Portugal), A. GIL-IZQUIERDO (Spain), P. VALENTÃO, P.G. DE PINHO (Portugal) & F. FERRERES (Spain)
- 463 Effect of heat treatments and homogenisation pressure on the acid gelation properties of recombined whole milk  
Y.-R.(DONNA) JI, S.K. LEE & S.G. ANEMA (New Zealand)
- 472 Physicochemical changes of myofibrillar proteins during processing of Cantonese sausage in relation to their aggregation behaviour and *in vitro* digestibility  
W. SUN, F. ZHOU, M. ZHAO, B. YANG & C. CUI (China)
- 479 Lipid components, fatty acid distributions of triacylglycerols and phospholipids in rice brans  
H. YOSHIDA, T. TANIGAWA, N. YOSHIDA, I. KURIYAMA, Y. TOMIYAMA & Y. MIZUSHINA (Japan)
- 485 Affinity purification and characterisation of chelating peptides from chickpea protein hydrolysates  
C. TORRES-FUENTES, M. ALAIZ & J. VIOQUE (Spain)
- 491 Chemical composition of cultivated seaweed *Ulva clathrata* (Roth) C. Agardh  
A. PEÑA-RODRÍGUEZ (Mexico), T.P. MAWHINNEY (USA), D. RICQUE-MARIE & L.E. CRUZ-SUÁREZ (Mexico)
- 499 Quality characteristics of biscuits prepared from finger millet seed coat based composite flour  
R. KRISHNAN, U. DHARMARAJ, R. SAI MANOHAR & N.G. MALLESHI (India)
- 507 Response surface optimisation of antioxidant extraction from kinema, a *Bacillus*-fermented soybean food  
J. SAHA, A. BISWAS, A. CHHETRI & P.K. SARKAR (India)
- 514 Anthocyanin composition in aged Chilean Cabernet Sauvignon red wines  
M.J. AGUIRRE, M. ISAACS, B. MATSUHIRO, L. MENDOZA, L.S. SANTOS & S. TORRES (Chile)
- Short Communications**
- 520 Structural feature and antioxidant activity of low molecular weight laminarin degraded by gamma irradiation  
J.-I. CHOI, H.-J. KIM & J.-W. LEE (Republic of Korea)
- 524 The occurrence of polycyclic aromatic hydrocarbons in Peking duck: Relevance to food safety assessment  
G.-F. LIN (China), S. WEIGEL (Germany), B. TANG (China), C. SCHULZ (Germany) & J.-H. SHEN (China)
- ANALYTICAL METHODS**
- 528 Discriminating authentic *Nostoc flagelliforme* from its counterfeits by applying alternative ED-XRF and FTIR techniques  
A. LI, Y.W. YAT, W.K. YAP, C.W. LIM & S.H. CHAN (Singapore)
- 533 Automated on-line solid-phase extraction coupled to liquid chromatography–tandem mass spectrometry for determination of lipophilic marine toxins in shellfish  
J. REGUEIRO, A.E. ROSSIGNOLI (Spain), G. ÁLVAREZ (Spain, Chile) & J. BLANCO (Spain)
- 541 A two-site monoclonal antibody immunochromatography assay for rapid detection of peanut allergen Ara h1 in Chinese imported and exported foods  
K.-M. JI, J.-J. CHEN, C. GAO, X.-Y. LIU, L.-X. XIA, Z.-G. LIU, L. LI & S. YANG (PR China)
- 546 Thermal decomposition of vitamin C: An evolved gas analysis–ion attachment mass spectrometry study  
M. JUHÁSZ, Y. KITAHARA & T. FUJII (Japan)
- 551 Fingerprint analysis of Hawk-tea by high-performance liquid chromatography  
T. MA, C. HUANG, X. MENG, Q. ZHANG, L. ZHANG, X. LV, Y. JIN, J. XIE & J. LI (PR China)
- 557 Characterisation of volatile composition of white salsify (*Tragopogon porrifolius* L.) by headspace solid-phase microextraction (HS-SPME) and simultaneous distillation–extraction (SDE) coupled to GC–MS  
M. RIU-AUMATELL, L. VARGAS, S. VICHI, J.M. GUADAYOL, E. LÓPEZ-TAMAMES & S. BUXADERAS (Spain)

- 565 Multivariate classification of rice wines according to ageing time and brand based on amino acid profiles  
F. SHEN, Y. YING, B. LI, Y. ZHENG & Q. ZHUGE (People's Republic of China)
- 570 Microwave-assistance provides very rapid and efficient extraction of grape seed polyphenols  
Y. LI (PR China, Australia), G.K. SKOUROUMOUNIS, G.M. ELSEY & D.K. TAYLOR (Australia)
- 577 Determination of optimal acid hydrolysis time of soybean isoflavones using drying oven and microwave assisted methods  
J.H. LEE & M.-G. CHOUNG (Republic of Korea)
- 583 The use of Fourier transform mid infrared (FT-MIR) spectroscopy for detection and quantification of adulteration in virgin coconut oil  
A. ROHMAN (Indonesia) & Y.B. CHE MAN (Malaysia)
- 589 Analysis of the influence of the type of closure in the organoleptic characteristics of a red wine by using an electronic panel  
N. PRIETO, M. GAY (Spain), S. VIDAL, O. AAGAARD (Belgium), J.A. DE SAJA & M.L. RODRIGUEZ-MENDEZ (Spain)
- 595 Preparation of molecular imprinted film based on chitosan/nafion/nano-silver/poly quercetin for clenbuterol sensing  
C. ZHAO, G.-P. JIN, L.-L. CHEN, Y. LI & B. YU (PR China)
- 601 Non-destructive estimation of moisture, water activity and NaCl at ham surface during resting and drying using NIR spectroscopy  
C. COLLELL, P. GOU, J. ARNAU & J. COMAPOSADA (Spain)
- 608 Rapid and accurate determination of malate, citrate, pyruvate and oxaloacetate by enzymatic reactions coupled to formation of a fluorochromophore: Application in colorful juices and fermentable food (yogurt, wine) analysis  
F. SHAPIRO & N. SILANIKOVE (Israel)
- 614 Analytical determination of hydroxytyrosol in olive extract samples by micellar liquid chromatography  
M. RAMBLA-ALEGRE, S. MARCO-PEIRÓ, J. PERIS-VICENTE, B. BELTRÁN-MARTINAVARRO, M.A. COLLADO-SÁNCHEZ, S. CARDA-BROCH & J. ESTEVE-ROMERO (Spain)
- 619 Accurate determination of the Ca<sup>2+</sup> activity in milk-based systems by Ca-ISE: Effects of ionic composition on the single Ca<sup>2+</sup> activity coefficient and liquid junction potentials  
R. GAO, H.P. VAN LEEUWEN, H.J.F. VAN VALENBERG & M.A.J.S. VAN BOEKEL (The Netherlands)
- 624 Detection of sulphathiazole in honey samples using a lateral flow immunoassay  
I. GUILLÉN, J.A. GABALDÓN, E. NÚÑEZ-DELICADO, R. PUCHADES, A. MAQUIEIRA & S. MORAIS (Spain)
- 630 Folate composition of 10 types of mushrooms determined by liquid chromatography–mass spectrometry  
K.M. PHILLIPS, D.M. RUGGIO & D.B. HAYTOWITZ (USA)
- 637 Determination of total phenolic content and antioxidant capacity of onion (*Allium cepa*) and shallot (*Allium oschaninii*) using infrared spectroscopy  
X. LU (USA), J. WANG (PR China), H.M. AL-QADIRI (Jordan), C.F. ROSS, J.R. POWERS, J. TANG & B.A. RASCO (USA)
- 645 HPLC-ELSD analysis of 18 platycosides from balloon flower roots (*Platycodi Radix*) sourced from various regions in Korea and geographical clustering of the cultivation areas  
D.S. YOO, Y.H. CHOI, M.R. CHA, B.H. LEE, S.-J. KIM, G.H. YON, K.S. HONG, Y.S. JANG, H.S. LEE, Y.S. KIM, S.Y. RYU & J.S. KANG (Republic of Korea)
- 652 Adulterations in Basmati rice detected quantitatively by combined use of microsatellite and fragrance typing with High Resolution Melting (HRM) analysis  
I. GANOPOULOS, A. ARGIRIOU & A. TSAFTARIS (Greece)
- 660 Extraction optimisation, purification and major antioxidant component of red pigments extracted from *Camellia japonica*  
Y.-L. ZHANG, C.-P. YIN, L.-C. KONG & D.-H. JIANG (PR China)
- 665 Comparison of methods in the recovery and amplifiability of DNA from fresh and processed sardine and anchovy muscle tissues  
N. BESBES, S. FATTOUCH & S. SADOK (Tunisia)

CONTENTS—Continued from last page of the issue

- 672 Sensitive determination of domoic acid in shellfish by on-line coupling of weak anion exchange solid-phase extraction and liquid chromatography–diode array detection–tandem mass spectrometry  
J. REGUEIRO, E. MARTÍN-MORALES (Spain), G. ALVAREZ (Spain, Chile) & J. BLANCO (Spain)
- 679 Separation of anti-ulcer flavonoids from *Artemisia* extracts by high-speed countercurrent chromatography  
K.D. YOON, Y.-W. CHIN, M.H. YANG & J. KIM (South Korea)
- 684 Non-destructive and rapid analysis of chemical compositions in Thai steamed pork sausages by near-infrared spectroscopy  
P. RITTHIRUANGDEJ, R. RITTHIRON (Thailand), H. SHINZAWA & Y. OZAKI (Japan)
- 693 Identification of metabolic content of selected Amarone wine  
R. CONSONNI, L.R. CAGLIANI, V. GUANTIERI & B. SIMONATO (Italy)
- Short Communications**
- 700 High-efficient column chromatographic extraction of curcumin from *Curcuma longa*  
P.-Y. ZHAN, X.-H. ZENG, H.-M. ZHANG & H.-H. LI (China)
- 704 Spectrophotometric determination of iodate in iodised salt by flow injection analysis  
A.M.H. SHABANI (Iran, Australia), P.S. ELLIS & I.D. MCKELVIE (Australia)
- Retraction Notice**
- 708 Retraction notice to “Immunodiagnostic analysis of transgenic vegetative insecticidal protein in genetically modified crops/produce” [Food Chem 126 (2011) 786-792]  
C.K. SINGH, R. KUMAR, R.P. SINHA & P.C. MISRA (India)
- Corrigendum (Online only)**
- e1 Corrigendum to “Quantification of (+)-catechin and (–)-epicatechin in coconut water by LC–MS” [Food Chem. 126 (2) (2010) 710–717]  
C.-L. CHANG & R.-T. WU (Taiwan, ROC)
- I Calendar