

General Papers

- 823 Volatile compounds evolution of three table grapes with different flavour during and after maturation
C. YANG, Y. WANG, B. WU, J. FANG & S. LI (PR China)
- 831 Identification of phenolics in Chinese toon and analysis of their content changes during storage
Y. YANG, J. WANG, Z.-E. XING, Y.-Q. DAI & M. CHEN (China)
- 839 Speciation of zinc in pumpkin seeds (*Cucurbita pepo*) and degradation of its species in the human digestive tract
A. OVCA, J.T. VAN ELTEREN, I. FALNOGA & V.S. ŠELIH (Slovenia)
- 847 A novel aspartic protease from the viscera of Sardinelle (*Sardinella aurita*): Purification and characterisation
H.B. KHALED, O. GHORBEL-BELLAJ, N. HMIDET, K. JELLOULI, N.E.-H. ALI, S. GHORBEL & M. NASRI (Tunisia)
- 854 Oxidation progress in an emulsion made from metmyoglobin and different triacylglycerols
J. VOLDEN, M. BJELANOVIC, G. VOGT, E. SLINDE, M. SKAUGEN, B. NORDVI & B. EGELANDSDAL (Norway)
- 864 Apple pomace ultrafiltration sludge – A novel substrate for fungal bioproduction of citric acid: Optimisation studies
G.S. DHILLON, S.K. BRAR, M. VERMA & R.D. TYAGI (Canada)
- 872 Bactericidal activities against pathogenic bacteria by selected constituents of plant extracts in carrot broth
S. VEGARA, L. FUNES, N. MARTÍ, D. SAURA, V. MICOL & M. VALERO (Spain)
- 878 Effects of hydrogen peroxide and Fenton's reagent on the properties of film from cuttlefish (*Sepia pharaonis*) skin gelatin
MD.S. HOQUE, S. BENJAKUL & T. PRODPRAN (Thailand)
- 889 Preliminary assessment of antioxidant activity of young edible leaves of seven *Ficus* species in the ethnic diet in Xishuangbanna, Southwest China
Y.-X. SHI, Y.-K. XU, H.-B. HU, Z. NA & W.-H. WANG (PR China)
- 895 Chemical composition and functional properties of *Ulva lactuca* seaweed collected in Tunisia
H. YAICH, H. GARNA, S. BESBES (Tunisia), M. PAQUOT, C. BLECKER (Belgium) & H. ATTIA (Tunisia)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 902 Functional properties of protein fractions obtained from commercial yellow field pea (*Pisum sativum* L.) seed protein isolate
A.P. ADEBIYI & R.E. ALUKO (Canada)
- 909 Effect of AATI, a Bowman-Birk type inhibitor from *Apios americana*, on proliferation of cancer cell lines
Y. ZHANG (PR China, Japan), C. ZHOU (PR China), S. TANG (Japan, PR China), X. YU (PR China), Y. KOUZUMA & M. YONEKURA (Japan)
- 916 Araçá (*Psidium cattleianum* Sabine) fruit extracts with antioxidant and antimicrobial activities and antiproliferative effect on human cancer cells
A.L. MEDINA, L.I.R. HAAS, F.C. CHAVES, M. SALVADOR, R.C. ZAMBIAZI, W.P. DA SILVA, L. NORA & C.V. ROMBALDI (Brazil)
- 923 Resistance of purified seed storage proteins from sesame (*Sesamum indicum* L.) to proteolytic digestive enzymes
E. ORRUÑO & M.R.A. MORGAN (United Kingdom)
- 930 Chemical and biochemical characterisation of an IGP ecotype chestnut subjected to different treatments
M. NAZZARO, C. BARBARISI, F. LA CARA & M.G. VOLPE (Italy)
- 937 β -Sitosterol and campesterol stabilisation by natural and synthetic antioxidants during heating
D. KMIECIK, J. KORCZAK, M. RUDZIŃSKA, J. KOBUS-CISOWSKA, A. GRAMZA-MICHAŁOWSKA & M. HEŚ (Poland)
- 943 Phenolic compounds in Chinese purple yam and changes during vacuum frying
Z. FANG (China, Australia), D. WU, D. YÚ, X. YE, D. LIU & J. CHEN (China)
- 949 Isolation and characterisation of arabinogalactan-proteins from New Zealand kanuka honey
G. STEINHORN, I.M. SIMS, S.M. CARNACHAN, A.J. CARR & R. SCHLOTHAUER (New Zealand)
- 957 Ternary diffusion coefficients of nickel chloride plus theophylline plus water at 298.15 K
A.C.F. RIBEIRO, J.C.S. GOMES, M.B.B.J. RITA, V.M.M. LOBO (Portugal) & M.A. ESTESO (Spain)
- 961 Effects of the addition of wild legumes (*Lathyrus annuus* and *Lathyrus clymenum*) on the physical and nutritional properties of extruded products based on whole corn and brown rice
E. PASTOR-CAVADA (Spain), S.R. DRAGO, R.J. GONZÁLEZ (Argentina), R. JUAN, J.E. PASTOR, M. ALAIZ & J. VIOQUE (Spain)
- 968 Antihypertensive effect of corn peptides, produced by a continuous production in enzymatic membrane reactor, in spontaneously hypertensive rats
W.-H. HUANG (China), J. SUN (USA), H. HE, H.-W. DONG & J.-T. LI (China)
- 974 Gallyl chitooligosaccharides inhibit intracellular free radical-mediated oxidation
D.-H. NGO, Z.-J. QIAN (Republic of Korea), D.-N. NGO (Viet Nam), T.-S. VO, I. WIJESKARA & S.-K. KIM (Republic of Korea)
- 982 Effects of oxidative treatment on the physicochemical, rheological and functional properties of oat β -glucan
F.A. DE MOURA, J.M. PEREIRA, D.O. DA SILVA, E. DA ROSA ZAVAREZE, A. DA SILVEIRA MOREIRA, E. HELBIG & A.R.G. DIAS (Brazil)
- 988 Evaluation of garlic ecotypes for allicin and other allyl thiosulphinates
A. KHAR, K. BANERJEE, M.R. JADHAV & K.E. LAWANDE (India)
- 997 A study of the antioxidant capacity of oak wood used in wine ageing and the correlation with polyphenol composition
M.E. ALAÑÓN, L. CASTRO-VÁZQUEZ, M.C. DÍAZ-MAROTO (Spain), M.H. GORDON (United Kingdom) & M.S. PÉREZ-COELLO (Spain)
- 1003 Surface protein coverage and its implications on spray-drying of model sugar-rich foods: Solubility, powder production and characterisation
M. JAYASUNDERA, B. ADHIKARI, T. HOWES & P. ALDRED (Australia)
- 1017 Chemical composition and antimicrobial activity of *Vitex agnus-castus* L. fruits and leaves essential oils
D. STOJKOVIĆ, M. SOKOVIĆ, J. GLAMOČLIJA, A. DŽAMIĆ, A. ĆIRIĆ, M. RISTIĆ & D. GRUBIŠIĆ (Serbia)
- 1023 Stabilization of orange oil-in-water emulsions: A new role for ester gum as an Ostwald ripening inhibitor
S.S. LIM, M.Y. BAIK (Republic of Korea), E.A. DECKER, L. HENSON, L. MICHAEL POPPLEWELL, D.J. MCCLEMENTS & S.J. CHOI (USA)

Continued on last page

CONTENTS—Continued from inside back cover

- 1029 Effects of deamidation on aggregation and emulsifying properties of barley glutelin
J. ZHAO, Z. TIAN & L. CHEN (Canada)
- 1037 Cereal β -glucan preparations of different weight average molecular weights induce variable cytokine secretion in human intestinal epithelial cell lines
A. RIEDER, S. GRIMMER, S.O. KOLSET, T.E. MICHAELSEN & S.H. KNUTSEN (Norway)
- 1044 Variations in phenolic composition and antioxidant properties among 15 basil (*Ocimum basilicum* L.) cultivars
E.M. KWEE & E.D. NIEMEYER (USA)
- 1051 Formation of Strecker aldehydes between protein carbonyls – α -Aminoadipic and γ -glutamic semialdehydes – and leucine and isoleucine
M. ESTÉVEZ (Finland, Spain), S. VENTANAS (Spain) & M. HEINONEN (Finland)
- 1058 A preliminary assessment of consumer's exposure to organochlorine pesticides in fruits and vegetables and the potential health risk in Accra Metropolis, Ghana
C.K. BEMPAH, A. DONKOR, P.O. YEBOAH (Ghana), B. DUBEY (USA) & P. OSEI-FOSU (Ghana)
- 1066 Comparisons of α -amylase inhibitors from seeds of common bean mutants extracted through three phase partitioning
H.H. WANG, C.L. CHEN, T.L. JENG & J.M. SUNG (Taiwan)
- 1072 Cell wall-modifying enzymes and firmness loss in ripening 'Golden Reinders' apples: A comparison between calcium dips and ULO storage
A. ORTIZ, J. GRAELL & I. LARA (Spain)
- 1080 Effect of high-temperature-conditioning treatments on quality, flavonoid composition and vitamin C of cold stored 'Fortune' mandarins
M.T. LAFUENTE, A.R. BALLESTER, J. CALEJERO & L. GONZÁLEZ-CANDELAS (Spain)
- 1087 Effect of microwave pretreatment on the kinetics of ascorbic acid degradation and peroxidase inactivation in different parts of green asparagus (*Asparagus officinalis* L.) during water blanching
H. ZHENG & H. LU (China)
- 1094 Catechin and epicatechin in testa and their association with bioactive compounds in kernels of cashew nut (*Anacardium occidentale* L.)
J. TROX, V. VADIVEL, W. VETTER, W. STUETZ, D.R. KAMMERER, R. CARLE, V. SCHERBAUM, U. GOLA, D. NOHR & H.K. BIESALSKI (Germany)
- ANALYTICAL METHODS**
- 1100 Chemometric investigation of the volatile content of young South African wines
B.T. WELDEGERGIS, A. DE VILLIERS & A.M. CROUCH (South Africa)
- 1110 Determination of Chinese honey adulterated with high fructose corn syrup by near infrared spectroscopy
L. CHEN, X. XUE, Z. YE, J. ZHOU, F. CHEN & J. ZHAO (China)
- 1115 Identification and quantitative determination of glucosinolates in seeds and edible parts of Korean Chinese cabbage
E. HONG, S.-J. KIM & G.-H. KIM (Republic of Korea)
- 1121 Response surface optimisation for the extraction of phenolic compounds and antioxidant capacities of underutilised *Mangifera pajang* Kosterm. peels
K.N. PRASAD, F.A. HASSAN (Malaysia), B. YANG (PR China), K.W. KONG, R.N. RAMANAN, A. AZLAN & A. ISMAIL (Malaysia)
- 1128 Identification and characterisation of low-molecular-weight phenolic compounds in bayberry (*Myrica rubra* Sieb. et Zucc.) leaves by HPLC-DAD and HPLC-UV-ESIMS
H. YANG, Y. GE, Y. SUN, D. LIU, X. YE & D. WU (PR China)
- 1136 Quantification of glutathione, catechin and caffeic acid in grape juice and wine by a novel ultra-performance liquid chromatography method
D. FRACASSETTI (Italy), N. LAWRENCE, A.G.J. TREDoux (South Africa), A. TIRELLI (Italy), H.H. NIEUWOUDT & W.J. DU TOIT (South Africa)

CONTENTS—*Continued from last page of the issue*

- 1143 Development and validation of a quantitative spectrophotometric method to detect the amount of carbon monoxide in treated tuna fish
E. DROGHETTI, G.L. BARTOLUCCI, C. FOCARDI, M. BAMBAGIOTTI-ALBERTI, M. NOCENTINI & G. SMULEVICH (Italy)
- 1152 Preparation and radical scavenging activities of polymeric procyanidins nanoparticles by a supercritical antisolvent (SAS) process
L. YANG, J.-M. HUANG, Y.-G. ZU, C.-H. MA, H. WANG, X.-W. SUN & Z. SUN (China)
- 1160 Determination of trace elements in Croatian floral honey originating from different regions
N. BILANDŽIĆ, M. ĐOKIĆ, M. SEDAK, B.S. KOLANOVIĆ, I. VARENINA, A. KONČURAT & N. RUDAN (Croatia)
- I Calendar