

CONTENTS

Volume 129, issue 3, 1 December 2011 (Published 22 July 2011)

General Papers

- 709 Advanced glycation end products inhibitors from *Alpinia zerumbet* rhizomes
J. CHOMPOO, A. UPADHYAY, W. KISHIMOTO, T. MAKISE & S. TAWATA (Japan)
- 716 Effect of processing on amine formation and the lipid profile of cod (*Gadus morhua*) roe
J. LAPA-GUIMARÃES (Brazil), S. TRATTNER & J. PICKOVA (Sweden)
- 724 Fructo-oligosaccharides in table grapes and response to storage
M. BLANCH, M.T. SANCHEZ-BALLESTA, M.I. ESCRIBANO & C. MERODIO (Spain)
- 731 Different tastants and low-caloric sweeteners induce differential effects on the release of satiety hormones
M.C.P. GERAEDTS, F.J. TROOST & W.H.M. SARIS (The Netherlands)
- 739 24kDa Trypsin: A predominant protease purified from the viscera of hybrid catfish (*Clarias macrocephalus* × *Clarias gariepinus*)
S. KLOMKLAO, S. BENJAKUL (Thailand), H. KISHIMURA (Japan) & M. CHAIJAN (Thailand)
- 747 Process optimisation for recovery of carotenoids from tomato waste
I.F. STRATI & V. OREOPOULOU (Greece)
- 753 Essential oils of four Rwandese hepatoprotective herbs: Gas chromatography–mass spectrometry analysis and antioxidant activities
M.-J. MUKAZAYIRE (Belgium, Rwanda), J.C. TOMANI (Rwanda), C. STÉVIGNY (Belgium), J.C. CHALCHAT (France), F. CONFORTI, F. MENICHINI (Italy) & P. DUEZ (Belgium)
- 761 Apple polyphenoloxidase inactivation during heating in the presence of ascorbic acid and chlorogenic acid
Y.-N. CHOW, L. LOUARME, C. BONAZZI, J. NICOLAS & C. BILLAUD (France)
- 768 The use of β-glucan as a partial salt replacer in high pressure processed chicken breast meat
D.A. OMANA, G. PLASTOW & M. BETTI (Canada)
- 777 Purification and partial characterisation of a trypsin from the processing waste of the silver mojarra (*Diapterus rhombeus*)
J.F. SILVA, T.S. ESPOSITO, M. MARCUSCHI, K. RIBEIRO, R.O. CAVALLI, V. OLIVEIRA & R.S. BEZERRA (Brazil)
- 783 +UVA treatment increases the degree of unsaturation in microalgal fatty acids and total carotenoid content in *Nitzschia closterium* (Bacillariophyceae) and *Isochrysis zhangjiangensis* (Chrysophyceae)
J.J.-H. HUANG & P.C.-K. CHEUNG (China)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 792 Nutraceutical value and toxicological profile of selected red wines from Morocco
G.C. TENORE, J. TROISI, R. DI FIORE, M. MANFRA & E. NOVELLINO (Italy)
- 799 Nutritional evaluation and antioxidant activity of sesame sprouts
B. LIU, X. GUO, K. ZHU & Y. LIU (PR China)
- 804 Antioxidant properties of *Lactobacillus*-fermented and non-fermented *Graptopetalum paraguayense*
E. Walther at different stages of maturity
S.-C. WU, Y.-S. SU & H.-Y. CHENG (Taiwan, ROC)
- 810 Physicochemical characteristics of rapidly dried onion powder and its anti-atherogenic effect on rats fed high-fat diet
Y. HAMAUZZU, T. NOSAKA, F. ITO, T. SUZUKI, S. TORISU, M. HASHIDA, A. FUKUZAWA, M. OHGUCHI & S. YAMANAKA (Japan)
- 816 Characterisation of phenolic components present in raw and roasted wattle (*Acacia victoriae* Benth) seeds
K.Y. EE, S. AGBOOLA, A. REHMAN & J. ZHAO (Australia)
- 822 Effect of dietary supplementation of gallic acid and linoleic acid mixture or their synthetic salt on egg quality
S. JUNG, B.H. HAN, K. NAM (Republic of Korea), D.U. AHN (Republic of Korea, USA), J.H. LEE & C. JO (Republic of Korea)
- 830 A new catechin oxidation product and polymeric polyphenols of post-fermented tea
H.-Y. JIANG (Japan, PR China), T. SHII, Y. MATSUO, T. TANAKA (Japan), Z.-H. JIANG (PR China) & I. KOUNO (Japan)
- 837 Antioxidant activities, sensory and anti-influenza activity of grape skin tea infusion
A.E.-D.A. BEKHIT, V.J. CHENG, M. MCCONNELL, J.H. ZHAO, R. SEDCOLE & R. HARRISON (New Zealand)
- 846 Biogenic amine formation in Nham, a Thai fermented sausage, and the reduction by commercial starter culture, *Lactobacillus plantarum* BCC 9546
A. TOSUKHOWONG, W. VISESSANGUAN, L. PUMPUANG, P. TEPKASIKUL, A. PANYA & R. VALYASEVI (Thailand)
- 854 Impact of free fatty acid concentration and structure on lipid oxidation in oil-in-water emulsions
T. WARAHU, D.J. MCCLEMENTS & E.A. DECKER (United States)
- 860 Influence of different drying methods on carotenoids and capsaicinoids of paprika (Cv., Jalapeno)
A. TOPUZ, C. DINCER, K.S. ÖZDEMİR (Turkey), H. FENG & M. KUSHAD (USA)
- 866 Nitric oxide (NO) scavenging capacity of natural antioxidants
Y. SUEISHI, M. HORI, M. KITA (Japan) & Y. KOTAKE (USA)
- 871 Protective effect of *Cordyceps militaris* against high glucose-induced oxidative stress in human umbilical vein endothelial cells
H.-L. CHU, J.-C. CHIEN & P.-D. DUH (Taiwan, ROC)
- 877 Screening of the polyphenol content of tomato-based products through accurate-mass spectrometry (HPLC-ESI-QTOF)
A. VALLVERDÚ-QUERALT, O. JÁUREGUI, G. DI LECCE, C. ANDRÉS-LACUEVA & R.M. LAMUELA-RAVENTÓS (Spain)
- 884 Comparative evaluation of rosmarinic acid, methyl rosmarinate and pedalin isolated from *Rabdosia serra* (MAXIM.) HARA as inhibitors of tyrosinase and α -glucosidase
L. LIN, Y. DONG, H. ZHAO, L. WEN, B. YANG & M. ZHAO (China)
- 890 Relationships between *Godello* white wine sensory properties and its aromatic fingerprinting obtained by GC-MS
M. GONZÁLEZ ÁLVAREZ, C. GONZÁLEZ-BARREIRO, B. CANCHO-GRANDE & J. SIMAL-GÁNDARA (Spain)
- 899 Evaluation of bioactive compounds and bioactivities of soybean dried by different methods and conditions
C. NIAMNUY, M. NACHAISIN, J. LAOHAVANICH & S. DEVAHASTIN (Thailand)
- 907 Chemical investigation and antimicrobial properties of mastic water and its major constituents
S. PARASCHOS, P. MAGIATIS, P. GOUSIA, V. ECONOMOU, H. SAKKAS, C. PAPADOPOULOU & A.-L. SKALTSOUNIS (Greece)

Continued on last page

- 912 Chemical properties of surimi seafood nutrified with ω -3 rich oils
B.N. PIETROWSKI, R. TAHERGORABI, K.E. MATAK, J.C. TOU & J. JACZYNSKI (USA)
- 920 Lack of toxicological effect through mutagenicity test of polyphenol extracts from peanut shells
F. GAO, H. YE, Y. YU, T. ZHANG & X. DENG (China)
- 925 Preparative purification of bromelain (EC 3.4.22.33) from pineapple fruit by high-speed counter-current chromatography using a reverse-micelle solvent system
L. YIN, C.K. SUN, X. HAN, L. XU, Y. XU, Y. QI & J. PENG (China)
- 933 Terpenoids and hexenes from the leaves of *Crataegus pinnatifida*
S.-J. SONG, L.-Z. LI, P.-Y. GAO, Y. PENG, J.-Y. YANG & C.-F. WU (PR China)
- 940 Polyphenolic profiles detected in the ripe berries of *Vitis vinifera* germplasm
Z. LIANG, C.L. OWENS, G.-Y. ZHONG & L. CHENG (USA)
- 951 Free radical interactions between raw materials in dry soup powder
R. RAITIO, V. ORLIEN & L.H. SKIBSTED (Denmark)
- 957 Fungi, mycotoxins and phytoalexin in peanut varieties, during plant growth in the field
P. ZORZETE, T.A. REIS, J.D. FELÍCIO, A.C. BAQUIÃO, P. MAKIMOTO & B. CORRÊA (Brazil)
- 965 Stability and transformation of products formed from dimeric dehydroascorbic acid at low pH
L. WECHTERSACH, T. POLAK, N.P. ULRICH & B. CIGIĆ (Slovenia)
- 974 Reduction of antiproliferative capacities, cell-based antioxidant capacities and phytochemical contents of common beans and soybeans upon thermal processing
B. XU (China) & S.K.C. CHANG (United States)
- 982 Changes on phenolic and carotenoid composition of high intensity pulsed electric field and thermally treated fruit juice–soymilk beverages during refrigerated storage
M. MORALES-DE LA PEÑA, L. SALVIA-TRUJILLO, M.A. ROJAS-GRAÜ & O. MARTÍN-BELLOSO (Spain)
- 991 Comparative study of polyphenols and caffeine in different coffee varieties affected by the degree of roasting
I. HEČIMOVIĆ, A. BELŠČAK-CVITANOVIĆ, D. HORŽIĆ & D. KOMES (Croatia)
- 1001 Evolution of chemico-physical characteristics during manufacture and ripening of Castelmagno PDO cheese in wintertime
M. BERTOLINO, P. DOLCI, M. GIORDANO, L. ROLLE & G. ZEPPA (Italy)
- 1012 Purification and characterisation of polyphenol oxidase from leaves of *Cleome gynandra* L.
Z.-J. GAO, J.-B. LIU & X.-G. XIAO (China)
- 1019 Identification of a novel food-derived collagen peptide, hydroxypropyl-glycine, in human peripheral blood by pre-column derivatisation with phenyl isothiocyanate
Y. SHIGEMURA, S. AKABA, E. KAWASHIMA, E.Y. PARK, Y. NAKAMURA & K. SATO (Japan)
- 1025 A biocatalytic route towards rose oxide using chloroperoxidase
U. PIANTINI (Switzerland), J. SCHRADER, A. WAWRZUN & M. WÜST (Germany)
- 1030 Characterization of the volatile profile of thistle honey using headspace solid-phase microextraction and gas chromatography–mass spectrometry
F. BIANCHI, A. MANGIA, M. MATTAROZZI & M. MUSCI (Italy)
- 1037 Investigation of the factors influencing the survival of *Bifidobacterium longum* in model acidic solutions and fruit juices
S. NUALKAEKUL (UK), I. SALMERON (Mexico) & D. CHARALAMPOPOULOS (UK)
- 1045 Antioxidant profile of strawberry tree honey and its marker homogentisic acid in several models of oxidative stress
A. ROSA, C.I.G. TUBEROSO, A. ATZERI, M.P. MELIS, E. BIFULCO & M.A. DESSÌ (Italy)
- 1054 Sensory and textural attributes and fatty acid profiles of fillets of extensively and intensively farmed Eurasian perch (*Perca fluviatilis* L.)
V. STEJSKAL, P. VEJSADA, M. CEPÁK, J. ŠPIČKA, F. VACHA, J. KOURIL & T. POLICAR (Czech Republic)
- 1060 Effect of high hydrostatic pressure on functional properties and quality characteristics of Aloe vera gel (*Aloe barbadensis* Miller)
A. VEGA-GÁLVEZ, M. MIRANDA, M. ARANDA, K. HENRIQUEZ, J. VERGARA, G. TABILO-MUNIZAGA & M. PÉREZ-WON (Chile)

- 1066 Hypoglycaemic effects and inhibitory effect on intestinal disaccharidases of oat beta-glucan in streptozotocin-induced diabetic mice
J. DONG, F. CAI, R. SHEN & Y. LIU (China)
- 1072 The effects of lactate on nitrosylmyoglobin formation from nitrite and metmyoglobin in a cured meat system
B.N. MCCLURE, J.G. SEBRANEK (United States), Y.H. KIM (New Zealand) & G.A. SULLIVAN (United States)
- 1080 Sucrose enhances the accumulation of anthocyanins and glucosinolates in broccoli sprouts
R. GUO, G. YUAN & Q. WANG (China)
- 1088 Demonstration of the presence of aminoreductone formed during the Maillard reaction in milk
T. SHIMAMURA, Y. KUROGI, S. KATSUNO, T. KASHIWAGI & H. UKEDA (Japan)
- 1093 Effect of legume seed extracts on the inhibition of proteolytic activity and muscle degradation of fresh water prawn (*Macrobrachium rosenbergii*)
C. SRIKET, S. BENJAKUL, W. VISESSANGUAN (Thailand) & K. HARA (Japan)
- 1100 Interaction between gliadins and anthocyan derivatives
P. MAZZARACCHIO, S. TOZZI, C. BOGA, L. FORLANI, P.G. PIFFERI & G. BARBIROLI (Italy)
- 1108 Effects of olive pomace and olive pomace oil on growth performance, fatty acid composition and cardio protective properties of gilthead sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*)
C. NASOPOULOU, G. STAMATAKIS, C.A. DEMOPOULOS & I. ZABETAKIS (Greece)
- 1114 Kinetic modelling of aflatoxins B₁ conversion and validation in corn, rice, and peanut during thermal treatments
C. ZHANG, Y. MA, X. ZHAO, Y. ZENG & F. WANG (China)
- 1120 Indian culinary plants enhance glucose-induced insulin secretion and glucose consumption in INS-1 β -cells and 3T3-L1 adipocytes
L. KAUR, K.-S. HAN (New Zealand), K. BAINS (India) & H. SINGH (New Zealand)
- 1126 Levels of Se, Zn, Mg and Ca in commercial goat and cow milk fermented products: Relationship with their chemical composition and probiotic starter culture
M. NAVARRO-ALARCÓN, C. CABRERA-VIQUE, M^aD. Ruiz-López, M. Olalla, R. Artacho, R. Giménez, V. Quintana & T. Bergillos (Spain)
- 1132 Free radical reactions with the extract of brassica family
J.A. JACOB, H.S. MAHAL, T. MUKHERJEE & S. KAPOOR (India)
- 1139 Effect of spray drying and storage on the stability of bayberry polyphenols
Z. FANG (Australia, China) & B. BHANDARI (Australia)
- 1148 Folic acid complexes with human and bovine serum albumins
P. BOURASSA, I. HASNI & H.A. TAJMIR-RIahi (Canada)
- 1156 Formation of the aroma of a raw goat milk cheese during maturation analysed by SPME-GC-MS
F.J. DELGADO, J. GONZÁLEZ-CRESPO, R. CAVA & R. RAMÍREZ (Spain)
- 1164 Carotenoid and chlorophyll composition of commonly consumed leafy vegetables in Mediterranean countries
D. ŽNIDARČIČ (Slovenia), D. BAN (Croatia) & H. ŠIRCELJ (Slovenia)
- 1169 Preparation and antioxidant activity of tyrosyl and homovanillyl ethers
A. MADRONA, G. PEREIRA-CARO, L. BRAVO, R. MATEOS & J.L. ESPARTERO (Spain)
- 1179 Characteristics of acid soluble collagen and pepsin soluble collagen from scale of spotted golden goatfish (*Parupeneus heptacanthus*)
K. MATMAROH, S. BENJAKUL, T. PRODPRAN (Thailand), A.B. ENCARNACION (Philippines) & H. KISHIMURA (Japan)
- 1187 Effect of refining processes on antioxidant capacity, total contents of phenolics and carotenoids in palm oils
A. SZYDŁOWSKA-CZERNIAK, K. TROKOWSKI, G. KARLOVITS & E. SZŁYK (Poland)
- 1193 Pre-fermentative replacement of sulphur dioxide by lysozyme and oenological tannins: Effect on the formation and evolution of volatile compounds during the bottle storage of white wines
F. SONNI, F. CHINNICI, N. NATALI & C. RIPONI (Italy)
- 1201 Physicochemical changes of tilapia (*Oreochromis niloticus*) muscle during salting
M. CHAIJAN (Thailand)
- 1211 The function of lactic acid bacteria and brine solutions on biogenic amine formation by foodborne pathogens in trout fillets
E. KULEY, F. ÖZOGUL, Y. ÖZOGUL & I. AKYOL (Turkey)

CONTENTS—Continued from last page of the issue

- 1217 Synthesis and characterisation of starch cuprate
H. STAROSZCZYK (Poland)

Short Communications

- 1224 Glycosylation, amino acid analysis and kinetic properties of a major Kunitz-type trypsin inhibitor from *Acacia victoriae* Benthams seeds
K.Y. EE, J. ZHAO, A. REHMAN & S. AGBOOLA (Australia)
- 1228 Linseed oil stabilisation with pure natural phenolic compounds
D. MICHOTTE (Belgium), H. ROGEZ (Brazil), R. CHIRINOS (Peru), E. MIGNOLET (Belgium), D. CAMPOS (Peru) & Y. LARONDELLE (Belgium)

ANALYTICAL METHODS

Review

- 1232 Biotechnologies in sparkling wine production. Interesting approaches for quality improvement: A review
S. TORRESI, M.T. FRANGIPANE & G. ANELLI (Italy)

General Papers

- 1242 Identification of volatile components in Chinese Sinkiang fermented camel milk using SAFE, SDE, and HS-SPME-GC/MS
L. NING, Z. FU-PING, C. HAI-TAO, L. SI-YUAN, G. CHEN, S. ZHEN-YANG & S. BAO-GUO (China)
- 1253 Matrix solid phase dispersion extraction of ginsenosides in the leaves of *Panax ginseng* C.M. Mey
X. SHI, Y. JIN, J. LIU, H. ZHOU, W. WEI, H. ZHANG & X. LI (China)
- 1258 Analysis of roasted and unroasted *Pistacia terebinthus* volatiles using direct thermal desorption-GCxGC-TOF/MS
F. GOGUS (Turkey), M.Z. OZEL (UK), D. KOCAK (Turkey), J.F. HAMILTON & A.C. LEWIS (UK)
- 1265 A new acetonitrile-free mobile phase for HPLC-DAD determination of individual anthocyanins in blackcurrant and strawberry fruits: A comparison and validation study
J.G. BORDONABA (UK), P. CRESPO (Switzerland) & L.A. TERRY (UK)
- 1274 A highly sensitive method for simultaneous determination of ultra trace levels of copper and cadmium in food and water samples with luminol as a chelating agent by adsorptive stripping voltammetry
S. ABBASI, A. BAHIRAEI & F. ABBASAI (Iran)
- 1281 Fast determination of *myo*-inositol in milk powder by ultra high performance liquid chromatography coupled to tandem mass spectrometry
M.I.A. FLORES, J.L.F. MORENO, A.G. FRENICH & J.L.M. VIDAL (Spain)
- 1287 Analytical capabilities of inductively coupled plasma orthogonal acceleration time-of-flight mass spectrometry (ICP-*oa*-TOF-MS) for multi-element analysis of food and beverages
L. HUSÁKOVÁ, I. URBANOVÁ, J. ŠRÁMKOVÁ, T. ČERNOHORSKÝ, A. KREJČOVÁ, M. BEDNAŘÍKOVÁ, E. FRÝDOVÁ, I. NEDĚLKOVÁ & L. PILAŘOVÁ (Czech Republic)
- 1297 Simultaneous quantification of flavonoids and phenolic acids in *Herba Scutellariae barbatae* and its confused plants by high performance liquid chromatography-tandem mass spectrometry
S. QIAO, R. SHI, M. LIU, C. ZHANG, W. YANG, X. SHI, X. JIANG, C. WANG & Q. WANG (PR China)
- 1305 Identification of ambiguous cubeb fruit by DART-MS-based fingerprinting combined with principal component analysis
H.J. KIM, W.S. BAEK & Y.P. JANG (Republic of Korea)
- 1311 Determination of caffeine content in tea based on poly(safranine T) electroactive film modified electrode
S. GUO, Q. ZHU, B. YANG, J. WANG & B. YE (China)
- 1315 Classification of Pecorino cheeses using electronic nose combined with artificial neural network and comparison with GC-MS analysis of volatile compounds
C. CEVOLI, L. CERRETANI, A. GORI, M.F. CABONI, T. GALLINA TOSCHI & A. FABBRI (Italy)

Short Communication

- 1320 Rapid determination of three alkaloids from *Lotus Plumule* in human serum using an HPLC-DAD method with a short monolithic column
H. DU, J. REN & S. WANG

Letter to the Editor

- 1325 Response to the article "Occurrence of furan in coffee from Spanish market: Contribution of brewing and roasting"
R.H. STADLER (Switzerland)