

CONTENTS

- Milošević T., Milošević N.:
Diagnose apricot nutritional status according to foliar analysis 301
- Matula J.:
Relationship between phosphorus concentration in soil solution and
phosphorus in shoots of barley 307
- Ježek P., Hlušek J., Lošák T., Jůzl M., Elzner P., Kráčmar S., Buňka F., Martensson A.:
Effect of foliar application of selenium on the content of selected amino acids
in potato tubers (*Solanum tuberosum* L.) 315
- Rehman A., Ahmad R., Safdar M.:
Effect of hydrogel on the performance of aerobic rice sown under different techniques 321
- Anjum S.A., Farooq M., Wang L.C., Xue L.L., Wang S.G., Wang L., Zhang S., Chen M.:
Gas exchange and chlorophyll synthesis of maize cultivars are enhanced
by exogenously-applied glycinebetaine under drought conditions 326
- Sarangthem J., Jain M., Gadre R.:
Inhibition of δ -aminolevulinic acid dehydratase activity by cadmium in excised
etiolated maize leaf segments during greening 332
- Gloser V., Baláž M., Svoboda P.:
Analysis of anatomical and functional traits of xylem in *Humulus lupulus* L. stems 338
- Forczek S.T., Benada O., Kofroňová O., Sigler K., Matucha M.:
Influence of road salting on the adjacent Norway spruce (*Picea abies*) forest 344