

ORIGINAL PAPERS

Egg detection in females of the polyphagous predator *Macrolophus pygmaeus* (Heteroptera: Miridae) by serological techniques

K. Franco · J. Aramburu · N. Agustí · C. Castañé 1

Pollen from Cry1Ac/CpTI-transgenic cotton does not affect the pollinating beetle *Haptoncus luteolus*

L. Chen · J. Cui · W. Ma · C. Niu · C. Lei 9

Breeding performance of the second generation in some bivoltine populations of *Ips typographus* (Coleoptera Curculionidae) in the south-eastern Alps

M. Faccoli · I. Bernardinelli 15

Laboratory evaluation of the side effects of insecticides on *Aphidius colemani* (Hymenoptera: Aphidiidae), *Aphidoletes aphidimyza* (Diptera: Cecidomyiidae), and *Neoseiulus cucumeris* (Acari: Phytoseiidae)

J. Stara · J. Ourednickova · F. Kocourek 25

Effect of host plants on development and reproduction of *Rhynchophorus ferrugineus* (Olivier) (Coleoptera: Curculionidae)

R.-T. Ju · F. Wang · F.-H. Wan · B. Li 33

Preference and performance of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) on canola cultivars

S.A.A. Fathi · M. Bozorg-Amirkalaee · R.M. Sarfaraz 41

Assessment of wheat ear insects in winter wheat varieties in central Germany

N. Gaafar · N. El-Wakeil · C. Volkmar 49

Efficacy of spinosad and methoprene, applied alone or in combination, against six stored-product insect species

C.G. Athanassiou · F.H. Arthur · N.G. Kavallieratos · J.E. Throne 61

Potential of *Metarhizium anisopliae* and *Beauveria bassiana* in the control of tea termite *Microtermes obesi* Holmgren in vitro and under field conditions

D. Singha · B. Singha · B.K. Dutta 69

Individual and synergistic toxicity of solanaceous glycoalkaloids against two coleopteran stored-product insects

G. Nenaah 77

Warfarin resistance test and polymorphism screening in the *VKORC1* gene in *Rattus flavipectus*

B.-H. Huang · Z.-Y. Feng · L.-F. Yue · D.-D. Yao · Z.-X. Gao · D.-W. Wang · X.-H. Liu 87

Pre-exposure to sex pheromone did not affect mating behavior in the sweetpotato weevil *Cylas formicarius*

T. Kuriwada · N. Kumano · K. Shiromoto · D. Haraguchi 93

Entomotoxic effect of silica nanoparticles against *Sitophilus oryzae* (L.)

N. Debnath · S. Das · D. Seth · R. Chandra · S.Ch. Bhattacharya · A. Goswami 99

Insecticidal activity of synthetic antioxidants, natural phytochemicals, and essential oils against an *Aspergillus* section *Flavi* vector (*Oryzaephilus surinamensis* L.) in microcosm

A. Nesci · A. Montemarani · M.A. Passone · M. Etcheverry 107

Effect of ivermectin on larval mortality and reproductive potential of *Albizia* foliage feeder, *Spirama retorta* Cramer (Lepidoptera: Noctuidae)

N. Roychoudhury · K.C. Joshi 117

***Pseudomonas aeruginosa* strain PS1 enhances growth parameters of greengram [*Vigna radiata* (L.) Wilczek] in insecticide-stressed soils**

M. Ahemad · M.S. Khan 123

Generational growth rate estimates of *Diabrotica virgifera virgifera* populations (Coleoptera: Chrysomelidae)

M. Szalai · J. Papp Komáromi · R. Bažok · J. Igrc Barčić · J. Kiss · S. Toepfer 133

ORIGINAL PAPERS

Development of a sampling strategy for the leafhopper complex [*Asymmetrasca decedens* (Paoli) and *Empoasca decipiens* Paoli] (Hemiptera: Cicadellidae) in cotton
E. Atakan 143

Estimating development and temperature thresholds of *Scolothrips longicornis* (Thysanoptera: Thripidae) on eggs of two-spotted spider mite using linear and nonlinear models
H. Pakyari · Y. Fathipour · A. Enkegaard 153

Model selection and averaging in the estimation of population parameters of *Bemisia tabaci* (Gennadius) from stage frequency data in sweet pepper plants
J.E. González-Zamora · R. Moreno 165

Population growth of *Pieris brassicae* (L.) (Lepidoptera: Pieridae) on different cole crops under laboratory conditions
F. Hasan · M.S. Ansari 179

The use of the cumulative degree-days to predict olive fly, *Bactrocera oleae* (Rossi), activity in traditional olive groves from the northeast of Portugal
M.F. Gonçalves · L.M. Torres 187

Food intake and utilization of *Alabama argillacea* (Hübner) (Lepidoptera: Noctuidae) fed on cotton cultivars with colored fibers
F.S. Ramalho · T.L. Azeredo · F.S. Fernandes ·
J.L. Nascimento Júnior · J.B. Malaquias · A.R.B. Nascimento ·
C.A.D. Silva · J.C. Zanuncio 199

An attempt to control *Cameraria ohridella* using an attract-and-kill technique
L. Sukovata · D. Czokajlo · A. Kolk · S. Ślusarski ·
T. Jabłoński 207

Effects of Atlas cedar (*Cedrus atlantica*) defoliation on performance of the pine processionary moth (*Thaumetopoea pityocampa*)
M. Sbabdji · B. Kadik 213

***Hyptis suaveolens* and *Hyptis spicigera* (Lamiaceae) essential oils: qualitative analysis, contact toxicity and repellent activity against *Sitophilus granarius* (L.) (Coleoptera: Dryophthoridae)**
B. Conti · A. Canale · P.L. Cioni · G. Flamini · A. Rifci 219

Opposite effects of different mineral oil treatments on *Macrosiphum euphorbiae* survival and fecundity
M. Martoub · A. Couty · P. Giordanengo · A. Ameline 229

Bioactivities of *Cocos nucifera* L. (Arecales: Arecaceae) and *Terminalia catappa* L. (Myrtales: Combretaceae) leaf extracts as post-harvest grain protectants against four major stored product pests
P. Usha Rani · T. Venkateshwaramma · P. Devanand 235

Sustained-release biopolymer based formulations for *Bacillus sphaericus* Neide ISPC-8
A.B. Hadapad · R.S. Hire · N. Vijayalakshmi · T.K. Dongre 249

ORIGINAL PAPERS

Evaluation of endophytic bacterial strains as antagonists of take-all in wheat caused by *Gaeumannomyces graminis* var. *tritici* in greenhouse and field

B. Liu · L. Huang · Z. Kang · H. Buchenauer 257

Behavioral response of Norway rats (*Rattus norvegicus*) to odors of different mammalian species

B. Yin · H. Fan · S. Li · I. Hegab · G. Lu · W. Wei 265

Stable fly (*Stomoxys calcitrans*) and house fly (*Musca domestica*) densities: a comparison of three monitoring methods on pig farms

T. Birkemoe · A. Sverdrup-Thygeson 273

Mulch type and moisture level affect pupation depth of *Rhagoletis mendax* Curran (Diptera: Tephritidae) in the laboratory

J.M. Renkema · G.C. Cutler · D.H. Lynch · K. MacKenzie · S.J. Walde 281

Population dynamics, phenology, and overwintering of *Bactrocera dorsalis* (Diptera: Tephritidae) in Hubei Province, China

P. Han · X. Wang · C.-Y. Niu · Y.-C. Dong · J.-Q. Zhu · N. Desneux 289

Aggregation, abundance and dispersal capabilities of *Otiorhynchus rugosostriatus* Goeze and *Otiorhynchus raucus* Fabricius (Coleoptera: Curculionidae) in plantations of ornamental plants

A. Reineke · J. Hirsch · G. Kubach 297

Determining suitability of thermal development models to estimate temperature parameters for embryonic development of *Sitona lepidus* Gyll. (Coleoptera: Curculionidae)

A. Arbab · M.R. McNeill 303

Performance of four *Trichogramma* species (Hymenoptera: Trichogrammatidae) as biocontrol agents of *Heliothis virescens* (Lepidoptera: Noctuidae) under various temperature regimes

G.S. Andrade · D. Pratisoli · L.P. Dalvi · N. Desneux · H.J.G. dos Santos Junior 313

Control of a new turf pest, *Dorcadion pseudopreissi* (Coleoptera: Cerambycidae), with the entomopathogenic nematode *Heterorhabditis bacteriophora*

I. Alper Susurluk · N. Alper Kumral · U. Bilgili · E. Açıkgöz 321

A novel plant volatile attractant scheme to protect corn in China from the white-spotted flower chafer (Coleoptera: Scarabaeidae: Cetoniinae)

R. Chen · y. Li 327

Laboratory evaluation of the effectiveness of the entomopathogen; *Isaria farinosa*, on citrus mealybug, *Planococcus citri*

F. Demirci · M. Muştu · M. Bora Kaydan · S. Ülgentürk 337

Post-fire attractiveness of maritime pines (*Pinus pinaster* Ait.) to xylophagous insects

S. Santolamazza-Carbone · M. Pestaña · J.A. Vega 343

Oviposition preference and larval performance of *Aeolesthes sarta* (Coleoptera: Cerambycidae) in six hardwood tree species

A. Mazaheri · J. Khajehali · B. Hatami 355

Field evaluation of two systemic neonicotinoid insecticides against pink hibiscus mealybug (*Maconellicoccus hirsutus* (Green)) on mulberry trees

S.J. Castle · N. Prabhaker 363

Voracity of *Coccinella undecimpunctata*: effects of insecticides when foraging in a prey/plant system

S. Cabral · A.O. Soares · P. Garcia 373

Effects of chlorantraniliprole on development and reproduction of beet armyworm, *Spodoptera exigua* (Hübner)

T. Lai · J. Su 381

The toxicity of selected acaricides against five stored product mites under laboratory assay

J. Stará · M. Nesvorná · J. Hubert 387

Chemical composition and the insecticidal activity of certain plants applied as powders and essential oils against two stored-products coleopteran beetles

G.E. Nenaah · S.I.A. Ibrahim 393

COMMENTARY

The invasive South American tomato pinworm, *Tuta absoluta*, continues to spread in Afro-Eurasia and beyond: the new threat to tomato world production
N. Desneux · M.G. Luna · T. Guillemaud · A. Urbaneja 403

ORIGINAL PAPERS

Seasonal variation in population characteristics and management implications for brown rats (*Rattus norvegicus*) within their native range in Harbin, China
D.-W. Wang · L. Cong · L.-F. Yue · B.-H. Huang · J.-X. Zhang · Y. Wang · N. Li · X.-H. Liu 409

Comparison of biological parameters between the invasive B biotype and a new defined Cv biotype of *Bemisia tabaci* (Hemiptera: Aleyrodidae) in China
B.-L. Qiu · F. Dang · S.-J. Li · M.Z. Ahmed · F.-L. Jin · S.-X. Ren · A.G.S. Cuthbertson 419

Variation in the host preferences and responses of *Ascia monuste orseis* Godart (Lepidoptera: Pieridae) to cultivars of collard greens *Brassica oleracea* (L.) var. *acephala*
E.C. Schlick-Souza · E.L.L. Baldin · A.L. Lourenção 429

Parasitoid complex of alfalfa aphids in an IPM intensive crop system in northern Catalonia
X. Pons · B. Lumbierres · R. Antoni · P. Stary 437

Assessment of the biological control capability of *Hippodamia variegata* (Col.: Coccinellidae) using functional response experiments
H. Madadi · E. Mohajeri Parizi · H. Allahyari · A. Enkegaard 447

Potential of Nepalese entomopathogenic nematodes as biocontrol agents against *Holotrichia longipennis* Blanch. (Coleoptera: Scarabaeidae)
H.B. Khatri-Chhetri · G.P. Timsina · H.K. Manandhar · M. Moens 457

Susceptibility of the Mexican bean beetle *Epilachna varivestis* Mulsant (Coleoptera: Coccinellidae) to endemic isolates of *Beauveria bassiana* (Balsamo) Vuillemin (Hypocreales: Clavicipitaceae)
J.A. Ocampo-Hernández · P. Tamez-Guerra · S. Pineda · F. Tamayo-Mejía · A. Guzmán-Franco · J.I.F. de la Rosa · A.M. Martínez 471

Comparative efficacy of NeemAzal and local botanicals derived from *Azadirachta indica* and *Plectranthus glandulosus* against *Sitophilus zeamais* on maize
E.N. Nukenine · H.K. Tofel · C. Adler 479

Ovicidal, larvicidal and anti-ovipositional activities of *Bifora radians* and other plant extracts on the grape berry moth *Paralobesia viteana* (Clemens)
A. Gökçe · R. Isaacs · M.E. Whalon 487

Acaricidal and oviposition deterring effects of santalol identified in sandalwood oil against two-spotted spider mite, *Tetranychus urticae* Koch (Acari: Tetranychidae)
H.S. Roh · E.G. Lim · J. Kim · C.G. Park 495

Efficacy of neem oil against thrips (Thysanoptera) on mango panicles and its compatibility with mango pollinators
H. Aliakbarpour · M.R. Che Salmah · O. Dzolkhifli 503

Side effects of selected insecticides on the *Tuta absoluta* (Lepidoptera: Gelechiidae) predators *Macrolophus pygmaeus* and *Nesidiocoris tenuis* (Hemiptera: Miridae)
J. Arnó · R. Gabarra 513