

CONTENTS

Review

- EZAKI O: The Optimal Dietary Fat to Carbohydrate Ratio to Prevent Obesity in the Japanese Population: A Review of the Epidemiological, Physiological and Molecular Evidence383-393

Regular Paper

- OSHIMA S, MIYAUCHI S, KAWANO H, ISHIJIMA T, ASAKA M, TAGUCHI M, TORII S and HIGUCHI M: Fat-Free Mass Can Be Utilized to Assess Resting Energy Expenditure for Male Athletes of Different Body Size394-400
- ISHIDA A, KYOYA T, NAKASHIMA K and KATSUMATA M: Muscle Protein Metabolism during Compensatory Growth with Changing Dietary Lysine Levels from Deficient to Sufficient in Growing Rats401-408
- MOCHIZUKI K, MISAKI Y, MIYAUCHI R, TAKABE S, SHIMADA M, ICHIKAWA Y and GODA T: Associations between Markers of Liver Injury and Cytokine Markers for Insulin Sensitivity and Inflammation in Middle-Aged Japanese Men Not Being Treated for Metabolic Diseases409-417
- OGAWA A, NARUSE Y, SHIGEMURA Y, KOBAYASHI Y, SUZUKI I, WADA S, HAYAMIZU K, KUWAHATA M and KIDO Y: An Evaluation of Protein Intake for Metabolic Demands and the Quality of Dietary Protein in Rats Using an Indicator Amino Acid Oxidation Method.418-425
- SHIRAKURA Y, TAKAYANAGI K, MUKAI K, TANABE H and INOUE M: β -Cryptoxanthin Suppresses the Adipogenesis of 3T3-L1 Cells via RAR Activation426-431

Note

- NISHIOKA M, KANOSUE F, YABUTA Y and WATANABE F: Loss of Vitamin B₁₂ in Fish (Round Herring) Meats during Various Cooking Treatments432-436
- TSUDA H, MATSUMOTO T and ISHIMI Y: Biotin, Niacin, and Pantothenic Acid Assay Using Lyophilized *Lactobacillus plantarum* ATCC 8014.437-440
- HOSAKA T, NII Y, TOMOTAKE H, ITO T, TAMANAHA A, YAMASAKA Y, SASAGA S, EDAZAWA K, TSUTSUMI R, SHUTO E, OKAHISA N, IWATA S and SAKAI T: Extracts of Common Buckwheat Bran Prevent Sucrose Digestion441-445

- Contents of Volume 57*446-451
- Index to the Authors of Volume 57*452-457
- Index to the Key Words of Volume 57*458-460