

Publisher's Note	219
Review Article	
Regional Index of Ecological Integrity: A need for sustainable management of natural resources M.I.H. Reza (Bangi, Malaysia and Chittagong, Bangladesh) and S.A. Abdullah (Bangi, Malaysia)	220
Original Articles	
The role of sampling effort, taxonomical resolution and abundance weight in multivariate comparison of stream dwelling caddisfly assemblages collected from riffle and pool habitats D. Schmera (Basel, Switzerland and Tihany, Hungary) and T. Erős (Tihany, Hungary)	230
Metals associated with airborne particulate matter in road dust and tree bark collected in a megacity (Buenos Aires, Argentina) F.G. Fujiwara, D.R. Gómez, L. Dawidowski, P. Perelman and A. Faggi (Buenos Aires, Argentina)	240
Combined methods to detect pollution effects on shell shape and structure in Neogastropods F. Márquez (Puerto Madryn, Argentina and Córdoba, Argentina), R. González-José and G. Bigatti (Puerto Madryn, Argentina)	248
The relationship between water quality and chironomid distribution in Finland—A new assemblage-based tool for assessments of long-term nutrient dynamics T.P. Luoto (Helsinki, Finland)	255
Mapping changes to vegetation pattern in a restoring wetland: Finding pattern metrics that are consistent across spatial scale and time M. Kelly (Berkeley, CA, USA), K.A. Tuxen (Redwood City, CA, USA) and D. Stralberg (Petaluma, CA, USA) ...	263
Mapping indicator models: From intuitive problem structuring to quantified decision-making in sustainable forest management B. Wolfslehner and H. Vacik (Vienna, Austria)	274
Vegetation and ghost crabs in coastal dunes as indicators of putative stressors from tourism T.A. Schlacher, R. de Jager and T. Nielsen (Maroochydore, Australia)	284
Assessing benthic health in stressed subtropical estuaries, eastern Florida, USA using AMBI and M-AMBI A. Borja (Pasaia, Spain) and B.G. Tunberg (Fort Pierce, FL, USA)	295
Development and assessment of a landscape-scale ecological threat index for the Lower Colorado River Basin C.P. Paukert, K.L. Pitts, J.B. Whittier (Manhattan, KS, USA) and J.D. Olden (Seattle, WA, USA)	304
Observational evidence of the sensitivity of some fish species to environmental stressors in Mediterranean rivers A. Maceda-Veiga and A. De Sostoa (Barcelona, Spain)	311
Long-term variations in abundance and distribution of sewage pollution indicator and human pathogenic bacteria along the central west coast of India V. Rodrigues, N. Ramaiah, S. Kakti (Dona Paula, India) and D. Samant (Taleigao, India)	318
The use of nematodes in assessing ecological quality status in the Mediterranean coastal ecosystems M. Moreno (Genova, Italy), F. Semprucci (Urbino, Italy), L. Vezzulli (Genova, Italy), M. Balsamo (Urbino, Italy), M. Fabiano and G. Albertelli (Genova, Italy)	328
Towards a common set of criteria and indicators to identify forest restoration priorities: An expert panel-based approach F. Orsi, D. Geneletti (Trento, Italy) and A.C. Newton (Poole, UK)	337

(Contents continued from Outside back cover)

Assessment of sustainable development based on the capital approach M. Uwasu (Osaka, Japan) and H. Yabar (Ibaraki, Japan)	348
Monitoring urban environments on the basis of biological traits M.-H. Lizée, J.-F. Mauffrey, T. Taton and M. Deschamps-Cottin (Marseille, France)	353
Trophic assessment of streams in Uruguay: A Trophic State Index for Benthic Invertebrates (TSI-BI) G. Chalar, R. Arocena, J.P. Pacheco and D. Fabián (Montevideo, Uruguay)	362
Comparative assessment of indices of freshwater habitat conditions using different invertebrate taxon sets J.P. Simaika and M.J. Samways (Stellenbosch, South Africa)	370
Choosing the best method for stream bioassessment using macrophyte communities: Indices and predictive models F.C. Aguiar (Lisboa, Portugal), M.J. Feio (Coimbra, Portugal) and M.T. Ferreira (Lisboa, Portugal)	379
Does fluctuating asymmetry constitute a sensitive biomarker of nutritional stress in house sparrows (<i>Passer domesticus</i>)? C. Vangestel and L. Lens (Ghent, Belgium)	389
Determinants of wintering waterbird changes in a Mediterranean coastal lagoon affected by eutrophication F. Robledano, M.A. Esteve, J. Martínez-Fernández and P. Farinós (Murcia, Spain)	395
Network analysis to assess landscape connectivity trends: Application to European forests (1990–2000) S. Saura (Madrid, Spain), C. Estreguil, C. Mouton and M. Rodríguez-Freire (Ispra, Italy)	407
Changes in proline accumulation and antioxidative enzyme activities in <i>Groenlandia densa</i> under cadmium stress D.D. Yilmaz and K.U. Parlak (Kayseri, Turkey)	417
Efficiency of bio-indicators for low-level radiation under field conditions A.P. Møller (Orsay, France and Oslo, Norway) and T.A. Mousseau (Columbia, SC, USA)	424
Microbiological parameters as an additional tool to improve wastewater treatment plant monitoring A. Muela, M. Orruño, M.L. Alonso (Bilbao, Spain), M. Pazos (Vitoria-Gasteiz, Spain), I. Arana, R.M. Alonso, R.M. Jiménez, I. Garaizabal, M.I. Maguregui and I. Barcina (Bilbao, Spain)	431
Definition of the potential treeline in the European Alps and its benefit for sustainability monitoring C. Pecher, E. Tasser (Bozen/Bolzano, Italy) and U. Tappeiner (Bozen/Bolzano, Italy and Innsbruck, Austria)	438
Low sensitiveness of taxonomic distinctness indices to human impacts: Evidences across marine benthic organisms and habitat types S. Bevilacqua, S. Frascchetti, L. Musco, G. Guarnieri and A. Terlizzi (Lecce, Italy)	448
Evaluation of European diatom trophic indices A. Besse-Lototskaya, P.F.M. Verdonschot (Wageningen, The Netherlands), M. Coste (Cestas, France) and B. Van de Vijver (Meise, Belgium)	456
A quantitative indicator framework for stand level evaluation and monitoring of environmentally sustainable forest management W.H. Maes (Ghent, Belgium), M. Fontaine, K. Rongé (Leuven, Belgium and Brussel, Belgium), M. Hermy and B. Muys (Leuven, Belgium)	468
A framework to assess adaptive capacity of the water resources system in Nepalese river basins V.P. Pandey (Yamanashi, Japan), M.S. Babel, S. Shrestha (Pathumthani, Thailand) and F. Kazama (Yamanashi, Japan)	480
Use of diatom life-forms and ecological guilds to assess pesticide contamination in rivers: Lotic mesocosm approaches F. Rimet and A. Bouchez (Thonon les Bains, France)	489
Lazy ecologist's guide to water beetle diversity: Which sampling methods are the best? J. Klečka and D.S. Boukal (České Budějovice, Czech Republic)	500
Forest degradation assessment in the upper catchment of the river Tons using remote sensing and GIS S. Nandy, S.P.S. Kushwaha and V.K. Dadhwal (Dehradun, India)	509
A review of indicators of estuarine tidal wetland condition C.L. Weilhoefer (Newport, OR, USA)	514
Emergy evaluations of three aquaculture systems on wetlands surrounding the Pearl River Estuary, China L. Li (Guangzhou, China and Beijing, China), H. Lu, H. Ren, W. Kang and F. Chen (Guangzhou, China)	526
Randomized intervention analysis for detecting non-random change and management impact: Dragonfly examples J.T. Bried and G.N. Ervin (Mississippi, MS, USA)	535
New concentration measures as kinds of the quadratic entropy J. Izsák (Budapest, Hungary) and S. Pavoine (Paris, France)	540
Biodiversity measures applied to stand-level management: Can they really be useful? A. Rubio, R.G. Gavilán, F. Montes, A. Gutiérrez-Girón, E. Díaz-Pines and E.T. Mezquida (Madrid, Spain)	545

The seagrass <i>Posidonia oceanica</i> as indicator of coastal water quality: Experimental intercalibration of classification systems	
C. Lopez y Royo (Corte, France and Italy), G. Pergent (Corte, France), T. Alcoverro (Blanes, Spain), M.C. Buia (Ischia, Italy), G. Casazza (Italy), B. Martínez-Crego (Blanes, Spain), M. Pérez (Barcelona, Spain), F. Silvestre (Ischia, Italy) and J. Romero (Barcelona, Spain)	557
Error identification/propagation/remediation in biomonitoring surveys—A knowledge-based approach towards standardization via fault tree analysis	
C.G. Siontorou and F.A. Batzias (Piraeus, Greece)	564
Which index is the best to assess stream health?	
D.A. Dos Santos, C. Molineri, M.C. Reynaga and C. Basualdo (Tucumán, Argentina)	582
The CIEPT: A macroinvertebrate-based multimetric index for assessing the ecological quality of Swiss lowland ponds	
N. Menetrey (Geneva, Switzerland), B. Oertli (Jussy, Switzerland) and J.-B. Lachavanne (Geneva, Switzerland)	590
Assessment of status and trends of olive farming intensity in EU-Mediterranean countries using remote sensing time series and land cover data	
C.J. Weissteiner, P. Strobl and S. Sommer (Ispra, Italy)	601
Mediterranean drylands: The effect of grain size and domain of scale on landscape metrics	
M.N. Alhamad, M.A. Arababah (Irbid, Jordan), R.A. Feagin (College Station, TX, USA) and A. Gharaibeh (Irbid, Jordan)	611
Ecology and distribution of diatoms in Biscayne Bay, Florida (USA): Implications for bioassessment and paleoenvironmental studies	
A. Wachnicka, E. Gaiser and J. Boyer (Miami, FL, USA)	622
Designing an integrated coastal orientation index: A cross-comparison of Mexican municipalities	
G. Seingier, I. Espejel, J.L. Fermán-Almada, O.D. González, G. Montañó-Moctezuma, I. Azuz-Adeath and G. Aramburo-Vizcarra (Mexico)	633
Plant-type dependent changes in arbuscular mycorrhizal communities as soil quality indicator in semi-arid Brazil	
M.C. Pagano (Belo Horizonte, Brazil), M.K. Utida, E.A. Gomes, I.E. Marriel (Sete Lagoas, Brazil), M.N. Cabello (La Plata, Argentina) and M.R. Scotti (Belo Horizonte, Brazil)	643
Effects of Mediterranean climate annual variability on stream biological quality assessment using macroinvertebrate communities	
A. Munné and N. Prat (Barcelona, Spain)	651
Tetracycline-resistant bacteria as indicators of antimicrobial resistance in protected waters—The example of the Drwęca River Nature Reserve (Poland)	
M. Harnisz, I. Gołaś and M. Pietruk (Olsztyn, Poland)	663
The biodiversity quality of butterfly sites: A metadata assessment	
A. Feest (Bristol, UK), C. van Swaay (Wageningen, The Netherlands), T.D. Aldred and K. Jedamzik (Bristol, UK)	669
Analysis of historic changes in regional ecosystem service provisioning using land use data	
S. Lautenbach, C. Kugel, A. Lausch and R. Seppelt (Leipzig, Germany)	676
Macroinvertebrate assemblages at mesohabitat scale in small sized volcanic siliceous streams of Central Italy (Mediterranean Ecoregion)	
G. Pace, P. Andreani, M. Barile (Viterbo, Italy), A. Buffagni, S. Erba (Brugherio, Italy), L. Mancini (Roma, Italy) and C. Belfiore (Viterbo, Italy)	688
Analyzing the (mis)behavior of Shannon index in eutrophication studies using field and simulated phytoplankton assemblages	
S. Spatharis (Mytilene, Greece), D.L. Roelke (College Station, TX, USA), P.G. Dimitrakopoulos and G.D. Kokkoris (Mytilene, Greece)	697
Case Study	
Seasonal predictability of benthic macroinvertebrate metrics and community structure with maturity-weighted abundances in a Missouri Ozark stream, USA	
E. Kosnicki and R.W. Sites (Columbia, MO, USA)	704
Nutrient balance as a sustainability indicator of different agro-environments in Italy	
M. Bassanino, D. Sacco, L. Zavattaro and C. Grignani (Grugliasco, Italy)	715
Rapid restoration of a species-rich ecosystem assessed from soil and vegetation indicators: The case of calcareous grasslands restored from forest stands	
J. Piqueray, G. Bottin, L.-M. Delescaille, E. Bisteau, G. Colinet and G. Mahy (Gembloux, Belgium)	724
Aquaculture planning for suspended bivalve farming systems: The integration of physiological response of green mussel with environmental variability in site selection	
G. Sasikumar and P.K. Krishnakumar (Mangalore, India)	734

Validating bird diversity indicators on farmland in east-central Alberta, Canada G.T. Hvenegaard (Alberta, Canada)	741
Attempted tests of the surrogacy value of the ED environmental diversity measures highlight the need for corroboration assessment of surrogacy hypotheses D.P. Faith (Sydney, Australia)	745
A simple tool for the assessment of water quality in polluted lagoon systems: A case study for Küçükçekmece Lagoon, Turkey M.Ü. Taner, B. Üstün and A. Erdinçler (Istanbul, Turkey)	749
Erratum Erratum to “Development of a regional macroinvertebrate index for large river bioassessment” by Blocksom and Johnson [Ecol. Indic. 9 (2) (2009) 313–328] K.A. Blocksom (Corvallis, OR, USA)	757