

---

53	<b>Review</b> The Pharmacological Profile and Clinical Use of Mesalazine (5-Aminosalicylic Acid) <i>U. Klotz</i>	83	A Simple LC-MS/MS Method for Determination of Magnolol in Rat Blood and its Application in a Pharmacokinetic Study <i>H. Li, X-S. Wen, W. Di</i>
<hr/>			
59	<b>Original Articles</b> Bioequivalence Study of 2 Orodispersible Formulations of Ondansetron 8 mg in Healthy Volunteers <i>M. Cánovas, J. Rios, G. Domenech, J. Cebrecos, P. Pelagio, M. Canals, F. Polonio, F. Cabré</i>	88	Contribution of Formulation and Excipients Towards Enhanced Permeation of Curcumin <i>B. Wahlang, D. Kabra, Y. B. Pawar, K. Tikoo, A. K. Bansal</i>
63	Design, Synthesis and Evaluation of Novel Benzimidazoles, Benzothiazoles and Benzofurans Incorporating Pyrazole Moiety as Antiangiogenic Agents <i>S. M. Rida, A. M. Youssef, M. H. Badr, A. Malki, Z. A. Sherif, A. S. Sultan</i>	94	Bioequivalence of a Novel Minitablet Formulation of Levetiracetam <i>C. de Mey, V. Dimitrova, P. Lennartz, M. Wangemann</i>
75	Pharmacokinetics, Pharmacodynamics, and Tolerability of a Generic Formulation of Exenatide: A Randomized, Open-Label, Single- and Multiple-Dose Study in Healthy Chinese Volunteers <i>S. Shi, Y. Liu, Z. Li, J. Wu, X. Zhou, F. Zeng</i>	99	Quantitative Determination of Pidotimod in Human Plasma by Liquid Chromatography Tandem Mass Spectrometry: Application to a Bioequivalence Study <i>H.-G. Lou, Z.-R. Ruan, B. Jiang</i>
		A4	<b>Masthead</b>

---