

The Thoracic and Cardiovascular Surgeon

- Editorial** 307 Please Register Here
M. K. Heinemann
- Review Article** 309 Indication and Structures and Management of Transcatheter Aortic Valve Implantation: A Review of the Literature
K. Doebler, K. Boukamp, E.-D. Mayer
- Original Cardiovascular** 319 The German Aortic Valve Registry (GARY): A Nationwide Registry for Patients Undergoing Invasive Therapy for Severe Aortic Valve Stenosis
A. Beckmann, C. Hamm, H. R. Figulla, J. Cremer, K. H. Kuck, R. Lange, R. Zahn, S. Sack, G. C. Schuler, T. Walther, F. Beyersdorf, M. Böhm, G. Heusch, A. K. Funkat, T. Meinertz, T. Neumann, K. Papoutsis, S. Schneider, A. Welz, F. W. Mohr, for the GARY Executive Board
- 326 Favorable Gradients with the Mitroflow Aortic Valve Prosthesis in Everyday Surgery
M. Hartrumpf, R. Kuehnel, M. Erb, G. Loladze, T. Mueller, J. Albes
- 335 Transapical Minimally Invasive Aortic Valve Implantation and Conventional Aortic Valve Replacement in Octogenarians
J. T. Strauch, M. Scherner, P. L. Haldenwang, N. Madershahian, R. Pfister, E. W. kuhn, O. J. Liakopoulos, J. Wippermann, T. Wahlers
- 343 High Mortality in Late Octogenarians Undergoing Isolated Aortic Valve Replacement for Aortic Valve Stenosis: EuroSCORE Underestimates Mortality in this Cohort
H. Kamiya, P. Akhyari, A. Pedraza, N. Tanzeem, K. Kallenbach, A. Lichtenberg, M. Karck
- Original Thoracic** 351 Prevention of Alveolar Air Leakage after Video-Assisted Thoracic Surgery: Comparison of the Efficacy of Methods Involving the Use of Fibrin Glue
H. Kawai, K. Harada, H. Ohta, T. Tokushima, S. Oka
- How to Do It** 356 Autograft Mitral Valve Replacement: A New Technique
A. K. Singh, S. Agarwal, D. K. Satsangi
- 358 A Special Method of Dilating Tracheal Stenosis Following Tracheostomy
T. H. Wu, C.-M. Hsieh, H. Chang



Thieme

New York • Stuttgart

Copyright © 2012 by Thieme Medical Publishers, Inc.

333 Seventh Avenue, New York, NY 10001, USA

Tel: +1(212) 584-4662

www.thieme-connect.com/ejournals

**Short
Communication**

- 360** Low-Volume, Single-Shot Crystalloid Cardioplegia is Safe for Isolated Aortic Valve Replacement

P. Matt, E. Arbeleaz, G. Schwirtz, T. Doebele, F. Eckstein

Case Reports

- 363** *Bartonella quintana* Endocarditis of the Tricuspid and Mitral Valves

A. Alozie, C. Yerebakan, B. Westphal, A. Podbielski

- 366** Endobronchial Closure of Bronchopleural Fistula with Amplatzer PFO Device

M. Krumpolcova, M. Durand, M. Rossi-Blancher, C. Heylbroeck, G. Vanzetto, P. Albaladejo, P.-Y. Brichon

- B13** Mitteilungen der Deutschen Gesellschaft für Thorax-, Herz- und Gefäßchirurgie

Some of the product names, patents, and registered designs referred to in this publication are in fact registered trade marks or proprietary names even though specific reference to this fact is not always made in the text. Therefore, the appearance of a name without designation as proprietary is not to be construed as a representation by the Publisher that it is in the public domain.

All rights, including the rights of publication, distribution, and sales, as well as the right to translation, are reserved. No part of this work covered by the copyrights hereon may be reproduced or copied in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information and retrieval systems—without written permission of the Publisher.

Important Note: Medical knowledge is ever-changing. As new research and clinical experience broaden our knowledge, changes in treatment and drug therapy may be required. The authors and editors of the material herein have consulted sources believed to be reliable in their efforts to provide information that is complete and in accord with the standards accepted at the time of publication. However, in view of the possibility of human error by the authors, editors,

or publisher of the work herein, or changes in medical knowledge, neither the authors, editors, or publisher, nor any other party who has been involved in the preparation of this work, warrants that the information contained herein is in every respect accurate or complete, and they are not responsible for any errors or omissions or for the results obtained from use of such information. Because of rapid advances in the medical sciences, independent verification of diagnoses and drug dosages should be made. Readers are encouraged to confirm the information contained herein with other sources. For example, readers are advised to check the product information sheet included in the package of each drug they plan to administer to be certain that the information contained in this publication is accurate and that changes have not been made in the recommended dose or in the contraindications for administration. This recommendation is of particular importance in connection with new or infrequently used drugs.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this journal does not constitute a guarantee or endorsement of the quality or value of such product or of claims made by its manufacturer.