

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Original Articles

- Evaluating macrobenthic process indicators in relation to organic enrichment and hypoxia
C.F. Rakocinski (Ocean Springs, MS, USA) 1
- Tributyltin (TBT) effects on *Hexaplex trunculus* and *Bolinus brandaris* (Gastropoda: Muricidae): Imposex induction and sex hormone levels insights
S. Abidli (Bizerta, Tunisia), M.M. Santos (Porto, Portugal), Y. Lahbib (Bizerta, Tunisia), L.F.C. Castro, M.A. Reis-Henriques (Porto, Portugal) and N. Trigui El Menif (Bizerta, Tunisia) 13
- Energy inputs, outputs and greenhouse gas emissions in organic, integrated and conventional peach orchards
M.C. Michos, A.P. Mamolos, G.C. Menexes, C.A. Tsatsarelis, V.M. Tsirakoglou and K.L. Kalburtji (Thessaloniki, Greece) 22
- Estimation of required sampling effort for monitoring the possible effects of transgenic crops on butterflies: Lessons from long-term monitoring schemes in Switzerland
A. Lang (Basel, Switzerland) and C. Bühler (Reinach, Switzerland) 29
- Microbial and vegetative changes associated with development of a constructed wetland
M.A. Weaver, R.M. Zablotowicz, L.J. Krutz, C.T. Bryson (Stoneville, MS, USA) and M.A. Locke (Oxford, MS, USA) 37
- Monitoring animal diversity using acoustic indices: Implementation in a temperate woodland
M. Depraetere (Paris, France), S. Pavoine (Paris, France and Oxford, UK), F. Jiguet, A. Gasc (Paris, France), S. Duvail (Nairobi, Kenya) and J. Sueur (Paris, France) 46
- Relationships between multiple biological groups and classification schemes in a Neotropical floodplain
A.A. Padial (Paraná, Brazil), T. Siqueira (São Carlos, Brazil and Goiânia, Brazil), J. Heino (Oulu, Finland), L.C.G. Vieira (Planaltina, Brazil), C.C. Bonecker, F.A. Lansac-Tôha, L.C. Rodrigues, A.M. Takeda, S. Train, L.F.M. Velho (Maringá, Brazil) and L.M. Bini (Goiânia, Brazil) 55
- Quantification of environmental impact and ecological sustainability for textile fibres
S.S. Muthu, Y. Li, J.Y. Hu and P.Y. Mok (Hong Kong, China) 66
- Effects of tillage and residue management on soil nematode communities in North China
X. Zhang, Q. Li (Shenyang, China), A. Zhu (Nanjing, China), W. Liang (Shenyang, China), J. Zhang (Nanjing, China) and Y. Steinberger (Ramat-Gan, Israel) 75
- Detecting changes in ecosystem quality following long-term restoration efforts in Cootes Paradise Marsh
S. Thomasen and P. Chow-Fraser (Hamilton, Canada) 82
- The urban environmental indicator "Biotope Area Ratio"—An enhanced approach to assess and manage the urban ecosystem services using high resolution remote-sensing
T. Lakes (Berlin, Germany) and H.-O. Kim (Daejeon, Republic of Korea) 93
- Indicator framework for measuring quantity and quality of biodiversity—Exemplified in the Nordic countries
B. Normander, G. Levin (Roskilde, Denmark), A.-P. Auvinen (Helsinki, Finland), H. Bratli (Ås, Norway), O. Stabbetorp (Trondheim, Norway), M. Hedblom, A. Glimskär (Uppsala, Sweden) and G.A. Gudmundsson (Gardabaer, Iceland) 104
- Methodological procedure for water quality management in port areas at the EU level
B. Ondiviela, J.A. Juanes, A.G. Gómez, M.L. Sámano and J.A. Revilla (Santander, Spain) 117
- Methodology to assess sustainable management of water resources in coastal lagoons with agricultural uses: An application to the Albufera lagoon of Valencia (Eastern Spain)
O.L. Usaquén Perilla, A.G. Gómez, A.G. Gómez, C.Á. Díaz and J.A.R. Cortezón (Santander, Spain) 129

(Contents continued from Outside back cover)

Using "bryophytes and their associated testate amoeba" microsystems as indicators of atmospheric pollution C. Meyer (Besançon, France), D.Gilbert (Montbéliard, France), F. Gillet (Besançon, France), M. Moskura (Gif-sur-Yvette, France), M. Franchi (Montbéliard, France) and N. Bernard (Besançon, France)	144
Pilot study for a sperm quality-based reproductive assessment scheme for deer L.V. Tannenbaum and B.E. Borry (APG-EA, MD, USA)	152
Development and testing of a phytoplankton index of biotic integrity (P-IBI) for a German lowland river N. Wu, B. Schmalz and N. Fohrer (Kiel, Germany)	158
Multielement profiles of soil, road dust, tree bark and wood-rotten fungi collected at various distances from high-frequency road in urban area B. Škrbić, S. Milovac and M. Matavulj (Novi Sad, Serbia)	168
Lichen and soil as indicators of an atmospheric mercury contamination in the vicinity of a chlor-alkali plant (Grenoble, France) S. Grangeon, S. Guédron, J. Asta, G. Sarret and L. Charlet (Grenoble, France)	178
The use of parasites as indicators of ecosystem health as compared to insects in freshwater lakes of the Inland Northwest J. Shea, G.J. Kersten, C.M. Puccia, A.T. Stanton, S.N. Stiso, E.S. Helgeson and E.J. Back (Spokane, WA, USA) ...	184
Measuring boreal forest fragmentation after fire: Which configuration metrics are best? X. Wang, A. Hamann (Edmonton, Canada) and S.G. Cumming (Québec, Canada)	189
A submersed macrophyte index of condition for the Upper Mississippi River M.J.C. Moore (Lake City, MN, USA), H.A. Langrehr (La Crosse, WI, USA) and T.R. Angradi (Duluth, MN, USA) ...	196
Within-year temporal variation and life-cycle seasonality affect stream macroinvertebrate community structure and biotic metrics R.C. Johnson, M.M. Carreiro, H.-S. Jin and J.D. Jack (Louisville, KY, USA)	206
The use of lichen functional groups as indicators of air quality in a Mediterranean urban environment E. Llop (Lisboa, Portugal and Barcelona, Spain), P. Pinho, P. Matos, M.J. Pereira and C. Branquinho (Lisboa, Portugal)	215
Planktonic and periphytic diatoms as indicators of stress on great rivers of the United States: Testing water quality and disturbance models A.R. Kireta, E.D. Reavie (Ely, MN, USA), G.V. Sgro (OH, USA), T.R. Angradi, D.W. Bolgrien, B.H. Hill and T.M. Jicha (Duluth, MN, USA)	222
Development of a multimetric index based on macroinvertebrates for drainage ditch networks in agricultural areas R.C.M. Verdonschot, H.E. Keizer-Vlek and P.F.M. Verdonschot (Wageningen, The Netherlands)	232
Hierarchical models for smoothed population indices: The importance of considering variations in trends of count data among sites T. Amano (Ibaraki, Japan and Cambridge, UK), H. Okamura (Kanagawa, Japan), S.F. Carrizo and W.J. Sutherland (Cambridge, UK)	243
Using assemblage data in ecological indicators: A comparison and evaluation of commonly available statistical tools J.M. Smith and M.E. Mather (Amherst, MA, USA)	253
EMAS in local authorities: Suitable indicators in adopting environmental management systems I. Petrosillo, A. De Marco, S. Botta and C. Comoglio (Italy)	263
Spatial patterns of aquatic habitat richness in the Upper Mississippi River floodplain, USA N.R. De Jager and J.J. Rohweder (La Crosse, WI, USA)	275
A rapid assessment method for coupling anthropogenic stressors and wetland ecological condition D.C. Kotze (Pietermaritzburg, South Africa), W.N. Ellery (Grahamstown, South Africa), D.M. Macfarlane (Hilton, South Africa) and G.P.W. Jewitt (Pietermaritzburg, South Africa)	284
Quantitative selection model of ecological indicators and its solving method J.-Y. Lin, T. Lin and S.-h. Cui (Xiamen, China)	294
Life-history strategies as a tool to identify conservation constraints: A case-study on ants in chalk grasslands C.G.E. (Toos) van Noordwijk (Nijmegen, The Netherlands), P. Boer (Bergen, The Netherlands), A.A. (Bram) Mabelis (Wageningen, The Netherlands), W.C.E.P. Verberk (Nijmegen, The Netherlands) and H. Siepel (Nijmegen, The Netherlands and Wageningen, The Netherlands)	303
A Bayesian framework to objectively combine metrics when developing stressor specific multimetric indicator H. Drouineau, J. Lobry, C. Delpech (CESTAS, France), M. Bouchoucha (La Seyne sur Mer, France), S. Mahévas (Nantes, France), A. Courrat, S. Pasquaud and M. Lepage (CESTAS, France)	314

β -Glucosidase kinetic parameters as indicators of soil quality under conventional and organic cropping systems applying two analytical approaches M.C. Moscatelli (Viterbo, Italy), A. Lagomarsino (Firenze, Italy), A.M.V. Garzillo, A. Pignataro and S. Grego (Viterbo, Italy)	322
Operational performance indicators for litter management at festivals in semi-natural landscapes A. Cierjacks, F. Behr and I. Kowarik (Berlin, Germany)	328
Discussion	
The conundrum of marine environmental indicators: The argument for new marine sensor technology M.T. Gibbs (Queensland, Australia)	338
Case Studies	
Applicability of the Pampean Diatom Index (PDI) to streams around São Carlos-SP, Brazil T. Bere and J.G. Tundisi (São Paulo, Brazil)	342
Building shared socio-economic indicators for biodiversity. A case study in the Ile-de-France region (France) L. Maxim (Paris, France)	347