

## CONTENTS

Volume 160 January 2012

- 1 The adaptive response of lichens to mercury exposure involves changes in the photosynthetic machinery**  
V. Nicolardi, G. Cai, L. Parrotta, M. Puglia, L. Bianchi, L. Bini, C. Gaggi  
*Mercury affects the photosynthetic protein machinery of lichens.*
- 11 Detecting diclofenac in livestock carcasses in India with an ELISA: A tool to prevent widespread vulture poisoning**  
M. Saini, M.A. Taggart, D. Knopp, S. Upreti, D. Swarup, A. Das, P.K. Gupta, R. Niessner, V. Prakash, R. Mateo, R.J. Cuthbert  
*The prevalence of diclofenac in carcasses available to vultures in India has declined from around 1:10 to 1:20 since restrictions on veterinary use were first put in place in 2006.*
- 17 Microsporidia parasites disrupt the responses to cadmium exposure in a gammarid**  
E. Gismondi, T. Rigaud, J.-N. Beisel, C. Cossu-Leguille  
*The presence of microsporidian parasites increases the toxic effect of cadmium in *G. roeseli* females.*
- 24 Synthetic fertilizer management for China's cereal crops has reduced N<sub>2</sub>O emissions since the early 2000s**  
W. Sun, Y. Huang  
*Synthetic fertilizer management for China's cereal crops has a substantial potential to mitigate N-induced N<sub>2</sub>O emission.*
- 28 Gene expression of heat shock protein 70, interleukin-1 $\beta$  and tumor necrosis factor  $\alpha$  as tools to identify immunotoxic effects on *Xenopus laevis*: A dose-response study with benzo[a]pyrene and its degradation products**  
F. Martini, C. Fernández, J.V. Tarazona, M.V. Pablos  
*The present study analyzed the use of cytokine mRNA levels as an earlier tool for predicting immunotoxicological risks to *Xenopus laevis* in a dose-response pattern.*
- 34 An integrated method for removal of harmful cyanobacterial blooms in eutrophic lakes**  
Z. Wang, D. Li, H. Qin, Y. Li  
*Inactivation by H<sub>2</sub>O<sub>2</sub> and sedimentation using polymeric ferric sulfate and sediment clay demonstrated high integrated efficiency in removal of cyanobacterial blooms.*
- 42 Adsorption of trace metals to plastic resin pellets in the marine environment**  
L.A. Holmes, A. Turner, R.C. Thompson  
*Trace metals accumulate on plastic resin pellets in the marine environment through adsorption to the polymer and to chemical and biological attritions thereon.*
- 49 A comparison of POPs bioaccumulation in *Eisenia fetida* in natural and artificial soils and the effects of aging**  
K. Vlčková, J. Hofman  
*Organic matter is an important factor in the bioavailability of POPs in soils, but direct extrapolation based on TOC content might lead to incorrect results in risk assessment.*
- 57 Forests under climate change and air pollution: Gaps in understanding and future directions for research**  
R. Matyssek, G. Wieser, C. Calfapietra, W. de Vries, P. Dizengremel, D. Ernst, Y. Jolivet, T.N. Mikkelsen, G.M.J. Mohren, D. Le Thiec, J.-P. Tuovinen, A. Weatherall, E. Paoletti  
*Forests under climate change and air pollution require empirical and modelling research needs to be integrated at novel "Supersites" through multi-scale investigations.*
- 66 Comparison of arsenate and cadmium toxicity in a freshwater amphipod (*Gammarus pulex*)**  
C. Vellinger, M. Parant, P. Rousselle, F. Immel, P. Wagner, P. Usseglio-Polatera  
*This study brings to light the potential relationship between toxicological effects and behavioural responses of *G. pulex* exposed at both Cadmium and Arsenate.*

## CONTENTS—Continued from outside back cover

- 74 Ambient ozone effects on gas exchange and total non-structural carbohydrate levels in cutleaf coneflower (*Rudbeckia laciniata* L.) growing in Great Smoky Mountains National Park**  
H.S. Neufeld, S.J. Peoples, A.W. Davison, A.H. Chappelka, G.L. Somers, J.E. Thomley, F.L. Booker  
*Ambient ozone may cause declines in gas exchange and starch in ozone-sensitive genotypes of cutleaf coneflower.*
- 82 Potential sources of methylmercury in tree foliage**  
M.D. Tabatchnick, G. Nogaró, C.R. Hammerschmidt  
*Methylmercury in tree foliage appears to result from in vivo methylation of mercury accumulated from the atmosphere.*
- 88 Levels and distribution patterns of short chain chlorinated paraffins in sewage sludge of wastewater treatment plants in China**  
L. Zeng, T. Wang, T. Ruan, Q. Liu, Y. Wang, G. Jiang  
*High levels of short chain chlorinated paraffins in sewage sludge of wastewater treatment plants in China have been found.*
- 95 A mesocosm approach for detecting stream invertebrate community responses to treated wastewater effluent**  
T.E. Grantham, M. Cañedo-Argüelles, I. Perrée, M. Rieradevall, N. Prat  
*Exposure to treated effluent in a stream mesocosm caused a dose-dependent response in the aquatic invertebrate community and led to declines in biological quality indices.*
- 103 Fate of Triclosan and Methyltriclosan in soil from biosolids application**  
N. Lozano, C.P. Rice, M. Ramirez, A. Torrents  
*This work presents the first long term study that quantifies Triclosan (TCS) removal and Methyltriclosan (MeTCS) formation in situ after biosolids application to an agricultural field.*
- 109 Insights into low fish mercury bioaccumulation in a mercury-contaminated reservoir, Guizhou, China**  
B. Liu, H. Yan, C. Wang, Q. Li, S. Guédron, J.E. Spangenberg, X. Feng, J. Dominik  
*The low fish Hg level found in Hg-contaminated Baihua Reservoir is mainly due to limited accessibility to high MMHg zone, short food chains, and biodilution effect.*
- 118 Blood Pb and  $\delta$ -ALAD inhibition in cattle and sheep from a Pb-polluted mining area**  
J. Rodríguez-Estival, J.A. Barasona, R. Mateo  
*Lead from an ancient mining area still affects livestock health and compromises the safety of derived food products.*
- 125 On the use of a freeze-dried versus an air-dried soil humic acid as a surrogate of soil organic matter for contaminant sorption**  
W.-N. Hung, T.-F. Lin, C.-H. Chiu, C.T. Chiou  
*This study shows no alleged nonlinear sorption of a nonpolar organic pollutant from water to solid humic acids extracted from soils.*
- 130 Bioaccessibility of trace elements as affected by soil parameters in smelter-contaminated agricultural soils: A statistical modeling approach**  
A. Pelfrène, C. Waterlot, M. Mazzuca, C. Nisse, D. Cuny, A. Richard, S. Denys, C. Heyman, H. Roussel, G. Bidar, F. Douay  
*This study supports the hypothesis that the use of an extended database is needed to elaborate a robust model predicting the TE bioaccessibility in the studied soils.*
- 139 Metal stress and decreased tree growth in response to biosolids application in greenhouse seedlings and *in situ* Douglas-fir stands**  
E.T. Cline, Q.T.N. Nguyen, L. Rollins, J.E. Gawel  
*Biosolids applications increase bioindicators of intracellular metal stress and may counteract tree growth benefits.*
- 145 Assessing single and joint effects of chemicals on the survival and reproduction of *Folsomia candida* (Collembola) in soil**  
M.J.B. Amorim, C. Pereira, V.B. Menezes-Oliveira, B. Campos, A.M.V.M. Soares, S. Loureiro  
*Exposure to chemical mixtures in *Folsomia candida* showed potentiation of effects. Mixture toxicity patterns differ among species and endpoint measured.*
- 153 Concentrations of methylmercury in invertebrates from wetlands of the Prairie Pothole Region of North America**  
L.M. Bates, B.D. Hall  
*Methylmercury concentrations in aquatic invertebrates in wetlands of the Great Plains of North America may differ depending on the land use of adjacent farmland.*
- 161 Effect of recent climate change on Arctic Pb pollution: A comparative study of historical records in lake and peat sediments**  
X. Liu, S. Jiang, P. Zhang, L. Xu  
*This manuscript reports the effects of climate-sensitive processes on historical records of Pb pollution in sediments of Arctic lakes.*
- 169 Trend and concentrations of legacy lead (Pb) in highway runoff**  
M. Kayhanian  
*Most Pb deposited on soil near highways is within the top 15 cm. This Pb is the major sources of Pb concentration in highway runoff that has substantially been reduced since lead phase-out era.*
- 178 Cosorption of organic chemicals with different properties: Their shared and different sorption sites**  
D. Zhang, B. Pan, M. Wu, H. Zhang, H. Peng, P. Ning, B. Xing  
*The competitive and complementary sorption of organic chemicals with different properties occurs on their shared and different sorption sites depending on their concentrations and properties.*

# ENVIRONMENTAL POLLUTION

## CONTENTS—Continued from inside back cover

- 185 Aqueous uptake and sublethal toxicity of p,p'-DDE in non-feeding larval stages of Antarctic krill (*Euphausia superba*)**  
A.H. Poulsen, S. Kawaguchi, J.V.K. Kukkonen, M.T. Leppänen, S.M. Bengtson Nash  
*For baseline toxicity, the body residue-based toxicological sensitivity of Antarctic krill larvae to p,p'-DDE exposure is comparable to that of temperate aquatic species.*
- 192 Emissions of nitric oxide from 79 plant species in response to simulated nitrogen deposition**  
J. Chen, F.-H. Wu, T.-W. Liu, L. Chen, Q. Xiao, X.-J. Dong, J.-X. He, Z.-M. Pei, H.-L. Zheng  
*Simulated N deposition induced a significant increase of NO emission from 79 plants.*
- 201 Towards a renewed research agenda in ecotoxicology**  
J. Artigas, G. Arts, M. Babut, A.B. Caracciolo, S. Charles, A. Chaumot, B. Combourieu, I. Dahllöf, D. Despréaux, B. Ferrari, N. Friberg, J. Garric, O. Geffard, C. Gourlay-Francé, M. Hein, M. Hjorth, M. Krauss, H.J. De Lange, J. Lahr, K.K. Lehtonen, T. Lettieri, M. Liess, S. Lofts, P. Mayer, S. Morin, A. Paschke, C. Svendsen, P. Usseglio-Polatera, N. van den Brink, E. Vindimian, R. Williams  
*New regulations and innovative biological tools change the way ecotoxicological risk assessment should be seen. A new research agenda is therefore needed.*
- Corrigenda**
- 207 Corrigendum to “Terrestrial exposure of oilfield flowline additives diminish soil structural stability and remediative microbial function” [Environ. Pollut. 159 (2011) 2740–2749]**  
S.J. George, J. Sherborne, C. Hinz, M. Tibbett
- 208 Corrigendum to “Rapid biotransformation of arsenic by a model protozoan *Tetrahymena thermophila*” [Environ. Pollut. 159 (2011) 837–840]**  
X.-X. Yin, Y.-Y. Zhang, J. Yang, Y.-G. Zhu