

# Volume 125 Number 8 December 2012

## ORIGINAL PAPERS

### Genetic analysis of phytosterol content in sunflower seeds

O. Merah · N. Langlade · M. Alignan · J. Roche · N. Pouilly · Y. Lippi · F. Vear · M. Cerny · A. Bouniols · Z. Mouloungui · P. Vincourt 1589

### Comparative mapping in watermelon [*Citrullus lanatus* (Thunb.) Matsum. et Nakai]

K. Sandlin · J. Prothro · A. Heesacker · N. Khalilian · R. Okashah · W. Xiang · E. Bachlava · D.G. Caldwell · C.A. Taylor · D.K. Seymour · V. White · E. Chan · G. Tolla · C. White · D. Safran · E. Graham · S. Knapp · C. McGregor 1603

### A high-density consensus map of A and B wheat genomes

D. Marone · G. Laidò · A. Gadaleta · P. Colasuonno · D.B.M. Ficco · A. Giancaspro · S. Giove · G. Panio · M.A. Russo · P. De Vita · L. Cattivelli · R. Papa · A. Blanco · A.M. Mastrangelo 1619

### Genome-based prediction of test cross performance in two subsequent breeding cycles

N. Hofheinz · D. Borchardt · K. Weissleder · M. Frisch 1639

### Genetic dissection of the temperature dependent emergence processes in sorghum using a cumulative emergence model and stability parameters

K. Fiedler · W.A. Bekele · W. Friedt · R. Snowdon · H. Stützel · A. Zacharias · R. Uptmoor 1647

### A reference genetic map of *Muscadinia rotundifolia* and identification of *Ren5*, a new major locus for resistance to grapevine powdery mildew

S. Blanc · S. Wiedemann-Merdinoglu · V. Dumas · P. Mestre · D. Merdinoglu 1663

### Strong presence of the high grain protein content allele of *NAM-B1* in Fennoscandian wheat

J. Hagenblad · L. Asplund · F. Balfourier · C. Ravel · M.W. Leino 1677

### Genome-wide association study for oat (*Avena sativa* L.) beta-glucan concentration using germplasm of worldwide origin

M.A. Newell · F.G. Asoro · M.P. Scott · P.J. White · W.D. Beavis · J.-L. Jannink 1687

### A single nucleotide polymorphism at the *Vrn-D1* promoter region in common wheat is associated with vernalization response

J. Zhang · Y. Wang · S. Wu · J. Yang · H. Liu · Y. Zhou 1697

### Inheritance of grain polyphenol oxidase (PPO) activity in multiple wheat (*Triticum aestivum* L.) genetic backgrounds

S. Nilthong · R.A. Graybosch · P.S. Baenziger 1705

### Mapping and characterization of the major quantitative trait locus *qSS7* associated with increased length and decreased width of rice seeds

X. Qiu · R. Gong · Y. Tan · S. Yu 1717

### A fast expectation-maximum algorithm for fine-scale QTL mapping

M. Fang 1727

### Evaluation of diagnostic molecular markers for DUS phenotypic assessment in the cereal crop, barley (*Hordeum vulgare* ssp. *vulgare* L.)

J. Cockram · H. Jones · C. Norris · D.M. O'Sullivan 1735

### Mapping of QTL for Fusarium head blight resistance and morphological and developmental traits in three backcross populations derived from *Triticum dicoccum* × *Triticum durum*

M. Buerstmayr · K. Huber · J. Heckmann · B. Steiner · J.C. Nelson · H. Buerstmayr 1751

### Comparative genomics to bridge *Vicia faba* with model and closely-related legume species: stability of QTLs for flowering and yield-related traits

S. Cruz-Izquierdo · C.M. Avila · Z. Satovic · C. Palomino · N. Gutierrez · S.R. Ellwood · H.T.T. Phan · J.I. Cubero · A.M. Torres 1767

### Integrated consensus genetic and physical maps of flax (*Linum usitatissimum* L.)

S. Cloutier · R. Ragupathy · E. Miranda · N. Radovanovic · E. Reimer · A. Walichnowski · K. Ward · G. Rowland · S. Duguid · M. Banik 1783

### QTL mapping of resistance to gray leaf spot in maize

Y. Zhang · L. Xu · X. Fan · J. Tan · W. Chen · M. Xu 1797