

CONTENTS

Research Papers

- J.-G. Lee, J.-M. Yon, C. Lin, A. Y. Jung, K. Y. Jung and S.-Y. Nam* 3877–3885 Combined treatment with capsaicin and resveratrol enhances neuroprotection against glutamate-induced toxicity in mouse cerebral cortical neurons
- I. Sospedra, C. De Simone, J. M. Soriano, J. Mañes, P. Ferranti and A. Ritieni* 3886–3891 Characterization of Heat-Labile toxin-subunit B from *Escherichia coli* by liquid chromatography–electrospray ionization-mass spectrometry and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry
- T.-L. Pan, P.-W. Wang, S. A. Al-Suwayeh, Y.-J. Huang and J.-Y. Fang* 3892–3901 Toxicological effects of cationic nanobubbles on the liver and kidneys: Biomarkers for predicting the risk
- N.-C. Yang, H.-C. Lin, J.-H. Wu, H.-C. Ou, Y.-C. Chai, C.-Y. Tseng, J.-W. Liao and T.-Y. Song* 3902–3911 Ergothioneine protects against neuronal injury induced by β -amyloid in mice
- B. Lee, J.-H. Jung and H.-S. Kim* 3912–3919 Assessment of red onion on antioxidant activity in rat
- L. Yong, Y.-M. Liu, X.-D. Jia, N. Li and W.-Z. Zhang* 3920–3926 Subchronic toxicity study of GH transgenic carp
- N. Ikeda, K. Fujii, M. Sarada, H. Saito, M. Kawabata, K. Naruse, K. Yuki, H. Nakagiri, H. Honda, Y. Tamaki, N. Nishiyama and T. Kasamatsu* 3927–3933 Genotoxicity studies of glycidol fatty acid ester (glycidol linoleate) and glycidol
- X.-L. Xie, M. Wei, T. Yunoki, A. Kakehashi, S. Yamano, M. Kato and H. Wanibuchi* 3934–3940 Long-term treatment with L-isoleucine or L-leucine in AIN-93G diet has promoting effects on rat bladder carcinogenesis
- K. H. Lim, J.-H. Han, J. Y. Lee, Y. S. Park, Y. S. Cho, K.-D. Kang, W. J. Yuk, K. Y. Hwang, S.-I. Seong, B. Kim, J. Kwon, C.-W. Kang and J.-H. Kim* 3941–3948 Assessment of antidiabetogenic potential of fermented soybean extracts in streptozotocin-induced diabetic rat
- L. Worasuttayangkurn, P. Watcharasit, N. Rangkadilok, S. Suntararuks, P. Khamkong and J. Satayavivad* 3949–3955 Safety evaluation of longan seed extract: Acute and repeated oral administration
- C. Capucho, R. Sette, F. de Souza Predes, J. de Castro Monteiro, A. A. Pigoso, R. Barbieri, M. A. H. Dolder and G. D. C. Severi-Aguiar* 3956–3962 Green Brazilian propolis effects on sperm count and epididymis morphology and oxidative stress
- N. Zucchini-Pascal, L. Peyre, G. de Sousa and R. Rahmani* 3963–3970 Organochlorine pesticides induce epithelial to mesenchymal transition of human primary cultured hepatocytes

(Contents continued on inside back cover)

T. Radhiga, C. Rajamanickam, S. Senthil and K. V. Pugalendi	3971–3977	Effect of ursolic acid on cardiac marker enzymes, lipid profile and macroscopic enzyme mapping assay in isoproterenol-induced myocardial ischemic rats
L. K. Schnackenberg, J. Sun, L. M. Pence, S. Bhattacharyya, G. G. da Costa and R. D. Beger	3978–3983	Metabolomics evaluation of hydroxyproline as a potential marker of melamine and cyanuric acid nephrotoxicity in male and female Fischer F344 rats
S. J. Roy and P. Stanely Mainzen Prince	3984–3989	Protective effects of sinapic acid on lysosomal dysfunction in isoproterenol induced myocardial infarcted rats
K. Sen, T. Cabaroglu and H. Yilmaz	3990–3995	The influence of fining agents on the removal of some pesticides from white wine of <i>Vitis vinifera</i> L. cv. Emir
Y.-J. Jeong, H.-J. Cho, K. Whang, I.-S. Lee, K.-K. Park, J.-Y. Choe, S.-M. Han, C.-H. Kim, H.-W. Chang, S.-K. Moon, W.-J. Kim, Y. H. Choi and Y.-C. Chang	3996–4002	Melittin has an inhibitory effect on TNF- α -induced migration of human aortic smooth muscle cells by blocking the MMP-9 expression
Y.-H. Kuan, F.-M. Huang, Y.-C. Li and Y.-C. Chang	4003–4009	Proinflammatory activation of macrophages by bisphenol A-glycidyl-methacrylate involved NF κ B activation via PI3K/Akt pathway
Z. Tian, W. Yu, H.-b. Liu, N. Zhang, X.-b. Li, M.-g. Zhao and S.-b. Liu	4010–4015	Neuroprotective effects of curculigoside against NMDA-induced neuronal excitotoxicity in vitro
Q.-M. Liu, H.-Y. Zhao, X.-K. Zhong and J.-G. Jiang	4016–4022	<i>Eclipta prostrata</i> L. phytochemicals: Isolation, structure elucidation, and their antitumor activity
J. Malinowska, J. Kolodziejczyk-Czepas, B. Moniuszko-Szajwaj, I. Kowalska, W. Oleszek, A. Stochmal and B. Olas	4023–4027	Phenolic fractions from <i>Trifolium pallidum</i> and <i>Trifolium scabrum</i> aerial parts in human plasma protect against changes induced by hyperhomocysteinemia <i>in vitro</i>
B. Olas and H. Holmsen	4028–4034	Interaction of resveratrol with membrane glycerophospholipids in model system <i>in vitro</i>
K. Sahin, C. Orhan, Z. Tuzcu, M. Tuzcu and N. Sahin	4035–4041	Curcumin ameliorates heat stress via inhibition of oxidative stress and modulation of Nrf2/HO-1 pathway in quail
H.-Y. Jang, O.-K. Kwon, S.-R. Oh, H.-K. Lee, K.-S. Ahn and Y.-W. Chin	4042–4050	Mangosteen xanthenes mitigate ovalbumin-induced airway inflammation in a mouse model of asthma
B. C. Cavalcanti, J. R. O. Ferreira, I. O. Cabral, H. I. F. Magalhães, C. C. de Oliveira, F. A. R. Rodrigues, D. D. Rocha, F. W. A. Barros, C. R. da Silva, H. V. N. Júnior, K. M. Camuto, E. R. Silveira, C. Pessoa and M. O. Moraes	4051–4061	Genetic toxicology evaluation of essential oil of <i>Alpinia zerumbet</i> and its chemoprotective effects against H ₂ O ₂ -induced DNA damage in cultured human leukocytes
O. A. Rotimi, I. O. Olayiwola, O. Ademuyiwa and E. A. Balogun	4062–4067	Effects of fibre-enriched diets on tissue lipid profiles of MSG obese rats
J. Steigerová, L. Rárová, J. Oklešťková, K. Křížová, M. Levková, M. Šváchová, Z. Kolář and M. Strnad	4068–4076	Mechanisms of natural brassinosteroid-induced apoptosis of prostate cancer cells
B. Cao, X. He, Y. Luo, L. Ma, P. Liu, S. Cao, Y. Liu, S. Zou, W. Xu and K. Huang	4077–4084	Safety assessment of dehydration-responsive element-binding (DREB) 4 protein expressed in <i>E. coli</i>
L. Gu, M. Zhao, W. Li, L. You, J. Wang, H. Wang and J. Ren	4085–4091	Chemical and cellular antioxidant activity of two novel peptides designed based on glutathione structure
L. F. M. de França Cardozo, G. T. Boaventura, L. H. C. Brant, V. A. Pereira, L. G. C. Velarde and M. A. Chagas	4092–4096	Prolonged consumption of flaxseed flour increases the 17 β -estradiol hormone without causing adverse effects on the histomorphology of Wistar rats' penis
H. M. Mohan, D. Collins, S. Maher, E. G. Walsh, D. C. Winter, P. J. O'Brien, D. J. Brayden and A. W. Baird	4097–4102	The mycotoxin patulin increases colonic epithelial permeability <i>in vitro</i>
I. Martorell, A. Nieto, M. Nadal, G. Perelló, R. M. Marcé and J. L. Domingo	4103–4108	Human exposure to polycyclic aromatic hydrocarbons (PAHs) using data from a duplicate diet study in Catalonia, Spain

(Contents continued from inside back cover)

- Z. Dagher, M. Borgie, J. Magdalou, R. Chahine and H. Greige-Gerges 4109–4114 *p*-Hydroxybenzoate esters metabolism in MCF7 breast cancer cells
- D. Stagos, N. Portesis, C. Spanou, D. Mossialos, N. Aligiannis, E. Chaita, C. Panagoulis, E. Reri, L. Skaltsounis, A. M. Tsatsakis and D. Kouretas 4115–4124 Correlation of total polyphenolic content with antioxidant and antibacterial activity of 24 extracts from Greek domestic *Lamiaceae* species
- M. Gałowska, R. Pietrzak-Fiećko and B. Felkner-Poźniakowska 4125–4129 Assessment of the chlorinated hydrocarbons residues contamination in edible mushrooms from the North-Eastern part of Poland
- S. Pacifico, M. Gallicchio, A. Fiorentino, A. Fischer, U. Meyer and F. C. Stintzing 4130–4135 Antioxidant properties and cytotoxic effects on human cancer cell lines of aqueous fermented and lipophilic quince (*Cydonia oblonga* Mill.) preparations
- E.-J. Lee, S.-Y. Oh and M.-K. Sung 4136–4143 Luteolin exerts anti-tumor activity through the suppression of epidermal growth factor receptor-mediated pathway in MDA-MB-231 ER-negative breast cancer cells
- F. L. Kinouchi, D. C. G. Maia, L. C. de Abreu Ribeiro, M. C. P. Placeres, G. F. de Valdez, L. L. Colombo, E. A. Rossi and I. Z. Carlos 4144–4148 A soy-based product fermented by *Enterococcus faecium* and *Lactobacillus helveticus* inhibits the development of murine breast adenocarcinoma
- D. Schmitt, N. Tran, J. Peach, T. Edwards and M. Greeley 4149–4157 Toxicologic evaluations of DHA-rich algal oil in rats: Developmental toxicity study and 3-month dietary toxicity study with an *in utero* exposure phase
- V. Siddappa, D. K. Nanjegowda and P. Viswanath 4158–4162 Occurrence of aflatoxin M₁ in some samples of UHT, raw & pasteurized milk from Indian states of Karnataka and Tamilnadu
- H. Honda, K. Fujii, T. Yamaguchi, N. Ikeda, N. Nishiyama and T. Kasamatsu 4163–4168 Glycidol exposure evaluation of humans who have ingested diacylglycerol oil containing glycidol fatty acid esters using hemoglobin adducts
- R. Godliauskienė, J. Petraitis, I. Jarmalaitė and E. Naujalis 4169–4174 Analysis of dioxins, furans and DL-PCBs in food and feed samples from Lithuania and estimation of human intake
- M. K. Rasmussen, G. Zamaratskaia, B. Andersen and B. Ekstrand 4175–4179 Dried chicory root modifies the activity and expression of porcine hepatic CYP3A but not 2C – Effect of *in vitro* and *in vivo* exposure
- R. E. Green and D. J. Pain 4180–4190 Potential health risks to adults and children in the UK from exposure to dietary lead in gamebirds shot with lead ammunition
- Y.-S. Kim, S.-J. Lee, J.-W. Hwang, E.-K. Kim, S.-E. Kim, E.-H. Kim, S.-H. Moon, B.-T. Jeon and P.-J. Park 4191–4198 *In vitro* protective effects of *Thymus quinquecostatus* Celak extracts on *t*-BHP-induced cell damage through antioxidant activity
- A. T. Choumessi, R. Loureiro, A. M. Silva, A. C. Moreira, A. C. Pieme, A. Tazoacha, P. J. Oliveira and V. B. Penlap 4199–4208 Toxicity evaluation of some traditional African spices on breast cancer cells and isolated rat hepatic mitochondria
- A. Arya, S. C. Cheah, C. Y. Looi, H. Taha, Mohd. Rais Mustafa and M. A. Mohd 4209–4220 The methanolic fraction of *Centratherum anthelminticum* seed downregulates pro-inflammatory cytokines, oxidative stress, and hyperglycemia in STZ-nicotinamide-induced type 2 diabetic rats
- G.-E. Séralini, E. Clair, R. Mesnage, S. Gress, N. Defarge, M. Malatesta, D. Hennequin and J. S. de Vendômois 4221–4231 Long term toxicity of a Roundup herbicide and a Roundup-tolerant genetically modified maize
- Letters to the Editor**
- B. Adamolekun 4232–4233 Comment on “Control of konzo in DRC using the wetting method on cassava flour” by Banea et al. (2012)
- J. P. Banea, G. Nahimana, N. Kuwa, J. Howard Bradbury, I. C. Denton and C. Mandombi 4234–4235 Preventive control of konzo in the Democratic Republic of Congo
- G. Bittner and S. Yaniger 4236–4237 Comment on “Lack of androgenicity and estrogenicity of the three monomers used in Eastman’s Tritan™ copolyesters” by Osimitz et al. (2012)
- T. G. Osimitz 4238 Response to comment on “Lack of androgenicity and estrogenicity of the three monomers used in Eastman’s Tritan™ copolyesters” by Osimitz et al. (2012)