

Acknowledgement to Reviewers		1
Comparison of different methods for <i>Citrus tristeza virus</i> detection in Satsuma mandarins	KATARINA HANČEVIĆ, SILVIJA ČERNI, TOMISLAV RADIĆ, DIJANA ŠKORIĆ	2–7
Fractal dimension and shape parameters of asexual <i>Fusarium</i> spores from selected species: Which species can be distinguished?	TIPHAINE DUBOS, FRIEDRIKE POGODA, FRANZ K RONELLENFITSCH, JÜRGEN JUNK, LUCIEN HOFFMANN, MARCO BEYER	8–14
Plant age and timing of epidemic initiation affect mycosphaerella blight in field pea	SHEAU-FANG HWANG, KAN-FA CHANG, ROBERT L CONNER, BRUCE D GOSSEN, GEORGE D TURNBULL	15–23
Histopathological effects of <i>Bacillus subtilis</i> SPB1 biosurfactant in the midgut of <i>Ephestia kuehniella</i> (Lepidoptera: Pyralidae) and improvement of its insecticidal efficiency	DHOUHA GHRIBI, MOUNA ELLEUCH, LOBNA ABDELKEFI-MESRATI, HANEN BOUKADI, SEMIA ELLOUZE-CHAABOUNI	24–29
The effect of the diatomaceous earth formulation DiatoSec on mortality of granary weevil <i>Sitophilus granarius</i> (Coleoptera: Curculionidae) in grains	SÁNDOR KESZTHELYI, FERENC PÁL-FÁM	30–33
Report on the meeting of the working groups “Population dynamics and epidemiology” of DPG and “Epigeic arthropods” of DGaaE		34–41
National and International Conferences and Events		42–44