

- 1 Selection and inheritance of resistance to *Chrysanthemum stunt viroid*  
*Y. Matsushita, K. Aoki and K. Sumitomo*
- 5 Pesticide residues in individual versus composite samples of apples after fine or coarse spray quality application  
*M.E. Poulsen, M. Wenneker, J. Withagen and H.B. Christensen*
- 15 Herbicide cross resistance in weeds  
*H.J. Beckie and F.J. Tardif*
- 29 Screening and partial characterization of *Bacillus* with potential applications in biocontrol of cucumber *Fusarium* wilt  
*L. Li, J. Ma, Y. Li, Z. Wang, T. Gao and Q. Wang*
- 36 Managing summer apple scab epidemics using leaf scab incidence threshold values for fungicide sprays  
*O. Carisse and T. Jobin*
- 41 Antifungal activity of some Moroccan plants against *Geotrichum candidum*, the causal agent of postharvest citrus sour rot  
*I. Talibi, L. Askarne, H. Boubaker, E.H. Boudyach, F. Msanda, B. Saadi and A. Ait Ben Aoumar*
- 47 Clubroot management of highly infested soils  
*L.S. Kowata-Dresch and L.L. May-De Mio*
- 53 Insecticidal control of *Bemisia tabaci* (Hemiptera: Aleyrodidae) transmitting Carlavirus on soybeans and detection of the virus in alternate hosts  
*D.K. Belay, R.M. Huckaba, A.M. Ramirez, J.C.V. Rodrigues and J.E. Foster*
- 58 Management of *Macrophomina* wilt in melons using grafting or fungicide soil application: Pathological, horticultural and economical aspects  
*R. Cohen, N. Omari, A. Porat and M. Edelstein*
- 64 Applications of nanomaterials in agricultural production and crop protection: A review  
*L.R. Khot, S. Sankaran, J.M. Maja, R. Ehsani and E.W. Schuster*
- 71 Effect of phenolic acids from black currant, sour cherry and walnut on grain aphid (*Sitobion avenae* F.) development  
*G. Chrzanowski, B. Leszczyński, P. Czerniewicz, H. Sytykiewicz, H. Matok, R. Krzyżanowski and C. Sempruch*

- 78 Seed and leaf treatments with natural compounds to induce resistance against *Peronospora parasitica* in *Brassica oleracea*  
*J.M. van der Wolf, A. Michta, P.S. van der Zouwen, W.J. de Boer, E. Davelaar and L.H. Stevens*
- 85 *Melia azedarach* controls *Meloidogyne incognita* and triggers plant defense mechanisms on cucumber  
*I. Cavoski, Z.Al. Chami, F. Bouzebboudja, N. Sasanelli, V. Simeone, D. Mondelli, T. Miano, G. Sarais, N.G. Ntalli and P. Caboni*
- 91 E- $\beta$ -farnesene synergizes the influence of an insecticide to improve control of cabbage aphids in China  
*L.-L. Cui, J. Dong, F. Francis, Y.-J. Liu, S. Heuskin, G. Lognay, J.-L. Chen, C. Bragard, J.F. Tooker and Y. Liu*
- 97 Baseline susceptibility to chlorantraniliprole of Brazilian populations of *Plutella xylostella*  
*J.E. da Silva, H.A.A. de Siqueira, T.B.M. Silva, M.R. de Campos and R. Barros*
- 102 Co-inoculation of *Dactylaria brochopaga* and *Monacrosporium eudermatum* affects disease dynamics and biochemical responses in tomato (*Lycopersicon esculentum* Mill.) to enhance bio-protection against *Meloidogyne incognita*  
*U.B. Singh, A. Sahu, N. Sahu, R.K. Singh, Renu, R. Prabha, D.P. Singh, B.K. Sarma and M.C. Manna*
- 110 Diversity analysis using ISSR markers for resistance to shoot pests in sorghum  
*C. Aruna, A.R. Priya, C.N. Neeraja, J.V. Patil and K.B.R.S. Visarada*
- 118 Sterile oat (*Avena sterilis* L.) cross-resistance profile to ACCase-inhibiting herbicides in Greece  
*A.P. Papapanagiotou, N.S. Kaloumenos and I.G. Eleftherohorinos*
- 127 Effects of Black Leaf Streak Disease and Sigatoka Disease on fruit quality and maturation process of bananas produced in the subtropical conditions of southern Brazil  
*F.P. Castelan, L.A. Saraiva, F. Lange, L. de Lapeyre de Bellaire, B.R. Cordenunsi and M. Chillet*
- 132 An examination of Leaf-Wall-Area dose expression  
*P.J. Walklate and J.V. Cross*
- 135 Corrigendum to: “Transgenic tomato plants resistant to fruit borer (*Helicoverpa armigera* Hubner)”  
[Crop Prot. 19 (2000) 307–312]  
*A.D. Mandaokar, R.K. Goyal, A. Shukla, S. Bisaria, R. Bhalla, V.S. Reddy, A. Chaurasia, R.P. Sharma, I. Altosaar and P. Ananda Kumar*
- 136 Calendar