

CONTENTS

Volume 133, issue 2, 15 July 2012 (Published 15 March 2012)

Review

- 237 The effect of inulin and fructo-oligosaccharide supplementation on the textural, rheological and sensory properties of bread and their role in weight management: A review
C. MORRIS & G.A. MORRIS (UK)

General Papers

- 249 Studies on the retention of microencapsulated L-5-methyltetrahydrofolic acid in baked bread using skim milk powder
S. TOMIUK, Y. LIU, T.J. GREEN (Canada), M.J. KING, P.M. FINGLAS & D.D. KITTS (United Kingdom)
- 256 Chemical characterization and evaluation of antioxidant properties of Açai fruits (*Euterpe oleraceae* Mart.) during ripening
A. GORDON (Germany), A.P.G. CRUZ, L.M.C. CABRAL, S.C. DE FREITAS, C.M.A.D. TAXI, C.M. DONANGELO, R. DE ANDRADE MATTIETTO (Brazil), M. FRIEDRICH (Germany), V.M. DA MATTA (Brazil) & F. MARX (Germany)
- 264 Multispectroscopic studies on the interaction of maltol, a food additive, with bovine serum albumin
G. ZHANG, Y. MA, L. WANG, Y. ZHANG & J. ZHOU (China)
- 271 Evolution of the colour, antioxidant activity and polyphenols in unusually aged Sherry wines
M. SCHWARZ, M.C. RODRÍGUEZ, D.A. GUILLÉN & C.G. BARROSO (Spain)
- 277 Nutritional quality and safety of cooked edible crab (*Cancer pagurus*)
A.L. MAULVAULT, P. ANACLETO, H.M. LOURENÇO, M.L. CARVALHO, M.L. NUNES & A. MARQUES (Portugal)
- 284 Sensory and chemical characterisation of the aroma of Prieto Picudo rosé wines: The differential role of autochthonous yeast strains on aroma profiles
J.M. ÁLVAREZ-PÉREZ, E. CAMPO, F. SAN-JUAN, J.J.R. COQUE, V. FERREIRA & P. HERNÁNDEZ-ORTE (Spain)
- 293 Effect of production system on physical–chemical, antioxidant and fatty acids composition of *Longissimus dorsi* and *Serratus ventralis* muscles from Iberian pig
D. TEJERINA, S. GARCÍA-TORRES, M. CABEZA DE VACA, F.M. VÁZQUEZ & R. CAVA (Spain)
- 300 Synergy between sulforaphane and selenium in the up-regulation of thioredoxin reductase and protection against hydrogen peroxide-induced cell death in human hepatocytes
D. LI (China), W. WANG (UK), Y. SHAN (China), L.N. BARRERA, A.F. HOWIE, G.J. BECKETT (UK), K. WU (China) & Y. BAO (UK)

Continued on inside back cover

CONTENTS—Continued from outside back cover

- 308 Changes in polyphenol and polysaccharide content of grape seed extract and grape pomace after enzymatic treatment
S. CHAMORRO, A. VIVEROS, I. ALVAREZ, E. VEGA & A. BRENES (Spain)
- 315 Primary and secondary structure of novel ACE-inhibitory peptides from egg white protein
Z. YU, B. LIU, W. ZHAO, Y. YIN, J. LIU (PR China) & F. CHEN (USA)
- 323 Bioactive amines in soy sauce: Validation of method, occurrence and potential health effects
L.R. GUIDI & M.B.A. GLORIA (Brazil)
- 329 Unraveling a mechanism of honey antibacterial action: Polyphenol/H₂O₂-induced oxidative effect on bacterial cell growth and on DNA degradation
K. BRUDZYNSKI, K. ABUBAKER & D. MIOTTO (Canada)
- 337 Protective effect of extracts of *Perilla frutescens* treated with sucrose on *tert*-butyl hydroperoxide-induced oxidative hepatotoxicity *in vitro* and *in vivo*
S.-Y. YANG, C.-O. HONG, H. LEE, S.-Y. PARK, B.-G. PARK & K.-W. LEE (South Korea)
- 344 Improvement of oleuropein extractability by optimising steam blanching process as pre-treatment of olive leaf extraction via response surface methodology
K. STAMATOPOULOS, E. KATSOYANNOS, A. CHATZILAZAROU & S.J. KONTELES (Greece)
- 352 Monoalkyl carbonates in carbonated alcoholic beverages
M.R. ROSSI, D.T.R. VIDAL & C.L. DO LAGO (Brazil)
- 358 Chemopreventive potential of the tannase-mediated biotransformation of green tea
J.A. MACEDO, L.R. FERREIRA, L.E. CAMARA, J.C. SANTOS, A. GAMBERO, G.A. MACEDO & M.L. RIBEIRO (Brazil)
- 366 Purification and characterization of a papaya (*Carica papaya* L.) pectin methylesterase isolated from a commercial papain preparation
P. VASU, B.J. SAVARY & R.G. CAMERON (USA)
- 373 The mechanism of peptide bonds cleavage and volatile compounds generated from pentapeptide to heptapeptide *via* Maillard reaction
C. YANG, R. WANG & H. SONG (China)
- 383 Structural investigation and response surface optimisation for improvement of kefir production yield from a low-cost culture medium
M. GHASEMLOU, F. KHODAIYAN, K. JAHANBIN, S.M.T. GHARIBZAHEDI & S. TAHERI (Iran)
- 390 Preparation and *in vitro* evaluation of calcium-induced soy protein isolate nanoparticles and their formation mechanism study
J. ZHANG (Canada), L. LIANG (Canada, China), Z. TIAN, L. CHEN & M. SUBIRADE (Canada)
- 400 Conjugated fatty acids increase energy expenditure in part by increasing voluntary movement in mice
Y. PARK & Y. PARK (United States)
- 410 Effect of tannic acid on properties of soybean (*Glycine max*) seed ferritin: A model for interaction between naturally-occurring components in foodstuffs
M. LI, X. JIA, J. YANG, J. DENG & G. ZHAO (China)
- 416 Induction of apoptosis by ethanolic extract of mango peel and comparative analysis of the chemical constituents of mango peel and flesh
H. KIM, H. KIM (Republic of Korea), A. MOSADDIK (Bangladesh), R. GYAWALI, K.S. AHN & S.K. CHO (Republic of Korea)
- 423 Quercetin loaded biopolymeric colloidal particles prepared by simultaneous precipitation of quercetin with hydrophobic protein in aqueous medium
A.R. PATEL, P.C.M. HEUSSEN, J. HAZEKAMP, E. DROST & K.P. VELIKOV (The Netherlands)
- 430 An enhanced preparation and purification of the major antioxidants baicalein and wogonin from *Scutellariae radix*
L.-L. DONG, Y.-J. FU, Y.-G. ZU, M. LUO, W. WANG, C.-Y. LI & P.-S. MU (PR China)

Continued on last page

CONTENTS—Continued from inside back cover

- 437 Solvent-free microwave extraction of essential oil from *Dryopteris fragrans* and evaluation of antioxidant activity
X.-J. LI, W. WANG, M. LUO, C.-Y. LI, Y.-G. ZU, P.-S. MU & Y.-J. FU (PR China)
- 445 Effects of quercetin metabolites on the enhancing effect of β -carotene on DNA damage and cytochrome P1A1/2 expression in benzo[a]pyrene-exposed A549 cells
Y.-Z. CHANG, H.-C. LIN, S.-T. CHAN & S.-L. YEH (Taiwan)
- 451 Acrylamide in Caribbean foods – Residual levels and their relation to reducing sugar and asparagine content
G.-A. BENT, P. MARAGH & T. DASGUPTA (West Indies)
- 458 Comparative human-sensory evaluation and quantitative comparison of odour-active oxidation markers of encapsulated fish oil products used for supplementation during pregnancy and the breastfeeding period
S. SANDGRUBER & A. BUETTNER (Germany)
- 467 Antioxidant potential of curry (*Murraya koenigii* L.) and mint (*Mentha spicata*) leaf extracts and their effect on colour and oxidative stability of raw ground pork meat during refrigeration storage
A.K. BISWAS, M.K. CHATLI & J. SAHOO (India)
- ANALYTICAL METHODS**
- 473 Determination of pesticide residues in milk using a QuEChERS-based method developed by response surface methodology
I.-S. JEONG, B.-M. KWAK, J.-H. AHN & S.-H. JEONG (Republic of Korea)
- 482 Optimization of a solid phase extraction and hydrophilic interaction liquid chromatography–tandem mass spectrometry method for the determination of metformin in dietary supplements and herbal medicines
X. WU, B. ZHU, L. LU, W. HUANG & D. PANG (China)
- 489 High performance liquid chromatographic determination of aflatoxins in chilli, peanut and rice using silica based monolithic column
W.S. KHAYOON, B. SAAD, T.P. LEE & B. SALLEH (Malaysia)
- 497 Monitoring the enrichment of virgin olive oil with natural antioxidants by using a new capillary electrophoresis method
J.J.B. NEVADO, V.R. ROBLEDO & C.S.-C. CALLADO (Spain)
- 505 Barcode High Resolution Melting (Bar-HRM) analysis for detection and quantification of PDO “Fava Santorinis” (*Lathyrus clymenum*) adulterants
I. GANOPOULOS, P. MADESIS, N. DARZENTAS, A. ARGIRIOU & A. TSAFTARIS (Greece)
- 513 One-step microwave-assisted headspace solid-phase microextraction for the rapid determination of synthetic polycyclic musks in oyster by gas chromatography–mass spectrometry
S.-F. WU, L.-L. LIU & W.-H. DING (Taiwan)
- 518 Effects of metal ions (Cu^{2+} , Fe^{2+} and Fe^{3+}) on HPLC analysis of catechins
M. YASUDA, C. MATSUDA, A. OHSHIRO, K. INOUE & M. TABATA (Japan)
- 526 Feasibility and application of liquid–liquid extraction combined with gas chromatography–mass spectrometry for the analysis of phenolic acids from grape polyphenols degraded by human faecal microbiota
C. MUÑOZ-GONZÁLEZ, M.V. MORENO-ARRIBAS, J.J. RODRÍGUEZ-BENCOMO, C. CUEVA, P.J. MARTÍN ÁLVAREZ, B. BARTOLOMÉ & M.A. POZO-BAYÓN (Spain)
- 536 Development and validation of a liquid chromatographic-tandem mass spectrometric method for determination of eleven coccidiostats in milk
S. NÁSZ, L. DEBRECZENI, T. RIKKER & Z. EKE (Hungary)
- 544 Dispersive liquid–liquid microextraction combined with sweeping micellar electrokinetic chromatography for the determination of some neonicotinoid insecticides in cucumber samples
S. ZHANG, X. YANG, X. YIN, C. WANG & Z. WANG (China)
- 551 First assessment of diffusion coefficients in model cheese by fluorescence recovery after photobleaching (FRAP)
J. FLOURY, M.-N. MADEC, F. WAHARTE, S. JEANSON & S. LORTAL (France)
- 557 Dispersive liquid–liquid microextraction method based on solidification of floating organic droplet for the determination of triazine herbicides in water and sugarcane samples
M.M. SANAGI, H.H. ABBAS, W.A.W. IBRAHIM (Malaysia) & H.Y. ABOUL-ENIEN (Egypt)

CONTENTS—Continued from last page of the issue

- 563 Identification and analysis of isothiocyanates and new acylated anthocyanins in the juice of *Raphanus sativus* cv. Sango sprouts
R. MATERA, S. GABBANINI, G.R. DE NICOLA, R. IORI, G. PETRILLO & L. VALGIMIGLI (Italy)
- 573 Analysis of coenzyme Q10 in bee pollen using online cleanup by accelerated solvent extraction and high performance liquid chromatography
X. XUE, J. ZHAO, L. CHEN, J. ZHOU, B. YUE, Y. LI, L. WU & F. LIU (China)
- 579 Instrumental and multivariate statistical analyses for the characterisation of the geographical origin of Apulian virgin olive oils
F. LONGOBARDI, A. VENTRELLA, G. CASIELLO, D. SACCO, L. CATUCCI, A. AGOSTIANO (Italy) & M.G. KONTOMINAS (Greece)
- 585 A rapid HPLC post-column reaction analysis for the quantification of ergothioneine in edible mushrooms and in animals fed a diet supplemented with extracts from the processing waste of cultivated mushrooms
T.H. NGUYEN, A. GIRI & T. OHSHIMA (Japan)
- 592 A feasibility study on quantitative analysis of glucose and fructose in lotus root powder by FT-NIR spectroscopy and chemometrics
X. NIU, Z. ZHAO, K. JIA & X. LI (China)
- 598 Indirect, non-competitive amperometric immunoassay for accurate quantification of calpastatin, a meat tenderness marker, in bovine muscle
K. ZÓR, K. DYMEK, R. ORTIZ, A.M. FAURE, E. SAATCI, L. GORTON (Sweden), R. BARDSLEY (UK) & M. NISTOR (Sweden)
- 604 Pepper leaf matrix as a promising analyte protectant prior to the analysis of thermolabile terbufos and its metabolites in pepper using GC-FPD
MD. M. RAHMAN (Republic of Korea), J.-H. CHOI (Republic of Korea, Germany), A.M. ABD EL-ATY (Egypt), M.D.N. ABID (China), J.-H. PARK, T.W. NA, Y.-D. KIM & J.-H. SHIM (Republic of Korea)
- I Calendar