

## CONTENTS

## Review

- C. Snell, A. Bernheim, J.-B. Bergé, M. Kuntz, G. Pascal, A. Paris and A. E. Ricroch 1134–1148 Assessment of the health impact of GM plant diets in long-term and multigenerational animal feeding trials: A literature review

## Research Papers

- N. Aubert, T. Ameller and J.-J. Legrand 445–454 Systemic exposure to parabens: Pharmacokinetics, tissue distribution, excretion balance and plasma metabolites of [<sup>14</sup>C]-methyl-, propyl- and butylparaben in rats after oral, topical or subcutaneous administration
- Y. Hu, D.-M. Li and X.-D. Han 457–463 Analysis of combined effects of nonylphenol and Monobutyl phthalate on rat Sertoli cells applying two mathematical models
- V. Batra and T. P. A. Devasagayam 464–472 Interaction between  $\gamma$ -radiation and dietary folate starvation metabolically reprograms global hepatic histone H3 methylation at lysine 4 and lysine 27 residues
- C.-K. Lii, C.-Y. Huang, H.-W. Chen, M.-Y. Chow, Y.-R. Lin, C.-S. Huang and C.-W. Tsai 478–484 Diallyl trisulfide suppresses the adipogenesis of 3T3-L1 preadipocytes through ERK activation
- T. Zeng, C.-L. Zhang, F.-Y. Song, X.-L. Zhao and K.-Q. Xie 485–491 Garlic oil alleviated ethanol-induced fat accumulation via modulation of SREBP-1, PPAR- $\alpha$ , and CYP2E1
- H.-Y. Ju, S. C. Chen, K.-J. Wu, H.-C. Kuo, Y.-C. Hseu, H. Ching and C.-R. Wu 492–502 Antioxidant phenolic profile from ethyl acetate fraction of *Fructus Ligustri Lucidi* with protection against hydrogen peroxide-induced oxidative damage in SH-SY5Y cells
- M. Ángeles García, M. Santaefemia and M. Julia Melgar 503–510 Triazine residues in raw milk and infant formulas from Spanish northwest, by a diphasic dialysis extraction
- G. Cano-Sancho, S. Marín, A. J. Ramos and V. Sanchis 511–517 Exposure assessment of T2 and HT2 toxins in Catalonia (Spain)
- B.-S. Wang, G.-J. Huang, H.-M. Tai and M.-H. Huang 526–531 Antioxidant and anti-inflammatory activities of aqueous extracts of *Schizonepeta tenuifolia* Briq.
- Y. Zhu, C. Hu, X. Li, B. Shao, H. Sun, H. Zhao and Y. Li 532–535 Suppressive effects of aluminum trichloride on the T lymphocyte immune function of rats
- S. Sand and W. Becker 536–544 Assessment of dietary cadmium exposure in Sweden and population health concern including scenario analysis
- X. Li, P. Shang, B. Peng, C. Nie, L. Zhao, H. Liu and J. Xie 545–551 Effects of smoking regimens and test material format on the cytotoxicity of mainstream cigarette smoke
- V. Matović, A. Buha, Z. Bulat, D. Đukić-Čosić, M. Miljković, J. Ivanišević and J. Kotur-Stevuljević 552–557 Route-dependent effects of cadmium/cadmium and magnesium acute treatment on parameters of oxidative stress in rat liver

- M.-H. Chien, T.-H. Ying, Y.-S. Hsieh, 558–566 *Dioscorea nipponica* Makino inhibits migration and invasion of human oral cancer HSC-3 cells by transcriptional inhibition of matrix metalloproteinase-2 through modulation of CREB and AP-1 activity  
Y.-C. Chang, C.-M. Yeh, J.-L. Ko,  
W.-S. Lee, J.-H. Chang and S.-F. Yang
- S.-H. Lee, Y.-T. Liu, K.-M. Chen, 567–574 Effect of garlic sulfur compounds on neutrophil infiltration and damage to the intestinal mucosa by endotoxin in rats  
C.-K. Lii and C.-T. Liu
- S.-H. Lee, K.-H. Min, J.-S. Han, 575–582 Effects of brown alga, *Ecklonia cava* on glucose and lipid metabolism in C57BL/KsJ-*db/db* mice, a model of type 2 diabetes mellitus  
D.-H. Lee, D.-B. Park, W.-K. Jung,  
P.-J. Park, B.-T. Jeon, S.-K. Kim and  
Y.-J. Jeon
- I. Inkielewicz-Stepniak, 583–589 Fisetin prevents fluoride- and dexamethasone-induced oxidative damage in osteoblast and hippocampal cells  
M. W. Radomski and M. Wozniak
- H. L. Xu, X. F. Yu, S. C. Qu, X. R. Qu, 590–596 Juglone, from *Juglans mandshruica Maxim*, inhibits growth and induces apoptosis in human leukemia cell HL-60 through a reactive oxygen species-dependent mechanism  
Y. F. Jiang and D. Y. Sui
- S. Shim, S. Kim, Y.-B. Kwon and 597–602 Protection by [6]-shogaol against lipopolysaccharide-induced toxicity in murine astrocytes is related to production of brain-derived neurotrophic factor  
J. Kwon
- K. J. Ruff, J. R. Endres, A. E. Clewell, 604–611 Safety evaluation of a natural eggshell membrane-derived product  
J. R. Szabo and A. G. Schauss
- H. Chen, L. Cui, X.-Y. Jiang, 612–618 Evaluation of the cytotoxicity of cigarette smoke condensate by a cellular impedance biosensor  
Y.-Q. Pang, G.-L. Tang, H.-W. Hou,  
J.-H. Jiang and Q.-Y. Hu
- C.-C. Hsu, Y.-C. Wu, L. Farh, 619–624 Physalin B from *Physalis angulata* triggers the NOXA-related apoptosis pathway of human melanoma A375 cells  
Y.-C. Du, W.-K. Tseng, C.-C. Wu and  
F.-R. Chang
- S. Saxena, S. Gautam, G. Maru, 625–633 Suppression of error prone pathway is responsible for antimutagenic activity of honey  
D. Kawle and A. Sharma
- R. Karki, E.-R. Jeon and D.-W. Kim 634–640 Magnoliae Cortex inhibits intimal thickening of carotid artery through modulation of proliferation and migration of vascular smooth muscle cells
- M. A. Siddiqui, M. Ahamed, J. Ahmad, 641–647 Nickel oxide nanoparticles induce cytotoxicity, oxidative stress and apoptosis in cultured human cells that is abrogated by the dietary antioxidant curcumin  
M. A. Majeed Khan, J. Musarrat,  
A. A. Al-Khedhairi and  
S. A. Arokayan
- Y.-C. Huang, K.-C. Liu and 653–659 Melanogenesis of murine melanoma cells induced by hesperetin, a *Citrus* hydrolysate-derived flavonoid  
Y.-L. Chiou
- G. Sivagami, R. Vinothkumar, 660–671 Role of hesperetin (a natural flavonoid) and its analogue on apoptosis in HT-29 human colon adenocarcinoma cell line – A comparative study  
C. P. Preethy, A. Riyasdeen,  
M. A. Akbarsha, V. P. Menon and  
N. Nalini
- A. M. Jeffrey, K. D. Brunnemann, 675–678 Furan induction of DNA cross-linking and strand breaks in turkey fetal liver in comparison to 1,3-propanediol  
J.-D. Duan, J. Schlatter and  
G. M. Williams
- E. Christina Persson, V. Sewram, 679–683 Fumonisin B<sub>1</sub> and risk of hepatocellular carcinoma in two Chinese cohorts  
A. A. Evans, W. Thomas London,  
Y. Volkwyn, Y.-J. Shen, J. A. Van Zyl,  
G. Chen, W. Lin, G. S. Shephard,  
P. R. Taylor, J.-H. Fan, S. M. Dawsey,  
Y.-L. Qiao, K. A. McGlynn and  
C. C. Abnet
- D. A. Kim, Y. K. Jeon and M. J. Nam 684–688 Galangin induces apoptosis in gastric cancer cells via regulation of ubiquitin carboxy-terminal hydrolase isozyme L1 and glutathione S-transferase P
- W.-J. Li, S.-P. Nie, X.-Z. Liu, 689–694 Antimicrobial properties, antioxidant activity and cytotoxicity of ethanol-soluble acidic components from *Ganoderma atrum*  
H. Zhang, Y. Yang, Q. Yu and  
M.-Y. Xie
- X. Chen, W. Nie, G. Yu, Y. Li, Y. Hu, 695–700 Antitumor and immunomodulatory activity of polysaccharides from *Sargassum fusiforme*  
J. Lu and L. Jin
- E. A. Hassoun and A. Al-Dieri 701–706 Vitamin E restriction in the diet enhances phagocytic activation by dichloroacetate and trichloroacetate in mice
- L. Heredia, M. Torrente, 707–712 Behavioral effects of oral subacute exposure to BDE-209 in young adult mice: A preliminary study  
M. T. Colomina and J. L. Domingo

- Q. Huang, S. Zhang, L. Zheng, M. He, R. Huang and X. Lin 713–718 Hepatoprotective effects of total saponins isolated from *Taraphochlamys affinis* against carbon tetrachloride induced liver injury in rats
- M. Kanter, C. Aktas and M. Erboğa 719–725 Protective effects of quercetin against apoptosis and oxidative stress in streptozotocin-induced diabetic rat testis
- M. Marrelli, F. Menichini, G. A. Statti, M. Bonesi, P. Duez, F. Menichini and F. Conforti 726–733 Changes in the phenolic and lipophilic composition, in the enzyme inhibition and antiproliferative activity of *Ficus carica* L. cultivar Dottato fruits during maturation
- M. Demont, K. Boutakhrit, V. Fekete, F. Bolle and J. Van Loco 734–743 Migration of 18 trace elements from ceramic food contact material: Influence of pigment, pH, nature of acid and temperature
- O. Díaz, Y. Tapia, O. Muñoz, R. Montoro, D. Velez and C. Almela 744–749 Total and inorganic arsenic concentrations in different species of economically important algae harvested from coastal zones of Chile
- N. Virgona, K. Yokotani, Y. Yamazaki, F. Shimura, T. Chiba, Y. Taki, S. Yamada, K. Shinozuka, M. Murata and K. Umegaki 750–755 *Coleus forskohlii* extract induces hepatic cytochrome P450 enzymes in mice
- A. Messer, N. Raquet, C. Lohr and D. Schrenk 756–760 Major furocoumarins in grapefruit juice II: Phototoxicity, photogenotoxicity, and inhibitory potency vs. cytochrome P450 3A4 activity
- J. Liu, J. Luo, H. Ye and X. Zeng 767–772 Preparation, antioxidant and antitumor activities *in vitro* of different derivatives of levan from endophytic bacterium *Paenibacillus polymyxa* EJS-3
- D. Damte, H.-J. Jeong, S.-J. Lee, B.-H. Cho, J.-C. Kim and S.-C. Park 773–778 Evaluation of linear regression statistical approaches for withdrawal time estimation of veterinary drugs
- T.-J. Hsieh, Y.-H. Tsai, M.-C. Liao, Y.-C. Du, P.-J. Lien, C.-C. Sun, F.-R. Chang and Y.-C. Wu 779–789 Anti-diabetic properties of non-polar *Toona sinensis* Roem extract prepared by supercritical-CO<sub>2</sub> fluid
- M. Y. Song, S. K. Ku and J. S. Han 790–796 Genotoxicity testing of low molecular weight fucoidan from brown seaweeds
- S.-H. Kwon, S.-I. Hong, Y.-H. Jung, M.-J. Kim, S.-Y. Kim, H.-C. Kim, S.-Y. Lee and C.-G. Jang 797–807 *Lonicera japonica* THUNB. protects 6-hydroxydopamine-induced neurotoxicity by inhibiting activation of MAPKs, PI3K/Akt, and NF-κB in SH-SY5Y cells
- J. D. van der Merwe, E. Joubert, M. Manley, D. de Beer, C. J. Malherbe and W. C. A. Gelderblom 808–815 Mangiferin glucuronidation: Important hepatic modulation of antioxidant activity
- G. T. de Queiroz, T. R. Santos, R. Macedo, V. M. Peters, M. N. Leite, R. de Cássia da Silveira e Sá and M. de Oliveira Guerra 816–822 Efficacy of *Morus nigra* L. on reproduction in female Wistar rats
- J. H. Bae and S. Y. Lim 823–828 Chemical composition, antiproliferative and antioxidant properties of lipid classes in ordinary and dark muscles from chub mackerel (*Scomber japonicus*)
- J. Pinela, L. Barros, A. M. Carvalho and I. C. F. R. Ferreira 829–834 Nutritional composition and antioxidant activity of four tomato (*Lycopersicon esculentum* L.) farmer' varieties in Northeastern Portugal homegardens
- G. Cano-Sancho, S. Marin, A. J. Ramos and V. Sanchis 835–839 Occurrence of zearalenone, an oestrogenic mycotoxin, in Catalonia (Spain) and exposure assessment
- P. Pitchakarn, S. Suzuki, K. Ogawa, W. Pompimon, S. Takahashi, M. Asamoto, P. Limtrakul and T. Shirai 840–847 Kuguacin J, a triterpenoid from *Momordica charantia* leaf, modulates the progression of androgen-independent human prostate cancer cell line, PC3
- S.-Y. Mok, M. J. Choi, J. Kim, E. J. Cho and S. Lee 848–853 Antioxidant activity of the methanolic extract of the newly generated vegetable, baemuchae (*xBrassicoraphanus*)
- C. A. Hobbs, C. Swartz, R. Maronpot, J. Davis, L. Recio and S.-m. Hayashi 854–860 Evaluation of the genotoxicity of the food additive, gum ghatti
- E. C. Liong, J. Xiao, T. Y. H. Lau, A. A. Nanji and G. L. Tipoe 861–866 Cyclooxygenase inhibitors protect D-galactosamine/lipopolysaccharide induced acute hepatic injury in experimental mice model
- P. Thiyagarajan, R. Senthil Murugan, K. Kavitha, P. Anitha, D. Prathiba and S. Nagini 867–876 Dietary chlorophyllin inhibits the canonical NF-κB signaling pathway and induces intrinsic apoptosis in a hamster model of oral oncogenesis
- J. M. Katz, C. K. Winter, S. E. Buttrey and J. G. Fadel 877–883 Comparison of acrylamide intake from Western and guideline based diets using probabilistic techniques and linear programming

(Contents continued from next page)

- I.-S. Shin, M.-Y. Lee, D.-Y. Jung, C.-S. Seo, H.-K. Ha and H.-K. Shin 884–888 Ursolic acid reduces prostate size and dihydrotestosterone level in a rat model of benign prostatic hyperplasia
- V. Sirot, F. Hommet, A. Tard and J.-C. Leblanc 889–894 Dietary acrylamide exposure of the French population: Results of the second French Total Diet Study
- H.-Y. Lee, J.-H. Kim, H.-W. Jeung, C.-U. Lee, D.-S. Kim, B. Li, G.-H. Lee, M.-S. Sung, K.-C. Ha, H.-I. Back, S.-Y. Kim, S.-H. Park, M.-R. Oh, M.-G. Kim, J.-Y. Jeon, Y.-J. Im, M.-H. Hwang, B.-O. So, S.-J. Shin, W.-H. Yoo, H.-R. Kim, H.-J. Chae and S.-W. Chae 895–902 Effects of *Ficus carica* paste on loperamide-induced constipation in rats
- T. Ø. Fotland, J. E. Paulsen, T. Sanner, J. Alexander and T. Husøy 903–912 Risk assessment of coumarin using the bench mark dose (BMD) approach: Children in Norway which regularly eat oatmeal porridge with cinnamon may exceed the TDI for coumarin with several folds
- Y. Lu, S.-J. Suh, X. Li, S.-L. Hwang, Y. Li, K. Hwangbo, S. J. Park, M. Murakami, S. H. Lee, Y. Jahng, J.-K. Son, C.-H. Kim and H. W. Chang 913–919 Citreoresein, a naturally occurring anthraquinone derivative isolated from *Polygoni cuspidati* radix, attenuates cyclooxygenase-2-dependent prostaglandin D<sub>2</sub> generation by blocking Akt and JNK pathways in mouse bone marrow-derived mast cells
- R. Miri, H. Saadati, P. Ardi and O. Firuzi 920–926 Alterations in oxidative stress biomarkers associated with mild hyperlipidemia and smoking
- P. W. Wester, J. J. A. Muller, W. Slob, G. R. Mohn, P. M. Dortant and E. D. Kroese 927–935 Carcinogenic activity of benzo[a]pyrene in a 2 year oral study in Wistar rats
- O. A. Adegoke, J. K. Kyu and A. Mukherjee 936–941 *In vitro* genotoxicity evaluation of 4-carboxyl-2,6-dinitrophenylazohydroxynaphthalenes using human lymphocytes
- M. T. Fisher, C. B. Bennett, A. Hayes, Y. Kargalioglu, B. L. Knox, D. Xu, R. Muhammad-Kah and C. L. Gaworski 942–948 Sources of and technical approaches for the abatement of tobacco specific nitrosamine formation in moist smokeless tobacco products
- O. Viegas, B. Žegura, M. Pezdric, M. Novak, I. M. P. L. V. O. Ferreira, O. Pinho and M. Filipič 949–955 Protective effects of xanthohumol against the genotoxicity of heterocyclic aromatic amines MeIQx and PhIP in bacteria and in human hepatoma (HepG2) cells
- A. Chukwudebe, L. Privalle, A. Reed, C. Wandelt, D. Contri, M. Dammann, S. Groeters, U. Kaspers, V. Strauss and B. van Ravenzwaay 956–971 Health and nutritional status of Wistar rats following subchronic exposure to CV127 soybeans
- B. Stawiarska-Pięta, B. Bielec, K. Birkner and E. Birkner 972–978 The influence of vitamin E and methionine on the activity of enzymes and the morphological picture of liver of rats intoxicated with sodium fluoride
- S. Dānicke, B. Brosig, L. R. Klunker, S. Kahlert, J. Kluess, S. Döll, H. Valenta and H.-J. Rothkötter 979–988 Systemic and local effects of the *Fusarium* toxin deoxynivalenol (DON) are not alleviated by dietary supplementation of humic substances (HS)
- L. A. Corcuera, S. Amézqueta, L. Arbillaga, A. Vettorazzi, S. Touriño, J. L. Torres and A. López de Cerain 989–995 A polyphenol-enriched cocoa extract reduces free radicals produced by mycotoxins
- L. Belcavello, J. C. Vencioneck Dutra, J. V. de Freitas, I. P. Aranha and M. do Carmo Pimentel Batitucci 996–1000 Mutagenicity of ipriflavone *in vivo* and *in vitro*
- A. O. da Conceição, F. F. de Oliveira, R. A. de Oliveira, A. de J. da S. Junior, L. Takser, C. Reyes-Moreno and J. Lafond 1001–1012 *Lantana macrophylla* Schauer (Verbenaceae) ethanolic extract induces activation of ERK1/2 and p38 MAPKs pathway and Ca<sup>2+</sup> imbalance in human trophoblasts derived cell lines
- M. Grozdanovic, M. Popovic, N. Polovic, L. Burazer, O. Vuckovic, M. Atanaskovic-Markovic, B. Lindner, A. Petersen and M. Gavrovic-Jankulovic 1013–1018 Evaluation of IgE reactivity of active and thermally inactivated actinidin, a biomarker of kiwifruit allergy

(Contents continued on previous page)

(Contents continued from next page)

- S. C. Cunha and J. O. Fernandes 1019–1026 Development and validation of a gas chromatography–mass spectrometry method for determination of deoxynivalenol and its metabolites in human urine
- Y.-J. Kim, H.-C. Kim, H. Ko, E. C. Amor, J. W. Lee and H. O. Yang 1027–1035 Inhibitory effects of aurentiacin from *Syzygium samarangense* on lipopolysaccharide-induced inflammatory response in mouse macrophages
- V. Mani, K. Ramasamy, A. Ahmad, M. Parle, S. A. A. Shah and A. B. A. Majeed 1036–1044 Protective effects of total alkaloidal extract from *Murraya koenigii* leaves on experimentally induced dementia
- S.-I. Jeong, S.-J. Kim, T.-H. Kwon, K.-Y. Yu and S.-Y. Kim 1045–1053 Schizandrin prevents damage of murine mesangial cells via blocking NADPH oxidase-induced ROS signaling in high glucose
- P. F. Rezaei, S. Fouladdel, S. Hassani, F. Yousefbeyk, S. M. Ghaffari, G. Amin and E. Azizi 1054–1059 Induction of apoptosis and cell cycle arrest by pericarp polyphenol-rich extract of *Banah* in human colon carcinoma HT29 cells
- E.-H. Kim, H.-Y. Min, H.-J. Chung, J. Song, H.-J. Park, S. Kim and S. K. Lee 1060–1065 Anti-proliferative activity and suppression of P-glycoprotein by (–)-antofine, a natural phenanthroindolizidine alkaloid, in paclitaxel-resistant human lung cancer cells
- M. Pal and M. Ghosh 1066–1072 Studies on comparative efficacy of  $\alpha$ -linolenic acid and  $\alpha$ -eleostearic acid on prevention of organic mercury-induced oxidative stress in kidney and liver of rat
- C.-H. Lin, P.-S. Chen, S.-C. Kuo, L.-J. Huang, P.-W. Gean and T.-H. Chiu 1073–1081 The role of mitochondria-mediated intrinsic death pathway in gingerdione derivative I6-induced neuronal apoptosis
- L. F. Santos-Cruz, J. G. Ávila-Acevedo, D. Ortega-Capitaine, J. C. Ojeda-Duplancher, J. L. Perdigón-Moya, L. B. Hernández-Portilla, H. López-Dionicio, Á. Durán-Díaz, I. E. Dueñas-García, L. Castañeda-Partida, A. M. García-Bores and M. E. Heres-Pulido 1082–1090 Verbascoside is not genotoxic in the ST and HB crosses of the *Drosophila* wing spot test, and its constituent, caffeic acid, decreases the spontaneous mutation rate in the ST cross
- N. S. S. Guimaraes, J. C. Mello, J. S. Paiva, P. C. P. Bueno, A. A. Berretta, R. J. Torquato, I. L. Nantes and T. Rodrigues 1091–1097 *Baccharis dracunculifolia*, the main source of green propolis, exhibits potent antioxidant activity and prevents oxidative mitochondrial damage
- M. Agrawal, D. Pardasani and P. V. Lakshmana Rao 1098–1108 Evaluation of protective efficacy of CC-2 formulation against topical lethal dose of T-2 toxin in mice
- M. Guinea, V. Franco, L. Araujo-Bazán, I. Rodríguez-Martín and S. González 1109–1117 In vivo UVB-photoprotective activity of extracts from commercial marine macroalgae
- T. H. Kim, S.-K. Ku and J.-S. Bae 1118–1123 Inhibitory effects of kaempferol-3-O-sophoroside on HMGB1-mediated proinflammatory responses
- S. C. D’Cruz, R. Jubendradass, M. Jayakanthan, S. J. A. Rani and P. P. Mathur 1124–1133 Bisphenol A impairs insulin signaling and glucose homeostasis and decreases steroidogenesis in rat testis: An *in vivo* and *in silico* study
- S. Zhu, J. Jin, Y. Wang, Z. Ouyang, C. Xi, J. Li, Y. Qiu, J. Wan, M. Huang and Z. Huang 1149–1158 The endoplasmic reticulum stress response is involved in apoptosis induced by aloe-emodin in HK-2 cells
- F. E. Z. Z. El Ashry, M. F. Mahmoud, N. N. El Maraghy and A. F. Ahmed 1159–1165 Effect of *Cordyceps sinensis* and taurine either alone or in combination on streptozotocin induced diabetes
- Y. M. Kang, B.-J. Lee, J. I. Kim, B.-H. Nam, J.-Y. Cha, Y.-M. Kim, C.-B. Ahn, J.-S. Choi, I. S. Choi and J.-Y. Je 1166–1169 Antioxidant effects of fermented sea tangle (*Laminaria japonica*) by *Lactobacillus brevis* BJ20 in individuals with high level of  $\gamma$ -GT: A randomized, double-blind, and placebo-controlled clinical study

(Contents continued on previous page)

(Contents continued from next page)

### **Brief Communications**

- |  |         |   |
|--|---------|---|
| <i>A. M. Marini, N. Blondeau and N. Dodman</i>                                 | 455–456 | Food and Chemical Toxicology, 2010, author response to letter by Don Henneke, Sheryl King, William Day and Pat Evans regarding Association of phenylbutazone usage in horses bought for slaughter: A public health risk |
| <i>M. P. Baldo, A. K. G. Teixeira, S. L. Rodrigues and J. G. Mill</i>          | 473–477 | Acute arrhythmogenesis after myocardial infarction in normotensive rats: Influence of high salt intake  |
| <i>H. Amlund, L. Andreassen and B. E. Torstensen</i>                           | 518–525 | Dietary methylmercury and vegetable oil affects brain lipid composition in Atlantic salmon ( <i>Salmo salar</i> L.)   |
| <i>D. Henneke, S. King, W. E. Day and P. Evans</i>                             | 603     | Food and Chemical Toxicology, 2010, Association of phenylbutazone usage in horses bought for slaughter: A public health risk  |
| <i>S. Jung, C. Li, S. Lee, J. Ohk, S.-k. Kim, M.-S. Lee and H.-I. Moon</i>     | 648–652 | Inhibitory effect and mechanism on antiproliferation of khellactone derivatives from herbal suitable for medical or food uses   |
| <i>L. E. Moreno, A. O. Juárez and L. E. Pelzer</i>                             | 672–674 | Lethal effect of dehydroleucodine (DhL) on amphibian <i>Bufo arenarum</i> embryos   |
| <i>V. Pavlovic, A. Djordjevic, E. Cherneva, D. Yancheva and A. Smelcerovic</i> | 761–766 | Stimulatory effect on rat thymocytes proliferation and antimicrobial activity of two 6-(propan-2-yl)-4-methyl-morpholine-2,5-diones   |