

CONTENTS

Special Issue: Assessing ecological quality in estuarine and coastal ecosystems

Assessing ecological quality in estuarine and coastal systems – An introduction J.C. Marques (Coimbra, Portugal), M.J. Costa (Lisbon, Portugal) and F. Müller (Kiel, Germany)	1
Use of Phytoplankton as Biological Quality Element (BQE)	
Defining phytoplankton class boundaries in Portuguese transitional waters: An evaluation of the ecological quality status according to the Water Framework Directive A.C. Brito, V. Brotas (Lisboa, Portugal and Plymouth, UK), M. Caetano, T.P. Coutinho (Lisboa, Portugal), A.A. Bordalo (Portugal), J. Icely (Vila do Bispo, Portugal and Coimbra, Portugal), J.M. Neto (Coimbra, Portugal), J. Serôdio (Aveiro, Portugal) and T. Moita (Lisboa, Portugal)	5
PHYMED: An ecological classification system for the Water Framework Directive based on phytoplankton community composition M. Pachés, I. Romero, Z. Hermosilla and R. Martinez-Guijarro (Valencia, Spain).....	15
Macroalgae as a Biological Quality Element	
Ecological reference conditions and quality states of marine macroalgae sensu Water Framework Directive: An example from the intertidal rocky shores of the Portuguese coastal waters R. Gaspar, L. Pereira and J.M. Neto (Coimbra, Portugal)	24
Marine Macroalgae Assessment Tool (MarMAT) for intertidal rocky shores. Quality assessment under the scope of the European Water Framework Directive J.M. Neto, R. Gaspar, L. Pereira and J.C. Marques (Coimbra, Portugal).....	39
Indices based on macrophytes	
Suitability of benthic macrophyte indices (EEI, E-MaQI and BENTHOS) for detecting anthropogenic pressures in a Mediterranean coastal lagoon (Mar Menor, Spain) M. García-Sánchez (Murcia, Spain), I.M. Pérez-Ruzafa (Madrid, Spain), C. Marcos and A. Pérez-Ruzafa (Murcia, Spain)	48
Benthic macrofauna communities based indicators	
The importance of habitat-type for defining the reference conditions and the ecological quality status based on benthic invertebrates: The Ria Formosa coastal lagoon (Southern, Portugal) case study S. Gamito (Faro, Portugal), J. Patrício, J.M. Neto, J.C. Marques and H. Teixeira (Coimbra, Portugal)	61
Feeding diversity index as complementary information in the assessment of ecological quality status S. Gamito (Faro, Portugal), J. Patrício, J.M. Neto, H. Teixeira and J.C. Marques (Coimbra, Portugal)	73
Benthic condition in low salinity areas of the Mira estuary (Portugal): Lessons learnt from freshwater and marine assessment tools J.P. Medeiros, M.L. Chaves, G. Silva, C. Azeda (Lisbon, Portugal), J.L. Costa (Lisbon, Portugal and Linbon, Portugal), J.C. Marques (Coimbra, Portugal), M.J. Costa and P. Chainho (Lisbon, Portugal)	79
Performance of biotic indices in naturally stressed estuarine environments on the Southwestern Atlantic coast (Uruguay): A multiple scale approach P. Muniz, M. Hutton, N. Kandratavicius, A. Lanfranconi, E. Brugnoli, N. Venturini (UdelaR, Uruguay) and L. Giménez (Menai Bridge, UK)	89

Testing MEDOCC and BOPA indices in shallow soft-bottom communities in the Spanish Mediterranean coastal waters S. Pinedo (Girona, Spain), E. Jordana, F. Salas (Murcia, Spain and Coimbra, Portugal), M.D. Subida, E.G. Adiego (Cádiz, Spain) and J. Torres (Valencia, Spain)	98
Response of different biotic indices to gradients of organic enrichment in Mediterranean coastal waters: Implications of non-monotonic responses of diversity measures M.D. Subida, P. Drake (Cádiz, Spain), E. Jordana (Blanes, Spain), B. Mavrič (Piran, Slovenia), S. Pinedo (Blanes, Spain), N. Simboura (Anavissos, Greece), J. Torres (Valencia, Spain) and F. Salas (Murcia, Spain and Coimbra, Portugal)	106
The ecological quality status of the Elbe estuary. A comparative approach on different benthic biotic indices applied to a highly modified estuary M.A. Wetzel (Koblenz, Germany), P.C. von der Ohe (Leipzig, Germany), W. Manz, J.H.E. Koop (Koblenz, Germany) and D.-S. Wahrendorf (Koblenz, Germany)	118
Ability of benthic indicators to assess ecological quality in estuaries following management H. Veríssimo, J.M. Neto, H. Teixeira, J.N. Franco (Coimbra, Portugal), B.D. Fath (Towson, MD, USA and Laxenburg, Austria), J.C. Marques and J. Patrício (Coimbra, Portugal)	130
Fish based ecological indicators	
Ecological quality assessment of transitional waters based on fish assemblages in Portuguese estuaries: The Estuarine Fish Assessment Index (EFAI) H.N. Cabral, V.F. Fonseca, R. Gamito, C.I. Gonçalves, J.L. Costa (Lisbon, Portugal), K. Erzini, J. Gonçalves, J. Martins, L. Leite, J.P. Andrade (Faro, Portugal), S. Ramos, A. Bordalo (Oporto, Portugal), E. Amorim (Oporto, Portugal), J.M. Neto, J.C. Marques (Coimbra, Portugal), J.E. Rebelo, C. Silva (Aveiro, Portugal), N. Castro (Lisbon, Portugal), P.R. Almeida (Evora, Portugal), I. Domingos, L.S. Gordo and M.J. Costa (Lisbon, Portugal)	144
Is parasitism in fish a good metric to assess ecological water quality in transitional waters? What can be learned from two estuarine resident species? J.L. Costa, J.F. Marques, J. Alves, R. Gamito, V.F. Fonseca, C.I. Gonçalves, H.N. Cabral and M.J. Costa (Lisbon, Portugal)	154
Biological responses of caged juvenile sea bass (<i>Dicentrarchus labrax</i>) and turbot (<i>Scophthalmus maximus</i>) in a polluted harbour E. Kerambrun, F. Henry, L. Courcot, F. Gevaert and R. Amara (France and Wimereux, France)	161
Early life stages of fishes as indicators of estuarine ecosystem health S. Ramos, E. Amorim (Porto, Portugal), M. Elliott (Hull, UK), H. Cabral (Hull, UK) and A.A. Bordalo (Porto, Portugal)	172
Stress indicators, biomarkers, and bio-monitors	
Macroinvertebrates and fishes as biomonitors of heavy metal concentration in the Seixal Bay (Tagus estuary): Which species perform better? I. Caçador, J.L. Costa, B. Duarte, G. Silva, J.P. Medeiros, C. Azeda, N. Castro, J. Freitas, S. Pedro (Lisbon, Portugal), P.R. Almeida (Lisbon Portugal and, Évora, Portugal), H. Cabral and M.J. Costa (Lisbon, Portugal)	184
Biomarker responses in the clam <i>Ruditapes philippinarum</i> and contamination levels in sediments from seaward and landward sites in the Lagoon of Venice V. Matozzo (Padova, Italy), A. Binelli, M. Parolini (Milano, Italy), M. Previato, L. Masiero, L. Finos, M. Bressan and M.G. Marin (Padova, Italy)	191
Acute toxic effects of pyrene on <i>Pomatoschistus microps</i> (Teleostei, Gobiidae): Mortality, biomarkers and swimming performance M. Oliveira, C. Gravato and L. Guilhermino (Porto, Portugal)	206
Application of an integrated biomarker response index (IBR) to assess temporal variation of environmental quality in two Portuguese aquatic systems A. Serafim, R. Company, B. Lopes (Faro, Portugal), V.F. Fonseca, S. França, R.P. Vasconcelos (Lisboa, Portugal), M.J. Bebianno (Faro, Portugal) and H.N. Cabral (Lisboa, Portugal)	215
Response to the application of mitigation and restoration measures	
Changes in the yield of microphytobenthic chlorophyll from nutrients: Considering denitrification A.C. Brito (Lisbon, Portugal), A. Newton (Faro, Portugal and Kjeller, Norway), P. Tett (Oban, UK) and T.F. Fernandes (Edinburgh, UK)	226
Sediment microbial activities and physic-chemistry as progress indicators of salt marsh restoration processes B. Duarte, J. Freitas and I. Caçador (Lisbon, Portugal)	231

(Contents continued from outside back cover)

Assessment of ecological quality status and marine spatial planning

A method for selecting health index metrics in the absence of independent measures of ecological condition

C.S. Hallett, F.J. Valesini (Murdoch, Australia) and K.R. Clarke (West Hoe, UK)..... 240

Understanding relationships between conflicting human uses and coastal ecosystems status: A geospatial modeling approach

V. Parravicini, A. Rovere, P. Vassallo (Genoa, Italy), F. Micheli (Pacific Grove, CA, USA), M. Montefalcone, C. Morri, C. Paoli, G. Albertelli, M. Fabiano, C.N. Bianchi (Genoa, Italy) 253