

CONTENTS

Volume 165 June 2012

Including the Special Section: Chemicals Management and Environmental Assessment of Chemicals in China commencing on p. 169

Regular Papers

- 1 The growth pattern and fuel life cycle analysis of the electricity consumption of Hong Kong**
W.M. To, T.M. Lai, W.C. Lo, K.H. Lam, W.L. Chung
Understanding the growth pattern and fuel life cycle analysis of electricity consumption is important for pollution prevention.
- 11 Comparison of a bioremediation process of PAHs in a PAH-contaminated soil at field and laboratory scales**
C. Lors, D. Damidot, J.-F. Ponge, F. Périé
Comparison of field and laboratory biotreatments of the same PAH-contaminated soil gave similar results with respect to PAH concentration and bacterial diversity.
- 18 Phytochelatins play a key role in arsenic accumulation and tolerance in the aquatic macrophyte *Wolffia globosa***
X. Zhang, M.K. Uroic, W.-Y. Xie, Y.-G. Zhu, B.-D. Chen, S.P. McGrath, J. Feldmann, F.-J. Zhao
*Complexation of arsenite with phytochelatins plays a key role in both arsenic tolerance and accumulation in the aquatic macrophyte *Wolffia globosa*.*
- 25 Implementation of a module for risk of ozone impacts assessment to vegetation in the Integrated Assessment Modelling system for the Iberian Peninsula. Evaluation for wheat and Holm oak**
J.M. de Andrés, R. Borge, D. de la Paz, J. Lumberras, E. Rodríguez
Flux-based indexes are needed to provide an effective protection of the vegetation in the Iberian Peninsula; currently, available critical levels for wheat are widely exceeded.
- 38 Processes for the elimination of estrogenic steroid hormones from water: A review**
C.P. Silva, M. Otero, V. Esteves
Reviewing the estrogens' removal processes from waters is essential to understand how to reduce/eliminate them in the environment and how research on this topic should be carried on in the near future.
- 59 Behaviour of metalloids and metals from highly polluted soil samples when mobilized by water – Evaluation of static versus dynamic leaching**
R. Wennrich, B. Daus, K. Müller, H.-J. Stärk, L. Brüggemann, P. Morgenstern
Dynamic leaching with continuous supply of water has proved as tool for long-term and time-resolved mobility of metal(loid)s in contaminated soils.
- 67 European-scale modelling of groundwater denitrification and associated N₂O production**
J.A. Keuskamp, G. van Drecht, A.F. Bouwman
European groundwater denitrification is spatially variable, and associated nitrous oxide production is much less than based on the IPCC default estimate.
- 77 Establishing indices for groundwater contamination risk assessment in the vicinity of hazardous waste landfills in China**
Y. Li, J. Li, S. Chen, W. Diao
Capsule: This research identified critical indices and established a system for environmental risk assessment for groundwater contamination in the vicinity of HWLs in China.
- 91 Reduced soil water availability did not protect two competing grassland species from the negative effects of increasing background ozone**
S. Wagg, G. Mills, F. Hayes, S. Wilkinson, D. Cooper, W.J. Davies
Ozone reduces stomatal response to soil drying leading to increased injury/senescence and alterations in carbon allocation.

Continued on inside back cover

Special Section Papers

174 Progress of environmental management and risk assessment of industrial chemicals in China

H. Wang, Z.-g. Yan, H. Li, N.-y. Yang, K.M.Y. Leung, Y.-z. Wang, R.-z. Yu, L. Zhang, W.-h. Wang, C.-y. Jiao, Z.-t. Liu

This paper reviews the current situation of industrial chemical management in China, and discusses the application of risk assessment and further research needs in this field.

182 Environmental policy, legislation and management of persistent organic pollutants (POPs) in China

M.H.Y. Lau, K.M.Y. Leung, S.W.Y. Wong, H. Wang, Z.-G. Yan

This study provided an up-to-date and comprehensive review on the policy and legal framework for monitoring and management of POPs in China.

193 The inventory of sources, environmental releases and risk assessment for perfluorooctane sulfonate in China

L. Zhang, J. Liu, J. Hu, C. Liu, W. Guo, Q. Wang, H. Wang

Inventory of PFOS production and use of with sectoral and regional distribution of China, environmental releases and risk status were indicated both in the local and regional level of the country.

199 Estimating chemical emissions from home and personal care products in China

J.E.N. Hodges, C.M. Holmes, R. Vamshi, D. Mao, O.R. Price

A methodology to derive accurate estimates of chemical emissions for China using demographic and economic indicators.

208 Prioritising chemicals used in personal care products in China for environmental risk assessment: Application of the RAIDAR model

T. Gouin, R. van Egmond, O.R. Price, J.E.N. Hodges

The application of the Risk IDentification And Ranking (RAIDAR) model is shown to be a potentially effective tool for prioritising chemicals used in personal care products in China.

215 Removal of estrogens in municipal wastewater treatment plants: A Chinese perspective

N. Xu, Y.-F. Xu, S. Xu, J. Li, H.-C. Tao

This paper reviews removal rates of estrogens in global and Chinese wastewater treatment plants and batch experiments, points out future research needs for studies of down-the-drain chemicals.

225 Occurrence and removal of benzotriazoles and ultraviolet filters in a municipal wastewater treatment plant

Y.-S. Liu, G.-G. Ying, A. Shareef, R.S. Kookana

Various removal rates were achieved for benzotriazoles and UV filters by sorption and degradation processes in different stages of WWTPs.

233 Estimating surface water concentrations of “down-the-drain” chemicals in China using a global model

M.J. Whelan, J.E.N. Hodges, R.J. Williams, V.D.J. Keller, O.R. Price, M. Li

A global-scale model was used to predict spatial patterns of “down-the-drain” chemical concentrations in China. Predictions were consistent with observed water quality classes, demonstrating the potential value of the model.

241 Monitoring of selected estrogenic compounds and estrogenic activity in surface water and sediment of the Yellow River in China using combined chemical and biological tools

L. Wang, G.-G. Ying, F. Chen, L.-J. Zhang, J.-L. Zhao, H.-J. Lai, Z.-F. Chen, R. Tao

Estrogenic risks to aquatic organisms were assessed by using combined chemical analysis and in vitro bioassay.

250 Uptake and depuration of pharmaceuticals in aquatic invertebrates

M. Meredith-Williams, L.J. Carter, R. Fussell, D. Raffaelli, R. Ashauer, A.B.A. Boxall

The factors affecting the degree of uptake of pharmaceuticals into aquatic invertebrates were studied. The results indicate that species traits such as respiration and behaviour of the organisms and pH-corrected liposome–water partition coefficients are important factors in determining pharmaceutical uptake.

259 Acknowledgement to Referees

- 100 Factors affecting methylmercury biomagnification by a widespread aquatic invertebrate predator, the phantom midge larvae *Chaoborus***
A.-H. Le Jeune, F. Bourdiol, L. Aldamman, T. Perron, M. Amyot, B. Pinel-Alloul
Chaoborids, the most common invertebrate predator of temperate planktonic food webs, can biomagnify mercury, contrarily to previous reports.
- 109 The effects of radial oxygen loss on arsenic tolerance and uptake in rice and on its rhizosphere**
X.Q. Mei, M.H. Wong, Y. Yang, H.Y. Dong, R.L. Qiu, Z.H. Ye
Rice genotypes with high ROL and at the bolting stage have greater effects on their rhizosphere than others with lower ROL and at tillering stage and also have lower shoot As and higher As tolerance.
- 118 Predicting the risk of arsenic contaminated groundwater in Shanxi Province, Northern China**
Q. Zhang, L. Rodríguez-Lado, C.A. Johnson, H. Xue, J. Shi, Q. Zheng, G. Sun
Explanatory variables from topography, hydrology, gravity, and remote sensing information are benefit to model As risk in groundwater of Shanxi Province.
- 124 How healthy is urban horticulture in high traffic areas? Trace metal concentrations in vegetable crops from plantings within inner city neighbourhoods in Berlin, Germany**
I. Säumel, I. Kotsyuk, M. Hölscher, C. Lenkerei, F. Weber, I. Kowarik
Higher overall traffic burden increased, while the presence of buildings and large masses of vegetation as barriers between crops and roads reduced heavy metal content in crop biomass.
- 133 Bioaccumulation of cadmium bound to ferric hydroxide and particulate organic matter by the bivalve *M. meretrix***
X. Wu, Y. Jia, H. Zhu
*Bioaccumulation characteristics of adsorbed Cd on ferric hydroxide and particulate organic matter by bivalve *M. meretrix* are distinctly different.*
- 140 Levels, isomer profiles and chiral signatures of particle-bound hexabromocyclododecanes in ambient air around Shanghai, China**
H. Li, L. Mo, Z. Yu, G. Sheng, J. Fu
Remarkable non-racemic signatures of α -HBCD and significantly higher percentage of δ -HBCD than those in technical products were found in ambient air around Shanghai.
- 147 Updated stomatal flux and flux-effect models for wheat for quantifying effects of ozone on grain yield, grain mass and protein yield**
L. Grünhage, H. Pleijel, G. Mills, J. Bender, H. Danielsson, Y. Lehmann, J.-F. Castell, O. Bethenod
Improved parameterizations of ozone stomatal conductance model for wheat and new ozone flux-effect relationships for risk assessments.
- 158 Modelling soil nitrogen: The MAGIC model with nitrogen retention linked to carbon turnover using decomposer dynamics**
F. Oulehle, B.J. Cosby, R.F. Wright, J. Hruška, J. Kopáček, P. Krám, C.D. Evans, F. Moldan
Process-based modelling of nitrogen dynamics and acidification in forest ecosystems.

Letter to the Editor

- 167 Letter to the Editor regarding, "First evidence on different transportation modes of arsenic and phosphorus in arsenic hyperaccumulator *Pteris vittata*" by Lei et al. (2012)**
N.K. Niazi, A.G. Kachenko

Response to Letter to the Editor

- 168 Response to "Letter to the Editor regarding "First evidence on different transportation modes of arsenic and phosphorus in arsenic hyperaccumulator *Pteris vittata*" by Lei et al. (2012)"**
M. Lei, T.-B. Chen

Special Section Papers: Chemicals Management and Environmental Assessment of Chemicals in China

Introduction

- 169 Chemicals management and environmental assessment of chemicals in China**
O.R. Price, K.C. Jones, Hong. Li, Z. Liu, Y. Lu, H. Wang, G.-G. Ying, Gan. Zhang, Y.-g. Zhu

Commentary

- 170 China begins to position for leadership on responsible risk-based global chemicals management**
Z. Liu, H. Wang, P.L. Carmichael, E.J. Deag, R. Duarte-Davidson, H. Li, P. Howe, W. Meng, O.R. Price, Y. Shen, R.F. Shore, A.J. Sweetman, Z.-g. Yan, W.c. Zang, E. Undeman, K.C. Jones