

# CONTENTS

Volume 134, issue 1, 1 September 2012 (Published 30 April 2012)

## Rapid Communications

- 1 Acetylated starch and inulin as encapsulating agents of gallic acid and their release behaviour in a hydrophilic system  
P. ROBERT, P. GARCÍA, N. REYES, J. CHÁVEZ & J. SANTOS (Chile)
- 9 Amino acids with basic amino side chain accelerate the pro-oxidant ability of polyphenolic compounds  
T.-S. CHEN, S.-Y. LIOU, H.-C. WU, F.-J. TSAI, C.-H. TSAI, C.-Y. HUANG & Y.-L. CHANG (Taiwan)

## General Papers

- 15 Purification and characterisation of a 48 kDa protein involved in the molting cycle of *Penaeus monodon*  
C. CHITHRA & H. DEVARAJ (India)
- 21 Curcuminoids from *Curcuma longa* and their inhibitory activities on influenza A neuraminidases  
T.T. DAO, P.H. NGUYEN, H.K. WON, E.H. KIM, J. PARK, B.Y. WON & W.K. OH (Republic of Korea)
- 29 Proliferative and apoptotic effects of olive extracts on cell lines and healthy human cells  
S. İŞİK, A. KARAGÖZ, Ş. KARAMAN & C. NERGİZ (Turkey)
- 37 Melissopalynological origin determination and volatile composition analysis of Corsican "*Erica arborea* spring maquis" honeys  
Y. YANG, M.-J. BATTESTI, J. PAOLINI, A. MUSELLI, P. TOMI & J. COSTA (France)
- 48 Anticholinesterase and antioxidant activities of Savoury (*Satureja thymbra* L.) with identified major terpenes of the essential oil  
M. ÖZTÜRK (Turkey)
- 55 Potential inhibitors of the ascorbate-induced  $\beta$ -glucan degradation  
A.M. FAURE, L.H. MÜNGER & L. NYSTRÖM (Switzerland)
- 64 Rheological characteristics and physicochemical stability of dressing-type emulsions made of oil bodies–egg yolk blends  
C.V. NIKIFORIDIS, C.G. BILIADERIS & V. KIOSSEOGLOU (Greece)
- 74 Transformation of trachelogenin, an aglycone of tracheloside from safflower seeds, to phytoestrogenic (–)-enterolactone by human intestinal bacteria  
J.-S. JIN, T. TOBO, M.-H. CHUNG (Japan), C.-M. MA (Japan, China) & M. HATTORI (Japan)

*Continued on inside back cover*

- 215 Quality of polyunsaturated fatty acids in Nile tilapias (*Oreochromis niloticus*) fed with vitamin E supplementation  
R.D. NAVARRO, F.K.S.P. NAVARRO, O.P. RIBEIRO FILHO, W.M. FERREIRA, M.M. PEREIRA & J.T. SEIXAS FILHO (Brazil)
- 219 Anti-oestrogenic diarylheptanoids from *Aframomum melegueta* with *in silico* oestrogen receptor alpha binding conformation similar to enterodiol and enterolactone  
A.M. EL-HALAWANY (Egypt, Japan) & M. HATTORI (Egypt)
- 227 Anti-obesity effect of *Schisandra chinensis* in 3T3-L1 cells and high fat diet-induced obese rats  
H.J. PARK, J.-Y. CHO, M.K. KIM, P.-O. KOH, K.-W. CHO, C.H. KIM, K.-S. LEE, B.Y. CHUNG, G.-S. KIM & J.-H. CHO (Republic of Korea)
- 235 Enzyme-assisted microwave hydro-distillation essential oil from *Fructus forsythia*, chemical constituents, and its antimicrobial and antioxidant activities  
J. JIAO, Y.-J. FU, Y.-G. ZU, M. LUO, W. WANG, L. ZHANG & J. LI (PR China)
- 244 Polysaccharides in *Laminaria japonica* (LP): Extraction, physicochemical properties and their hypolipidemic activities in diet-induced mouse model of atherosclerosis  
X.-Q. ZHA, J.-J. XIAO, H.-N. ZHANG, J.-H. WANG, L.-H. PAN, X.-F. YANG & J.-P. LUO (People's Republic of China)
- 253 Purification of selenium-containing allophycocyanin from selenium-enriched *Spirulina platensis* and its hepatoprotective effect against *t*-BOOH-induced apoptosis  
C. FAN, J. JIANG, X. YIN, K.-H. WONG, W. ZHENG & T. CHEN (China)
- 262 Study of the chemical composition, antioxidant activity and anti-inflammatory activity of essential oil from *Vetiveria zizanioides*  
S.-T. CHOU, C.-P. LAI, C.-C. LIN & Y. SHIH (Taiwan)
- 269 Synthesis of galactosyl sucralose by  $\beta$ -galactosidase from *Lactobacillus bulgaricus* L3  
L. LU, S. XU, L. JIN, D. ZHANG, Y. LI & M. XIAO (PR China)
- 276 Transformation of tea catechins and flavonoid glycosides by treatment with Japanese post-fermented tea acetone powder  
T. TANAKA, H. UMEKI, S. NAGAI, T. SHII, Y. MATSUO & I. KOUNO (Japan)
- 282 Isoflavone C-glycosides isolated from the root of kudzu (*Pueraria lobata*) and their estrogenic activities  
S.-I. KAYANO, Y. MATSUMURA, Y. KITAGAWA, M. KOBAYASHI, A. NAGAYAMA, N. KAWABATA, H. KIKUZAKI & Y. KITADA (Japan)
- 288 Chemical and functional components in different parts of rough rice (*Oryza sativa* L.) before and after germination  
H.Y. KIM, I.G. HWANG, T.M. KIM, K.S. WOO, D.S. PARK, J.H. KIM, D.J. KIM, J. LEE, Y.R. LEE & H.S. JEONG (Republic of Korea)
- 294 Preparation, characterization and properties of whey-soy proteins co-precipitates  
M.H. ALU'DATT (Jordan), I. ALLI & M. NAGADI (Canada)
- 301 Immobilisation of lecithase<sup>®</sup> ultra for production of diacylglycerols by glycerolysis of soybean oil  
N. LIU, Y. WANG, Q. ZHAO, C. CUI, M. FU & M. ZHAO (China)
- 308 Evaluation of antioxidant activity of carotenoid extract from shrimp processing byproducts by *in vitro* assays and in membrane model system  
R. SOWMYA & N.M. SACHINDRA (India)
- 315 Evaluation of the amine derivatives of *Monascus* pigment with anti-obesity activities  
D. CHOE, J. LEE, S. WOO & C.S. SHIN (South Korea)
- 324 Antioxidant activities and polyphenolics from the shoots of *Barringtonia racemosa* (L.) Spreng in a polar to apolar medium system  
K.W. KONG, S. MAT-JUNIT, N. AMINUDIN, A. ISMAIL & A. ABDUL-AZIZ (Malaysia)
- 333 Levels of dioxin-like polychlorinated biphenyls (DL-PCBs) and metals in European sea bass from fish farms in Italy  
A. TROCINO, G. XICCATO, D. MAJOLINI, M. TAZZOLI, F. TULLI, E. TIBALDI, C.M. MESSINA & A. SANTULLI (Italy)

- 81 Phenolic acid content of sorghum and maize cultivars varying in hardness  
C. CHIREMBA (Canada, South Africa), J.R.N. TAYLOR (South Africa), L.W. ROONEY (USA) & T. BETA (Canada)
- 89 Lipase-catalysed transesterification of coconut oil with fusel alcohols in a solvent-free system  
J. SUN, B. YU, P. CURRAN & S.-Q. LIU (Singapore)
- 95 Characterisation of commercial papain, bromelain, actinidin and zingibain protease preparations and their activities toward meat proteins  
M. HA, A.E.A. BEKHIT, A. CARNE (New Zealand) & D.L. HOPKINS (Australia)
- 106 Influence of oxidation on myofibrillar proteins degradation from bovine via  $\mu$ -calpain  
M. XUE, F. HUANG, M. HUANG & G. ZHOU (China)
- 113 Mechanical and thermal processing effects on protein integrity and peptide fingerprint of pea protein isolate  
E. SIRTORI, I. ISAK, D. RESTA, G. BOSCHIN & A. ARNOLDI (Italy)
- 122 Hypertension-attenuating effect of whey protein hydrolysate on spontaneously hypertensive rats  
X. WANG, L. WANG, X. CHENG, J. ZHOU, X. TANG & X.-Y. MAO (China)
- 127 Daily intake of fruit and vegetable soups processed in different ways increases human serum  $\beta$ -carotene and lycopene concentrations and reduces levels of several oxidative stress markers in healthy subjects  
R. MARTÍNEZ-TOMÁS, F. PÉREZ-LLAMAS, M. SÁNCHEZ-CAMPILLO, D. GONZÁLEZ-SILVERA, A.I. CASCALES, M. GARCÍA-FERNÁNDEZ, J.Á. LÓPEZ-JIMÉNEZ, S.Z. NAVARRO, M.I. BURGOS, F. LÓPEZ-AZORÍN (Spain), A. WELLNER (Sweden), F.A. PLAZA (Spain), L. BIALEK (The Netherlands), M. ALMINGER (Sweden) & E. LARQUÉ (Spain)
- 134 Evaluation of the anti-angiogenic potential of hydroxytyrosol and tyrosol, two bio-active phenolic compounds of extra virgin olive oil, in endothelial cell cultures  
C. FORTES, J.A. GARCÍA-VILAS, A.R. QUESADA & M.Á. MEDINA (Spain)
- 141 Impact of allicin on macrophage activity  
H. HAASE, N. HIEKE, L.M. PLUM, M.C.H. GRUHLKE, A.J. SLUSARENKO & L. RINK (Germany)
- 149 Preparation and physical characteristics of resistant starch (type 4) in acetylated indica rice  
X.S. SHA, Z.J. XIANG, L. BIN, L. JING, Z. BIN, Y.J. JIAO & S.R. KUN (China)
- 155 Binding of polyphenols to plant cell wall analogues – Part 1: Anthocyanins  
A. PADAYACHEE, G. NETZEL, M. NETZEL, L. DAY, D. ZABARAS, D. MIKKELSEN & M.J. GIDLEY (Australia)
- 162 Study by  $^1\text{H}$  NMR spectroscopy of the evolution of extra virgin olive oil composition submitted to frying temperature in an industrial fryer for a prolonged period of time  
M.D. GUILLÉN & P.S. URIARTE (Spain)
- 173 Effect of *Spirulina maxima* on spermatogenesis and steroidogenesis in streptozotocin-induced type I diabetic male rats  
W.H. NAH, I.K. KOH, H.S. AHN, M.J. KIM, H.-G. KANG, J.H. JUN & M.C. GYE (South Korea)
- 180 Chemical compositions, HPLC/MS fingerprinting profiles and radical scavenging properties of commercial *Gynostemma pentaphyllum* (Thunb.) Makino samples  
Y. ZHAO, Z. XIE (United States), Y. NIU (United States, China), H. SHI (China), P. CHEN (United States) & L.L. YU (United States, China)
- 189 Protective effect of arabinose and sugar beet pulp against high glucose-induced oxidative stress in LLC-PK<sub>1</sub> cells  
Y.B. SONG, B. KIM, M.J. CHOI, Y.O. SONG & E.J. CHO (Republic of Korea)
- 195 Structural characterisation of chondroitin sulphate from Italian cheese Parmigiano-Reggiano  
G.V. COPPA, F. MACCARI, L. ZAMPINI, L. SANTORO, T. GALEAZZI, O. GABRIELLI & N. VOLPI (Italy)
- 200 Rheological, functional and nutritional properties of wheat/broad bean (*Vicia faba*) flour blends for pasta formulation  
M.A. GIMÉNEZ, S.R. DRAGO, D. DE GREEF, R.J. GONZALEZ, M.O. LOBO & N.C. SAMMAN (Argentina)
- 207 Modelling the degradation kinetics of vitamin C in fruit juice in relation to the initial headspace oxygen concentration  
I. VAN BREE, J.M. BAETENS, S. SAMAPUNDO, F. DEVLIEGHERE, R. LALEMAN, I. VANDEKINDEREN, B. NOSEDA, R. XHAFERI, B. DE BAETS & B. DE MEULENAER (Belgium)

- 453 Inductively coupled plasma-mass spectrometry (ICP-MS) and -optical emission spectroscopy (ICP-OES) for determination of essential minerals in closed acid digestates of peanuts (*Arachis hypogaea* L.)  
K.-Y. PHAN-THIEN, G.C. WRIGHT & N.A. LEE (Australia)
- 461 An analytical approach to profile steroidal saponins in food supplements: The case of *Ruscus aculeatus*  
A. MARI, A. NAPOLITANO, A. PERRONE, C. PIZZA & S. PIACENTE (Italy)
- 469 A novel chemiluminescence sensor for determination of quercetin based on molecularly imprinted polymeric microspheres  
H. QIU, C. LUO, M. SUN, F. LU, L. FAN & X. LI (China)
- 474 Effect of extraction solvent, waste fraction and grape variety on the antimicrobial and antioxidant activities of extracts from wine residue from cool climate  
V.J. CHENG, A.E.A. BEKHIT, M. MCCONNELL, S. MROS & J. ZHAO (New Zealand)
- 483 Development of a sensitive potentiometric sensor for determination of fumaric acid in powdered food products  
A.O. SANTINI, H.R. PEZZA & L. PEZZA (Brazil)
- 488 Synthesis and application of nano-pore size ion imprinted polymer for solid phase extraction and determination of zinc in different matrices  
F. SHAKERIAN, S. DADFARNIA & A.M.H. SHABANI (Iran)
- 494 B-HIVE: Beeswax hydrogen isotopes as validation of environment, part II. Compound-specific hydrogen isotope analysis  
B.J. TIPPLE, L.A. CHESSON, B.R. ERKKILA, T.E. CERLING & J.R. EHLERINGER (United States)
- 502 Stable carbon and nitrogen isotope analysis as a tool for inferring beef cattle feeding systems in Japan  
Y. YANAGI, H. HIROOKA, K. OISHI, Y. CHOUMEI, H. HATA, M. ARAI, M. KITAGAWA, T. GOTOH, S. INADA & H. KUMAGAI (Japan)
- 507 Simultaneous multiresidue determination of mycotoxins in cereal samples by polyvinylidene fluoride membrane based dot immunoassay  
Q.-H. HE, Y. XU, D. WANG, M. KANG, Z.-B. HUANG & Y.-P. LI (People's Republic of China)
- 513 Micelles mediated separation fluorimetric methodology for Rhodamine B determination in condiments, snacks and candies  
M. ALESSO, G. BONDIOLI, M.C. TALÍO, M.O. LUCONI & L.P. FERNÁNDEZ (Argentina)
- 518 Detection and quantification of meat species by qPCR in heat-processed food containing highly fragmented DNA  
M. LÓPEZ-ANDREO, M. ALDEGUER, I. GUILLÉN, J.A. GABALDÓN & A. PUYET (Spain)
- 524 An improved HPLC-ICPMS method for determining inorganic arsenic in food: Application to rice, wheat and tuna fish  
G. RABER, N. STOCK, P. HANEL, M. MURKO (Austria), J. NAVRATILOVA (Czech Republic) & K.A. FRANCESCONI (Austria)
- 533 Rapid determination of chloramphenicol in soft-shelled turtle tissues using on-line MSPD-HPLC-MS/MS  
Y. LU, T. ZHENG, X. HE, X. LIN, L. CHEN & Z. DAI (China)
- 540 Production of a monoclonal antibody and its application in an optical biosensor based assay for the quantitative measurement of pantothenic acid (vitamin B<sub>5</sub>) in foodstuffs  
S.A. HAUGHEY, C.T. ELLIOTT, M. OPLATOWSKA, L.D. STEWART, C. FRIZZELL & L. CONNOLLY (United Kingdom)
- 546 Development of a novel method for monitoring the antioxidative effect of ascorbic acid in rat blood  
M. WADA, M. KIRA, Y. NAKAJI, R. IKEDA, N. KURODA & K. NAKASHIMA (Japan)
- 553 Matrix solid-phase dispersion method for the determination of macrolide antibiotics in sheep's milk  
M.A. GARCÍA-MAYOR, A. GALLEGÓ-PICÓ, R.M. GARCINUÑO, P. FERNÁNDEZ-HERNANDO & J.S. DURAND-ALEGRÍA (Spain)
- 559 The simultaneous determination of vitamins A, E and  $\beta$ -carotene in bovine milk by high performance liquid chromatography-ion trap mass spectrometry (HPLC-MS<sup>n</sup>)  
T. PLOZZA, V. CRAIGE TRENERRY & D. CARIDI (Australia)
- 564 The effect of method, standard and sample components on the total antioxidant capacity of commercial waters assessed by optical conventional assays  
F.T.C. MOREIRA, J.R.L. GUERREIRO, R. BARROS & M.G.F. SALES (Portugal)

- 339 Trace metals in marine foodstuff: Bioavailability estimation and effect of major food constituents  
J. MOREDA-PIÑEIRO, A. MOREDA-PIÑEIRO, V. ROMARÍS-HORTAS, R. DOMÍNGUEZ-GONZÁLEZ,  
E. ALONSO-RODRÍGUEZ, P. LÓPEZ-MAHÍA, S. MUNIATEGUI-LORENZO, D. PRADA-RODRÍGUEZ &  
P. BERMEJO-BARRERA (Spain)
- 346 Influence of the structure and composition of the *País* grape proanthocyanidins on the inhibition of angiotensin  
I-converting enzyme (ACE)  
S. GODOY, M. ROECKEL & K. FERNÁNDEZ (Chile)
- 351 Low molecular weight trypsin from hepatopancreas of freshwater prawn (*Macrobrachium rosenbergii*):  
Characteristics and biochemical properties  
C. SRIKET, S. BENJAKUL, W. VISESSANGUAN (Thailand), K. HARA, A. YOSHIDA & X. LIANG (Japan)
- 359 Identification of 2-alkylcyclobutanones in nutmeg (*Myristica fragrans*)  
S. CHEN, T. TSUTSUMI, S. TAKATSUKI, R. MATSUDA, H. KAMEYA, M. NAKAJIMA, M. FURUTA & S. TODORIKI  
(Japan)
- 366 Surveillance of fungicidal dithiocarbamate residues in fruits and vegetables  
O. LÓPEZ-FERNÁNDEZ, R. RIAL-OTERO, C. GONZÁLEZ-BARREIRO & J. SIMAL-GÁNDARA (Spain)
- 375 Cocoa protein crosslinking using Maillard chemistry  
R. JUMNONGPON, S. CHAISERI, P. HONGSPRABHAS (Thailand), J.P. HEALY, S.J. MEADE & J.A. GERRARD  
(New Zealand)
- 381 Determination of bioactive compounds, antioxidant activity and chemical composition of Cerrado Brazilian  
fruits  
V.R. DE SOUZA, P.A.P. PEREIRA, F. QUEIROZ, S.V. BORGES & J. DE DEUS SOUZA CARNEIRO (Brazil)
- Short Communications**
- 387 Metaproteomic characterisation of a Shaoxing rice wine "wheat *Qu*" extract  
B. ZHANG, L.-Q. KONG, Y. CAO, G.-F. XIE, Z.-B. GUAN & J. LU (PR China)
- 392 Bioaccessibility of Ca, Cu, Fe, Mg, Mn and Zn from commercial bee honeys  
P. POHL, H. STECKA, K. GREDA & P. JAMROZ (Poland)
- 397 Mangosteen xanthenes,  $\alpha$ - and  $\gamma$ -mangostins, inhibit allergic mediators in bone marrow-derived mast cell  
H.-S. CHAE, S.-R. OH, H.-K. LEE, S.H. JOO & Y.-W. CHIN (Republic of Korea)
- 401 Selenium content in seed, oil and oil cake of Se hyperaccumulated *Brassica juncea* (Indian mustard) cultivated  
in a seleniferous region of India  
S.K. JAISWAL, R. PRAKASH, R. ACHARYA, A.V.R. REDDY & N. TEJO PRAKASH (India)
- ANALYTICAL METHODS**
- 405 A sulphuric acid-impregnated silica gel clean-up procedure for the determination of *n*-alkanes migration from  
paraffin based paper packaging into cheddar cheese  
D. PEZO (Spain), M. WRONA (Poland), A. RODRIGUEZ-LAFUENTE & C. NERIN (Spain)
- 412 Quantitative determination of fat and total protein in milk based on visible light scatter  
A. BOGOMOLOV, S. DIETRICH, B. BOLDRINI & R.W. KESSLER (Germany)
- 419 Inexpensive and versatile method for trace Sn(II) and Sn(IV) ions in food samples by CPE/FAAS  
S. ULUSOY, H.İ. ULUSOY, M. AKÇAY & R. GÜRKAN (Turkey)
- 427 Comparative analysis of standardised and common modifications of methods for lipid extraction for the  
determination of fatty acids  
A.Y. TAHA, A.H. METHEREL & K.D. STARK (Canada)
- 434 Determination of trace elements in extra virgin olive oils: A pilot study on the geographical characterisation  
C. CABRERA-VIQUE, P.R. BOUZAS & M.J. OLIVERAS-LÓPEZ (Spain)
- 440 Improved determination of 2-dodecylcyclobutanone in irradiated ground beef patties by gas-chromatography-  
mass-spectrometry (GC/MS) coupled with solid-phase microextraction (SPME) technique  
S. SONCIN, S. PANSERI, M. RUSCONI, M. MARIANI, L.M. CHIESA & P.A. BIONDI (Italy)
- 445 Characterisation and quantification of xanthenes from the aril and pericarp of mangosteens (*Garcinia  
mangostana* L.) and a mangosteen containing functional beverage by HPLC-DAD-MS<sup>n</sup>  
J. WITTENAUER, S. FALK, U. SCHWEIGGERT-WEISZ & R. CARLE (Germany)

CONTENTS—Continued from last page of the issue

- 572 Determination of polyphenol components of *Lonicera japonica* Thunb. using liquid chromatography–tandem mass spectrometry: Contribution to the overall antioxidant activity  
O.N. SEO, G.-S. KIM, S. PARK, J.H. LEE, Y.-H. KIM, W.S. LEE, S.J. LEE, C.Y. KIM, J.S. JIN, S.K. CHOI & S.C. SHIN (Republic of Korea)
- 578 Analysis of trace elements in multifloral Argentine honeys and their classification according to provenance  
R.G. PELLERANO, M.A. UÑATES, M.A. CANTARELLI, J.M. CAMIÑA & E.J. MARCHEVSKY (Argentina)
- 583 Multivariate analyses of element concentrations revealed the groupings of propolis from different regions in China  
S. GONG, L. LUO, W. GONG, Y. GAO & M. XIE (PR China)
- 589 Proton transfer reaction-mass spectrometry volatile organic compound fingerprinting for monovarietal extra virgin olive oil identification  
C. RUIZ-SAMBLÁS (Spain), A. TRES, A. KOOT, S.M. VAN RUTH (The Netherlands), A. GONZÁLEZ-CASADO & L. CUADROS-RODRÍGUEZ (Spain)
- 597 Liquid–liquid extraction of polycyclic aromatic hydrocarbons in four different edible oils from China  
S. WU & W. YU (China)
- 602 First approach on moisture determination in food products using alpha-pinene as an alternative solvent for Dean–Stark distillation  
S. BERTOUCHE (Algeria), V. TOMAO, K. RUIZ (France), A. HELLAL, C. BOUTEKEDJIRET (Algeria) & F. CHEMAT (France)
- Short Communications**
- 606 Development of a simple 96-well plate method for evaluation of antioxidant activity based on the oxidative haemolysis inhibition assay (OxHLIA)  
J. TAKEBAYASHI, N. IWAHASHI, Y. ISHIMI & A. TAI (Japan)
- 611 Chlorogenic acids in Brazilian *Coffea arabica* cultivars from various consecutive crops  
M.C. MONTEIRO & A. FARAH (Brazil)
- I Calendar