

CONTENTS

Volume 134, issue 3, 1 October 2012 (Published 25 May 2012)

Rapid Communication

- 1251 Effect of phytase treatment on iron bioavailability in faba bean (*Vicia faba* L.) flour
Y. LUO & W. XIE (PR China)

General Papers

- 1256 Anthocyanins from *Eugenia brasiliensis* edible fruits as potential therapeutics for COPD treatment
G. FLORES, K. D'ASTMALCHI, S. PAULINO, K. WHALEN, A.J. DABO, K.A. REYNERTSON, R.F. FORONJY,
J.M. D'ARMIENTO & E.J. KENNELLY (United States)
- 1263 Acetylcholinesterase inhibitory activity of Chinese sufu (fermented tofu) ethanol-extract
J. CHEN, M.-H. QUAN, Y.-Q. CHENG, J. SUN & L.-T. LI (China)
- 1267 Protein and mineral characterisation of rendered meat and bone meal
M. BUCKLEY, K.E.H. PENKMAN, T.J. WESS, S. REANEY & M.J. COLLINS (United Kingdom)
- 1279 Enzyme activity and biochemical changes of three date palm cultivars with different softening pattern during ripening
S. RASTEGAR, M. RAHEMI, A. BAGHIZADEH & M. GHOLAMI (Iran)
- 1287 Comparative study on antiproliferation properties and cellular antioxidant activities of commonly consumed food legumes against nine human cancer cell lines
B. XU (China) & S.K.C. CHANG (United States)
- 1297 The role of molecular size in antioxidant activity of peptide fractions from Pacific hake (*Merluccius productus*) hydrolysates
I.W.Y. CHEUNG, L.K.Y. CHEUNG, N.Y. TAN & E.C.Y. LI-CHAN (Canada)
- 1307 The application of (-)-epigallocatechin gallate in preparation of an antioxidant dialysate
T.-S. CHEN, S.-Y. LIOU, H.-C. WU, M.-L. WU, F.-J. TSAI, C.-H. TSAI, C.-Y. HUANG & Y.-L. CHANG (Taiwan)
- 1312 Characterization and quantification of saponins and flavonoids in sprouts, seed coats and cotyledons of germinated black beans
D. GUAJARDO-FLORES, M. GARCÍA-PATIÑO, D. SERNA-GUERRERO, J.A. GUTIÉRREZ-URIBE &
S.O. SERNA-SALDÍVAR (Mexico)
- 1320 Body weight management effect of burdock (*Arctium lappa* L.) root is associated with the activation of AMP-activated protein kinase in human HepG2 cells
D.-H. KUO, M.-C. HUNG, C.-M. HUNG, L.-M. LIU, F.-A. CHEN, P.-C. SHIEH (Taiwan), C.-T. HO (USA) & T.-D. WAY (Taiwan)

- 1327 Effect of pH on potassium metabisulphite biocidal activity against yeast and human cell cultures
L. CORTE, L. ROSCINI, C. ZADRA, L. ANTONIELLI, B. TANCINI, A. MAGINI, C. EMILIANI & G. CARDINALI (Italy)
- 1337 Lipid content and fatty acid profile of Senegalese sole (*Solea senegalensis* Kaup, 1858) juveniles as affected by feed containing different amounts of plant protein sources
T.J.R. FERNANDES, R.C. ALVES, T. SOUZA, J.M.G. SILVA, M. CASTRO-CUNHA, L.M.P. VALENTE & M.B.P.P. OLIVEIRA (Portugal)
- 1343 Interfacial and emulsifying properties of lentil protein isolate
M. JOSHI, B. ADHIKARI, P. ALDRED, J.F. PANOZZO, S. KASAPIS & C.J. BARROW (Australia)
- 1354 *Piper* species protect cardiac, hepatic and renal antioxidant status of atherogenic diet fed hamsters
G.A. AGBOR (USA, Cameroon), L. AKINFIRESOYE, J. SORTINO, R. JOHNSON & J.A. VINSON (Cameroon)
- 1360 Enzymatic hydrolysis of rice dreg protein: Effects of enzyme type on the functional properties and antioxidant activities of recovered proteins
Q. ZHAO, H. XIONG (China), C. SELOMULYA (Australia), X.D. CHEN (Australia, China), H. ZHONG, S. WANG, W. SUN & Q. ZHOU (China)
- 1368 Kinetics of enthalpy relaxation of milk protein concentrate powder upon ageing and its effect on solubility
E. HAQUE, A.K. WHITTAKER, M.J. GIDLEY, H.C. DEETH, K. FIBRIANTO & B.R. BHANDARI (Australia)
- 1374 Influence of oxidative browning inhibitors and isolation techniques on sweet potato protein recovery and composition
L.A. AROGUNDADE & T.-H. MU (PR China)
- 1385 Resveratrol metabolites have an antiproliferative effect on intestinal epithelial cancer cells
C.E. STORNILO & J.J. MORENO (Spain)
- 1392 Microwave-assisted organic acid extraction of lignin from bamboo: Structure and antioxidant activity investigation
M.-F. LI, S.-N. SUN, F. XU & R.-C. SUN (China)
- 1399 Effects of pre-slaughter stress on proteolytic enzyme activities and muscle quality of farmed Atlantic cod (*Gadus morhua*)
L. HULTMANN, T.M. PHU, T. TOBIASSEN, Ø. AAS-HANSEN & T. RUSTAD (Norway)
- 1409 Evaluation of high oleic-high stearic sunflower hard stearins for cocoa butter equivalent formulation
M.A. BOOTELLO (Spain), R.W. HARTEL (USA), R. GARCÉS, E. MARTÍNEZ-FORCE & J.J. SALAS (Spain)
- 1418 Structure and oxidative stability of oil in water emulsions as affected by rutin and homogenization procedure
L. ATARÉS (Spain), L.J. MARSHALL, M. AKHTAR & B.S. MURRAY (UK)
- 1425 Phytochemical, sensory attributes and aroma stability of dense phase carbon dioxide processed *Hibiscus sabdariffa* beverage during storage
M.M. RAMÍREZ-RODRIGUES, M.L. PLAZA, A. AZEREDO (USA), M.O. BALABAN (New Zealand) & M.R. MARSHALL (USA)
- 1432 Xanthohumol, a prenylated chalcone from *Humulus lupulus* L., inhibits cholesteryl ester transfer protein
H. HIRATA, K. TAKAZUMI, S. SEGAWA, Y. OKADA, N. KOBAYASHI, T. SHIGYO & H. CHIBA (Japan)
- 1438 Absence of allergenic residues in experimental and commercial wines fined with caseinates
P. RESTANI, F. UBERTI, R. DANZI, C. BALLABIO, F. PAVANELLO & C. TARANTINO (Italy)
- 1446 Evaporative concentration of skimmed milk: Effect on casein micelle hydration, composition, and size
D.Z. LIU, D.E. DUNSTAN & G.J.O. MARTIN (Australia)
- 1453 Influence of polysaccharides and storage during processing on the properties of mango seed kernel extract (microencapsulation)
P. MAISUTHISAKUL (Thailand) & M.H. GORDON (United Kingdom)
- 1461 Effects on starch and amylolytic enzymes during *Lepidium meyenii* Walpers root storage
G.G. RONDÁN-SANABRIA, B. VALCARCEL-YAMANI & F. FINARDI-FILHO (Brazil)

- 1468 Removing peanut allergens by tannic acid
S.-Y. CHUNG & S. REED (United States)
- 1474 Chemical composition and antimicrobial activity of the essential oil of *Lippia grandis* Schauer (Verbenaceae) from the western Amazon
S.L.F. SARRAZIN, R.B. OLIVEIRA, L.E.S. BARATA & R.H.V. MOURÃO (Brazil)
- 1479 γ -Oryzanol and tocopherol contents in residues of rice bran oil refining
V.R. PESTANA-BAUER, R.C. ZAMBAZI, C.R.B. MENDONÇA (Brazil), M. BENEITO-CAMBRA & G. RAMIS-RAMOS (Spain)
- 1484 Insights on the chemical basis of the astringency of Spanish red wines
M.-P. SÁENZ-NAVAJAS, J.-M. AVIZCURI, V. FERREIRA & P. FERNÁNDEZ-ZURBANO (Spain)
- 1494 LED lighting and seasonality effects antioxidant properties of baby leaf lettuce
G. SAMUOLIENĖ, R. SIRTAUTAS, A. BRAZAITYTĖ & P. DUCHOVSKIS (Lithuania)
- 1500 Effects of gelation temperature on Mozzarella-type curd made from buffalo and cows' milk. 1: Rheology and microstructure
I. HUSSAIN, A.S. GRANDISON & A.E. BELL (United Kingdom)
- 1509 Fractionation and characterization of antioxidant peptides derived from barley glutelin by enzymatic hydrolysis
Y. XIA, F. BAMDAD, M. GÄNZLE & L. CHEN (Canada)
- 1519 Highly viscous dough-forming properties of marama protein
E.O. AMONSOU, J.R.N. TAYLOR, M. NAUSHAD EMMAMBUX, K. GYEBI DUODU & A. MINNAAR (South Africa)
- 1527 Microwave-assisted synthesis of prebiotic di-D-fructose dianhydride-enriched caramels
I. IDRI, J.-L. HAVET (France), J.M. GARCIA FERNANDEZ (Spain), C. FERROUD & C. PORTE (France)
- 1533 Characterisation of thermostable trypsin and determination of trypsin isozymes from intestine of Nile tilapia (*Oreochromis niloticus* L.)
S. UNAJAK, P. MEESAWAT, A. PAEMANEE, N. AREECHON, A. ENKGAGUL, U. KOVITVADHI, S. KOVITVADHI (Thailand), K. RUNGRUANGSAK-TORRISSEN (Thailand, Norway) & K. CHOOWONGKOMON (Thailand)
- 1542 Changes during storage of quality parameters and *in vitro* antioxidant activity of extra virgin monovarietal oils obtained with two extraction technologies
C. FADDA, A. DEL CARO, A.M. SANGUINETTI, P.P. URGEGHE, V. VACCA, P.P. ARCA & A. PIGA (Italy)
- 1549 *In vivo* protein quality of new sorghum genotypes for human consumption
É.A. MORAES, V.A.V. QUEIROZ, R.E. SHAFFERT, N.M.B. COSTA (Brazil), J.D. NELSON (USA), S.M.R. RIBEIRO & H.S.D. MARTINO (Brazil)
- 1556 High pressure treatment of brine enhanced pork affects endopeptidase activity, protein solubility, and peptide formation
A. GROSSI, V. GKARANE, J.A. OTTE (Denmark), P. ERTBJERG (Finland) & V. ORLIEN (Denmark)
- 1564 Enhancing the lipolysis-stimulating activity of soy protein using limited hydrolysis with Flavourzyme and ultrafiltration
M.-J. TSOU, S.-B. LIN, C.-H. CHAO & W.-D. CHIANG (Taiwan)
- 1571 Properties and antioxidant activity of fish skin gelatin film incorporated with citrus essential oils
P. TONGNUANCHAN, S. BENJAKUL & T. PRODPRAN (Thailand)
- 1580 Dietary spices protect against hydrogen peroxide-induced DNA damage and inhibit nicotine-induced cancer cell migration
R. JAYAKUMAR & M.S. KANTHIMATHI (Malaysia)

Short Communication

- 1585 Iron-chelating activity of chickpea protein hydrolysate peptides
C. TORRES-FUENTES, M. ALAIZ & J. VIOQUE (Spain)

Corrigenda

- 1589 Corrigendum to 'The use of cyclic voltammetry to study the oxidation of L-5-methyltetrahydrofolate and its preservation by ascorbic acid' [Food Chemistry 132 (2012) 1429–1435]
E. ROZOY, S. SIMARD, Y. LIU, D. KITTS, J. LESSARD & L. BAZINET (Canada)

- 1591 Corrigendum to 'Optimisation of aqueous extraction of gum from durian (*Durio zibethinus*) seed: A potential, low cost source of hydrocolloid' [Food Chemistry 132 (2012) 1258–1268]
B.T. AMID & H. MIRHOSSEINI (Malaysia)
- ANALYTICAL METHODS**
- 1592 Comparison of two headspace sampling techniques for the analysis of off-flavour volatiles from oat based products
C. COGNAT, T. SHEPHERD, S.R. VERRALL & D. STEWART (UK)
- 1601 Ultrasensitive detection of kanamycin in animal derived foods by label-free electrochemical immunosensor
Q. WEI, Y. ZHAO, B. DU, D. WU, H. LI & M. YANG (China)
- 1607 Capillary electrophoretic profiling of tryptic digests of water soluble proteins from *Bacillus thuringiensis*-transgenic and non-transgenic maize species
P. SÁZELOVÁ, V. KAŠIČKA (Czech Republic), C. LEON, E. IBÁÑEZ & A. CIFUENTES (Spain)
- 1616 Non-targeted analysis of tea by hydrophilic interaction liquid chromatography and high resolution mass spectrometry
K. FRASER, S.J. HARRISON, G.A. LANE, D.E. OTTER, Y. HEMAR, S.-Y. QUEK & S. RASMUSSEN (New Zealand)
- 1624 Development and validation of an HPLC-method for determination of free and bound phenolic acids in cereals after solid-phase extraction
M.N. IRAKLI, V.F. SAMANIDOU, C.G. BILIADERIS & I.N. PAPADOYANNIS (Greece)
- 1633 Comparing GC-MS, HPLC and ¹H NMR analysis of beef *longissimus dorsi* tissue extracts to determine the effect of suspension technique and ageing
S.F. GRAHAM, D. FARRELL, T. KENNEDY, A. GORDON, L. FARMER, C. ELLIOTT & B. MOSS (United Kingdom)
- 1640 Determination of γ -glutamyl-valyl-glycine in raw scallop and processed scallop products using high pressure liquid chromatography-tandem mass spectrometry
M. KURODA, Y. KATO, J. YAMAZAKI, N. KAGEYAMA, T. MIZUKOSHI, H. MIYANO & Y. ETO (Japan)
- 1645 Determination of sulphonamide residues in cattle meats by the Charm-II system and validation with high performance liquid chromatography with fluorescence detection
F. MOR, F. SAHINDOKUYUCU KOCASARI, G. OZDEMIR & B. OZ (Turkey)
- 1650 Optimisation of immobilisation conditions for chick pea β -galactosidase (CpGAL) to alkylamine glass using response surface methodology and its applications in lactose hydrolysis
D. KISHORE & A.M. KAYASTHA (India)
- 1658 Analysis of oligosaccharides in beer using MALDI-TOF-MS
E. PARK, H. YANG, Y. KIM & J. KIM (South Korea)
- 1665 Dispersive liquid-liquid microextraction for the determination of organochlorine pesticides residues in honey by gas chromatography-electron capture and ion trap mass spectrometric detection
C.K. ZACHARIS, I. ROTSIAS, P.G. ZACHARIADIS & A. ZOTOS (Greece)
- 1673 Correlation of quantitative sensorial descriptors and chromatographic signals of beer using multivariate calibration strategies
G.A. DA SILVA, D.A. MARETTO, H.M.A. BOLINI, R.F. TEÓFILO, F. AUGUSTO & R.J. POPPI (Brazil)
- 1682 Analysis of quinolone antibiotics in eggs: Preparation and characterization of a raw material for method validation and quality control
V. JIMÉNEZ, R. COMPANYÓ & J. GUITERAS (Spain)
- 1691 Multi-residue method for determination of seven neonicotinoid insecticides in grains using dispersive solid-phase extraction and dispersive liquid-liquid micro-extraction by high performance liquid chromatography
P. WANG, X. YANG, J. WANG, J. CUI, A.J. DONG, H.T. ZHAO, L.W. ZHANG, Z.Y. WANG, R.B. XU, W.J. LI, Y.C. ZHANG, H. ZHANG & J. JING (PR China)
- 1699 Robustness of the near infrared spectroscopy method determined using univariate and multivariate approach
M. POJIĆ, J. MASTILOVIĆ (Serbia) & N. MAJCEN (Slovenia)

Short Communication

- 1706 A rapid differentiation between oak honeydew honey and nectar and other honeydew honeys by NMR spectroscopy
S. SIMOVA, A. ATANASSOV, M. SHISHINIOVA & V. BANKOVA (Bulgaria)

Erratum

- 1711 Erratum to 'Identification of pyrazine derivatives in a typical maple syrup using headspace solid-phase microextraction with gas chromatography–mass spectrometry' [Food Chemistry 133 (2012) 1006–1010]
H. SABIK, J. FORTIN & N. MARTIN (Canada)

Letters to the Editor

- 1712 A note on the relevance of *Eurycoma longifolia* Jack to food and food chemistry
C. WIART (UK)
- 1713 A response to the comments on the relevance of *Eurycoma longifolia* Jack to food and food chemistry
K.L. CHAN (Malaysia)

I Calendar