

**Rapid Communication**

- 775 Convenient solid phase extraction of cephalosporins in milk using a molecularly imprinted polymer  
C. QUESADA-MOLINA (France, Spain), B. CLAUDE (France), A.M. GARCÍA-CAMPAÑA, M. DEL OLMO-IRUELA (Spain) & P. MORIN (France)

**Review**

- 641 Effect of gamma and electron beam irradiation on the physico-chemical and nutritional properties of mushrooms: A review  
Â. FERNANDES, A.L. ANTONIO (Portugal, Spain), M.B.P.P. OLIVEIRA, A. MARTINS & I.C.F.R. FERREIRA (Portugal)

**General Papers**

- 325 Phytochemical compositions, and antioxidant properties, and antiproliferative activities of wheat flour  
J. LV (China, USA), L. YU, Y. LU (USA), Y. NIU, L. LIU (China), J. COSTA & L.(L.) YU (USA, China)
- 332 *In vitro* antioxidant and anti-inflammatory activities of 1-dehydro-[6]-gingerdione, 6-shogaol, 6-dehydroshogaol and hexahydrocurcumin  
F. LI (PR China), V. NITTERANON (United States), X. TANG, J. LIANG (PR China), G. ZHANG, K.L. PARKIN (United States) & Q. HU (PR China)
- 348 Structure–quality relationship in commercial pasta: A molecular glimpse  
F. BONOMI, M.G. D'EGIDIO, S. IAMETTI, M. MARENGO, A. MARTI, M.A. PAGANI & E.M. RAGG (Italy)
- 356 Hypocholesterolaemic effect of yoghurt containing *Bifidobacterium pseudocatenulatum* G4 or *Bifidobacterium longum* BB536  
S.H. AL-SHERAJI (Malaysia, Yemen), A. ISMAIL, M.Y. MANAP, S. MUSTAFA, R.M. YUSOF (Malaysia) & F.A. HASSAN (Malaysia, Yemen)
- 373 Phospholipase D (PLD) catalyzed synthesis of phosphatidyl-glucose in biphasic reaction system  
S. SONG (PR China, Denmark), L.-Z. CHEONG, Z. GUO, K. KRISTENSEN, M. GLASIUS, H.M. JENSEN, K. BERTELSEN (Denmark), T. TAN (PR China) & X. XU (Denmark)
- 386 Functional components in *Luffa cylindrica* and their effects on anti-inflammation of macrophage cells  
T.H. KAO, C.W. HUANG & B.H. CHEN (Taiwan)
- 396 Generation of potentially bioactive ergosterol-derived products following pulsed ultraviolet light exposure of mushrooms (*Agaricus bisporus*)  
M.D. KALARAS, R.B. BEELMAN, M.F. HOLICK & R.J. ELIAS (USA)
- 408 A defensin-like peptide from *Phaseolus vulgaris* cv. 'King Pole Bean'  
J.H. WONG, D.C.W. IP, T.B. NG, Y.S. CHAN, F. FANG & W.L. PAN (Hong Kong)
- 415 Effects of 1-MCP on chlorophyll degradation pathway-associated genes expression and chloroplast ultrastructure during the peel yellowing of Chinese pear fruits in storage  
Y. CHENG, Y. DONG, H. YAN, W. GE, C. SHEN, J. GUAN, L. LIU & Y. ZHANG (PR China)
- 423 Co-occurrence and risk assessment of mycotoxins in food and diet from Mediterranean area  
A.B. SERRANO, G. FONT, M.J. RUIZ & E. FERRER (Spain)
- 440 Inhibitory effects of water extract from longan twigs on mutation and nitric oxide production  
B.-S. WANG, C.-H. TANG, C.-K. CHIU & M.-H. HUANG (Taiwan)

CONTENTS—Continued

- 452 Evaluation of the *in vitro* and *in vivo* protective effects of unfermented and fermented *Rhizoma coptidis* formulations against lipopolysaccharide insult  
S. BOSE, S. JEON, T. EOM, M.-Y. SONG & H. KIM (Republic of Korea)
- 460 Nutritional and antioxidant profiles of pumpkin (*Cucurbita pepo* Linn.) immature and mature fruits as influenced by NPK fertilizer  
F.M. OLOYEDE, G.O. AGBAJE, E.M. OBUOTOR & I.O. OBISESAN (Nigeria)
- 464 Accelerated shelf-life testing of quality loss for a commercial hydrolysed hen egg white powder  
Q. RAO (United States), J.R. ROCCA-SMITH (Italy), T.C. SCHOENFUSS & T.P. LABUZA (United States)
- 486 Hydrolysis and formation of volatile esters in New Zealand Sauvignon blanc wine  
O. MAKHOTKINA & P.A. KILMARTIN (New Zealand)
- 502 Measuring parvalbumin levels in fish muscle tissue: Relevance of muscle locations and storage conditions  
P.-W. LEE, J.A. NORDLEE (United States), S.J. KOPPELMAN (United States, The Netherlands), J.L. BAUMERT & S.L. TAYLOR (United States)
- 515 An innovative method for the preparation of mum (Thai fermented sausages) with acceptable technological quality and extended shelf-life  
A. WANANGKARN, D.-C. LIU (Taiwan), A. SWETWIWATHANA (Thailand) & F.-J. TAN (Taiwan)
- 522 Effect of ultraviolet processing on selected properties of egg white  
L. MANZOCCO, A. PANOZZO & M.C. NICOLI (Italy)
- 534 Complex coacervation of soybean protein isolate and chitosan  
G.-Q. HUANG, Y.-T. SUN, J.-X. XIAO & J. YANG (China)
- 540 Protection of lung fibroblast MRC-5 cells against hydrogen peroxide-induced oxidative damage by 0.1–2.8 kDa antioxidative peptides isolated from whey protein hydrolysate  
B. KONG (China), X. PENG (China, USA), Y.L. XIONG (USA) & X. ZHAO (China)
- 548 Characterisation of nucleosides and nucleobases in *Maetra veneriformis* by high performance liquid chromatography coupled with diode array detector-mass spectrometry (HPLC–DAD–MS)  
R. LIU, J. JI, L. WANG, S. CHEN, S. GUO & H. WU (PR China)
- 555 Characterisation of interactions between fish gelatin and gum arabic in aqueous solutions  
Y. YANG, M. ANVARI, C.-H. PAN & D. CHUNG (Republic of Korea)
- 562 The neuroprotective potential of phenolic-enriched fractions from four *Juniperus* species found in Portugal  
L. TAVARES (Portugal), G.J. MCDUGALL (UK), S. FORTALEZAS (Portugal), D. STEWART (UK), R.B. FERREIRA & C.N. SANTOS (Portugal)
- 571 Retardation of post-mortem changes of freshwater prawn (*Macrobrachium rosenbergii*) stored in ice by legume seed extracts  
C. SRIKET, S. BENJAKUL, W. VISESSANGUAN (Thailand), K. HARA & A. YOSHIDA (Japan)
- 583 Characterisation and partial purification of proteolytic enzymes from sardine by-products to obtain concentrated hydrolysates  
A.B. CASTRO-CESEÑA, M. DEL PILAR SÁNCHEZ-SAAVEDRA & F.J. MÁRQUEZ-ROCHA (Mexico)
- 596 *Suillus collinitus* methanolic extract increases p53 expression and causes cell cycle arrest and apoptosis in a breast cancer cell line  
J.A. VAZ, I.C.F.R. FERREIRA, C. TAVARES, G.M. ALMEIDA, A. MARTINS & M. HELENA VASCONCELOS (Portugal)
- 616 Profile and distribution of soluble and insoluble phenolics in Chinese rapeseed (*Brassica napus*)  
Q. LIU, L. WU, H. PU, C. LI & Q. HU (PR China)
- 634 *Curcuma longa* and *Curcuma mangga* leaves exhibit functional food property  
Y. LIU (USA) & M.G. NAIR (USA, Saudi Arabia)
- 651 Interaction of phenolic compounds with bovine serum albumin (BSA) and  $\alpha$ -amylase and their relationship to astringency perception  
R. FERRER-GALLEGO (Spain), R. GONÇALVES (Portugal), J.C. RIVAS-GONZALO, M.T. ESCRIBANO-BAILÓN (Spain) & V. DE FREITAS (Portugal)
- 659 The effects of soy on freezable bread dough: A magnetic resonance study  
A.L. SIMMONS & Y. VODOVOTZ (United States)
- 676 Simultaneous determination of 15 aminoglycoside(s) residues in animal derived foods by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry  
Y. TAO, D. CHEN, H. YU, L. HUANG, Z. LIU, X. CAO, C. YAN, Y. PAN, Z. LIU & Z. YUAN (China)

CONTENTS—Continued

- 694 Effect of harvest date on the nutritional quality and antioxidant capacity in 'Hass' avocado during storage  
M. WANG, Y. ZHENG, T. KHUONG & C.J. LOVATT (USA)
- 699 Sodium alginate as feed additive in cultured sea bream (*Sparus aurata*): Does it modify the quality of the flesh?  
P. PESO-ECHARRI, C. FRONTELA-SASETA, M. SANTAELLA-PASCUAL, A. GARCÍA-ALCÁZAR, I. ABDEL, G. ROS-BERRUEZO & C. MARTÍNEZ-GRACIÁ (Spain)
- 706 Sterols heating: Degradation and formation of their ring-structure polar oxidation products  
B. BARRIUSO, A. OTAEGUI-ARRAZOLA (Spain), M. MENÉNDEZ-CARREÑO (Spain, The Netherlands), I. ASTIASARÁN & D. ANSORENA (Spain)
- 713 Characterisation of three starch degrading enzymes: Thermostable  $\beta$ -amylase, maltotetraogenic and maltogenic  $\alpha$ -amylases  
L.J. DERDE, S.V. GOMAND, C.M. COURTIN & J.A. DELCOUR (Belgium)
- 730 Structural characteristics of water-soluble polysaccharides from *Rabdosia serra* (MAXIM.) HARA leaf and stem and their antioxidant capacities  
L. LIN, M. ZHUANG, L. ZOU, F. LEI, B. YANG & M. ZHAO (China)
- 738 Susceptibility of anthocyanins to *ex vivo* degradation in human saliva  
K. KAMONPATANA, M.M. GIUSTI, C. CHITCHUMROONCHOKCHAI, M. MORENOCRUZ, K.M. RIEDL, P. KUMAR & M.L. FAILLA (USA)
- 756 Phytochemical investigations and biological potential screening with cellular and non-cellular models of globe amaranth (*Gomphrena globosa*L.) inflorescences  
L.R. SILVA, P. VALENTÃO, J. FARIA (Portugal), F. FERRERES (Spain), C. SOUSA (Portugal), A. GIL-IZQUIERDO (Spain), B.R. PINHO & P.B. ANDRADE (Portugal)
- 764 Isolation of some luteolin derivatives from *Mentha longifolia* (L.) Hudson subsp. *longifolia* and determination of their genotoxic potencies  
F. ORHAN, Ö. BARIŞ, D. YANMIŞ, T. BAL, Z. GÜVENALP & M. GÜLLÜCE (Turkey)
- 770 Zinc incorporation capacity of whey protein nanoparticles prepared with desolvation with ethanol  
İ. GÜLSEREN (Canada), Y. FANG (USA) & M. CORREDIG (Canada)
- 787 Exposure of grapes to smoke of vegetation with varying lignin composition and accretion of lignin derived putative smoke taint compounds in wine  
D. KELLY, A. ZERIHUN, D.P. SINGH, C. VITZTHUM VON ECKSTAEDT, M. GIBBERD, K. GRICE & M. DOWNEY (Australia)
- 799 The effects of physical refining on the formation of 3-monochloropropane-1,2-diol esters in relation to palm oil minor components  
M. ZÜLKURNAIN, O.M. LAI, R.A. LATIP (Malaysia), I.A. NEHDI (Saudi Arabia), T.C. LING & C.P. TAN (Malaysia)
- 806 Effect of the red seaweed *Mastocarpus stellatus* intake on lipid metabolism and antioxidant status in healthy Wistar rats  
E. GÓMEZ-ORDÓÑEZ, A. JIMÉNEZ-ESCRIG & P. RUPÉREZ (Spain)
- 812 On the bioavailability of flavanols and anthocyanins: Flavanol–anthocyanin dimers  
I. FERNANDES, F. NAVE, R. GONÇALVES, V. DE FREITAS & N. MATEUS (Portugal)
- 819 Crystal structure of a major seed storage protein, 11S proglubulin, from *Amaranthus hypochondriacus*: Insight into its physico-chemical properties  
M.R. TANDANG-SILVAS, C.S. CABANOS (Japan), L.D. CARRAZCO PEÑA, A.P.B. DE LA ROSA, J.A. OSUNA-CASTRO (Mexico), S. UTSUMI, B. MIKAMI & N. MARUYAMA (Japan)
- 832 Studies on structures and activities of initial Maillard reaction products by electrospray ionisation mass spectrometry combined with liquid chromatography in processing of red ginseng  
Q.-Q. DU, S.-Y. LIU, R.-F. XU, M. LI, F.-R. SONG & Z.-Q. LIU (PR China)
- 839 Effect of salt concentrations and drying methods on the quality and formation of histamine in dried milkfish (*Chanos chanos*)  
C.-C. HWANG, C.-M. LIN, H.-F. KUNG, Y.-L. HUANG, D.-F. HWANG (Taiwan), Y.-C. SU (USA) & Y.-H. TSAI (Taiwan)
- 851 Cytotoxic and antioxidant constituents from *Garcinia subelliptica*  
K.-W. LIN, A.-M. HUANG, S.-C. YANG (Taiwan), J.-R. WENG (China), T.-C. HOUR, Y.-S. PU (Taiwan) & C.-N. LIN (China)
- Short Communications**
- 580 Efficacy of phytic acid as an inhibitor of enzymatic and non-enzymatic browning in apple juice  
Y. DU, S. DOU & S. WU (China)
- 672 Green tea extract: Possible mechanism and antibacterial activity on skin pathogens  
A. SHARMA, S. GUPTA, I.P. SARETHY, S. DANG & R. GABRANI (India)

**ANALYTICAL METHODS**

- 319 Identifying irradiated oysters by luminescence techniques (TL & PSL)  
G. MARCHESANI, M. MANGIACOTTI & A.E. CHIARAVALLE (Italy)
- 338 Classification of Chinese honeys according to their floral origin by near infrared spectroscopy  
L. CHEN, J. WANG, Z. YE, J. ZHAO, X. XUE (China), Y.V. HEYDEN (Belgium) & Q. SUN (China)
- 343 Comparison of polarimetry and crown ether-based HPLC chiral stationary phase method to determine (L)-amino acid optical purity  
M.S. LEE (Republic of Korea), F. NAWAZ KHAN (Republic of Korea, India), S.C. SHIN, E.D. JEONG, H.G. KIM, M.J. KIM, Y.J. CHO, J.-Y. CHA, M.H. HYUN & J.S. JIN (Republic of Korea)
- 362 Determination of ascorbic acid levels in food samples by using an ionic liquid–carbon nanotube composite electrode  
J. PING, Y. WANG, J. WU, Y. YING & F. JI (PR China)
- 368 Determination of ochratoxin A in wines by capillary liquid chromatography with laser induced fluorescence detection using dispersive liquid–liquid microextraction  
N. ARROYO-MANZANARES, L. GÁMIZ-GRACIA & A.M. GARCÍA-CAMPAÑA (Spain)
- 380 Enzyme immunoassay and liquid chromatography–fluorescence detection for amikacin in raw milk  
Y. CHEN, Q. CHEN, L. HE, B. SHANG & L. ZHANG (China)
- 430 Determination of (fluoro)quinolones in eggs by liquid chromatography with fluorescence detection and confirmation by liquid chromatography–tandem mass spectrometry  
A. GAJDA, A. POSYNIK, J. ZMUDZKI, M. GBYLIK & T. BLADEK (Poland)
- 446 Application of gold nanoparticles/TiO<sub>2</sub> modified electrode for the electrooxidative determination of catechol in tea samples  
G. WANG, X. HE, F. ZHOU, Z. LI, B. FANG, X. ZHANG & L. WANG (PR China)
- 473 Beer fingerprinting by Matrix-Assisted Laser Desorption-Ionisation-Time of Flight Mass Spectrometry  
O. ŠEDO, I. MÁROVÁ & Z. ZDRÁHAL (Czech Republic)
- 479 Isolation and identification of two novel umami and umami-enhancing peptides from peanut hydrolysate by consecutive chromatography and MALDI-TOF/TOF MS  
G. SU, C. CUI, L. ZHENG, B. YANG, J. REN & M. ZHAO (China)
- 494 Multi-element analysis of mineral and trace elements in medicinal herbs and their infusions  
K. PYTLAKOWSKA, A. KITA, P. JANOSKA, M. POŁOWNIAK & V. KOZIK (Poland)
- 508 Classification of geographical origins and prediction of <sup>13</sup>C and <sup>15</sup>N values of lamb meat by near infrared reflectance spectroscopy  
S. SUN, B. GUO, Y. WEI & M. FAN (PR China)
- 528 Simultaneous quantification of major flavonoids in “Bawanghua”, the edible flower of *Hylocereus undatus* using pressurised liquid extraction and high performance liquid chromatography  
Y. YI, Q.-W. ZHANG, S.-L. LI, Y. WANG, W.-C. YE, J. ZHAO & Y.-T. WANG (China)
- 590 Rapid measurement of total acid content (TAC) in vinegar using near infrared spectroscopy based on efficient variables selection algorithm and nonlinear regression tools  
Q. CHEN, J. DING, J. CAI & J. ZHAO (PR China)
- 603 Quantitative determination of fatty acid compositions in micro-encapsulated fish-oil supplements using Fourier transform infrared (FTIR) spectroscopy  
J. VONGSVIVUT, P. HERAUD (Australia), W. ZHANG, J.A. KRALOVEC (Canada), D. MCNAUGHTON & C.J. BARROW (Australia)
- 610 Analysis of free and esterified sterols in edible oils by online reversed phase liquid chromatography–gas chromatography (RPLC–GC) using the through oven transfer adsorption desorption (TOTAD) interface  
R.M. TOLEDANO, J.M. CORTÉS, Á. RUBIO-MORAGA, J. VILLÉN & A. VÁZQUEZ (Spain)
- 623 Use of a continuous leaching method to assess the oral bioaccessibility of trace elements in seafood  
A. LEUFROY, L. NOËL (France), D. BEAUCHEMIN (Canada) & T. GUÉRIN (France)
- 665 Identification of isomers and determination of octenylsuccinate in modified starch by HPLC and mass spectrometry  
D. QIU (PR China), Y. BAI & Y.-C. SHI (USA)
- 684 Traceability of Italian garlic (*Allium sativum* L.) by means of HRMAS-NMR spectroscopy and multivariate data analysis  
M. RITOTA, L. CASCANI (Italy), B.-Z. HAN (China), S. COZZOLINO, L. LEITA, P. SEQUI & M. VALENTINI (Italy)
- 722 Improving the determination of moisture in edible oils by FTIR spectroscopy using acetonitrile extraction  
X. MENG, J. SEDMAN & F.R. VAN DE VOORT (Canada)

## CONTENTS—Continued

- 748 Fast determination of bioactive compounds from *Lycopersicon esculentum* Mill. leaves  
M. TAVEIRA (Portugal), F. FERRERES, A. GIL-IZQUIERDO (Spain), L. OLIVEIRA, P. VALENTÃO & P.B. ANDRADE (Portugal)
- 780 Determination of fungicide residues in baby food by liquid chromatography–ion trap tandem mass spectrometry  
B. GILBERT-LÓPEZ, J.F. GARCÍA-REYES & A. MOLINA-DÍAZ (Spain)
- 827 Direct potentiometric determination of diastase activity in honey  
M. SAK-BOSNAR & N. SAKAČ (Croatia)
- 845 Analyses of enrofloxacin, furazolidone and malachite green in fish products with surface-enhanced Raman spectroscopy  
Y. ZHANG, Y. HUANG, F. ZHAI, R. DU, Y. LIU & K. LAI (China)

### **Short Communication**

- 402 Rapid and selective quantification of L-theanine in ready-to-drink teas from Chinese market using SPE and UPLC-UV  
G. CHEN, Y. WANG, W. SONG, B. ZHAO & Y. DOU (People's Republic of China)

### **I Calendar**