

**Research Papers**

- Distribution and community composition of carabid beetles (Coleoptera: Carabidae) in Ranomafana National Park, Madagascar  
*J. Rainio* 69
- Identification of root-knot nematode species occurring on tomatoes in Kenya: use of isozyme phenotypes and PCR-RFLP  
*R. Birithia, W. Waceke, P. Lomo and D. Masiga* 78
- Insecticide susceptibility and activity of major detoxifying enzymes in female *Helopeltis theivora* (Heteroptera: Miridae) from sub-Himalayan tea plantations of North Bengal, India  
*D. Saha, S. Roy and A. Mukhopadhyay* 85
- Efficacy of powdered maize cobs against the maize weevil *Sitophilus zeamais* (Coleoptera: Curculionidae) in stored maize in Senegal  
*M. T. Gueye, P. S. Cissokho, G. Goergen, S. Ndiaye, D. Seck, G. Gueye, J.-P. Wathelet and G. Lognay* 94
- A new genus and new species of the tribe Dinocampini from Napo Province in Ecuador (Hymenoptera: Braconidae: Euphorinae)  
*S.R. Sharv* 101
- Geographic information system-based study to ascertain the spatial and temporal spread of red palm weevil *Rhynchophorus ferrugineus* (Coleoptera: Curculionidae) in date plantations  
*M.A. Massoud, A.A. Sallam, J.R. Faleiro and S. Al-Abdan* 108
- Tree size but not forest basal area influences ant colony response to disturbance in a neotropical ant-plant association  
*T.S. Davis, N.E. Foote and K.C. Grady* 116