

CONTENTS

Editorial

- S. Knasmueller, M. Mišik, B. Delaney, J. L. Domingo, S. M. Barlow and A. Wallace Hayes* 2589–2590 The need for proper chemical characterization of test substances in papers submitted to Food and Chemical Toxicology

Research Papers

- L. Zhang, W. Ding, H. Sun, Q. Zhou, J. Huang, X. Li, Y. Xie and J. Chen* 2591–2597 Salidroside protects PC12 cells from MPP⁺-induced apoptosis via activation of the PI3K/Akt pathway
- P. C. Orsolin, R. G. Silva-Oliveira and J. C. Nepomuceno* 2598–2604 Assessment of the mutagenic, recombinagenic and carcinogenic potential of orlistat in somatic cells of *Drosophila melanogaster*
- R. G. P. T. Jayasooriya, S.-H. Kang, C.-H. Kang, Y. H. Choi, D.-O. Moon, J.-W. Hyun, W.-Y. Chang and G.-Y. Kim* 2605–2611 Apigenin decreases cell viability and telomerase activity in human leukemia cell lines
- D. Canistro, J. Barillari, S. Melega, A. Sapone, R. Iori, E. Speroni and M. Paolini* 2612–2621 Black cabbage seed extract affects rat Cyp-mediated biotransformation: Organ and sex related differences
- O. F. Harraz, H. M. El-Gowell, M. M. Mohy El-Din, A.-R. M. Ghazal and M. M. El-Mas* 2622–2628 Adenosinergic modulation of the imidazoline I₁-receptor-dependent hypotensive effect of ethanol in acute renal failure
- Y.-M. Ham, W.-J. Yoon, S.-Y. Park, Y.-H. Jung, D. Kim, Y.-J. Jeon, W. A. J. P. Wijesinghe, S.-M. Kang and K.-N. Kim* 2629–2634 Investigation of the component of *Lycopodium serratum* extract that inhibits proliferation and mediates apoptosis of human HL-60 leukemia cells
- K. Yamasaki, S. Ishii, T. Kikuno and Y. Minobe* 2635–2642 Endocrine-mediated effects of two benzene related compounds, 1-chloro-4-(chloromethyl)benzene and 1,3-diethyl benzene, based on subacute oral toxicity studies using rats
- M. Lušnic, T. Polak, L. Gašperlin, A. Absec, S. Kirinčič, B. Kozolc and B. Žlender* 2643–2647 Degradation of PCBs in a frankfurter-type meat emulsion: Effects of a meat starter, its proteins extract and thermal treatments
- H. Zhao, Y. Li, Y. Wang, J. Zhang, X. Ouyang, R. Peng and J. Yang* 2648–2655 Antitumor and immunostimulatory activity of a polysaccharide–protein complex from *Scolopendra subspinipes mutilans* L. Koch in tumor-bearing mice
- P. L. Falé, F. Amaral, P. J. Amorim Madeira, M. Sousa Silva, M. H. Florêncio, F. N. Frazão and M. L. M. Serralheiro* 2656–2662 Acetylcholinesterase inhibition, antioxidant activity and toxicity of *Peumus boldus* water extracts on HeLa and Caco-2 cell lines
- T. Oguri, J. Yoshinaga, H. Tao and T. Nakazato* 2663–2667 Daily intake of inorganic arsenic and some organic arsenic species of Japanese subjects

(Contents continued on inside back cover)

(Contents continued from outside back cover)

- F. N. Victoria, E. J. Lenardão, L. Savegnago, G. Perin, R. G. Jacob, D. Alves, W. P. da Silva, A. de Souza da Motta and P. da Silva Nascente 2668–2674 Essential oil of the leaves of *Eugenia uniflora* L.: Antioxidant and antimicrobial properties
- Z. Yang, Y. Li, C. Li and Z. Wang 2675–2680 Synthesis of hypoallergenic derivatives of the major allergen Fag t 1 from tartary buckwheat via sequence restructuring
- D. Gan, L. Ma, C. Jiang, M. Wang and X. Zeng 2681–2688 Medium optimization and potential hepatoprotective effect of mycelial polysaccharides from *Pholiota dinghuensis* Bi against carbon tetrachloride-induced acute liver injury in mice
- G. Kaur and S. Sultana 2689–2695 Evaluation of antiarthritic activity of isoeugenol in adjuvant induced arthritis in murine model
- M. Calatayud, V. Devesa, J. R. Virseda, R. Barberá, R. Montoro and D. Vélez 2696–2702 Mercury and selenium in fish and shellfish: Occurrence, bioaccessibility and uptake by Caco-2 cells
- M. Enis Yonar, S. M. Yonar, M. Ş. Ural, S. Silici and M. Düşükcan 2703–2708 Protective role of propolis in chlorpyrifos-induced changes in the haematological parameters and the oxidative/antioxidative status of *Cyprinus carpio carpio*
- Z. A. AlOthman, Y. E. Unsal, M. Habila, A. Shabaka, M. Tuzen and M. Soy lak 2709–2713 Membrane filtration of Sudan orange G on a cellulose acetate membrane filter for separation–preconcentration and spectrophotometric determination in water, chili powder, chili sauce and tomato sauce samples
- A. Anadón, F. Gamboa, M. A. Martínez, V. Castellano, M. Martínez, I. Ares, E. Ramos, F. H. Suarez and M. R. Martínez-Larrañaga 2714–2721 Plasma disposition and tissue depletion of chlortetracycline in the food producing animals, chickens for fattening
- H. Mojska, I. Gielecińska and K. Stoś 2722–2728 Determination of acrylamide level in commercial baby foods and an assessment of infant dietary exposure
- P.-F. Wu, L.-H. Long, J.-H. Zeng, X.-L. Guan, J. Zhou, Y. Jin, L. Ni, F. Wang, J.-G. Chen and N. Xie 2729–2735 Protection of L-methionine against H₂O₂-induced oxidative damage in mitochondria
- H.-M. Park, S.-J. Kim, J.-S. Kim and H.-S. Kang 2736–2741 Reactive oxygen species mediated ginsenoside Rg3- and Rh2-induced apoptosis in hepatoma cells through mitochondrial signaling pathways
- K. Henríquez-Aedo, M. Vega, S. Prieto-Rodríguez and M. Aranda 2742–2750 Evaluation of biogenic amines content in Chilean reserve varietal wines
- H. K. Kang, Y.-H. Choi, H. Kwon, S.-B. Lee, D.-H. Kim, C. K. Sung, Y. I. Park and M.-S. Dong 2751–2759 Estrogenic/antiestrogenic activities of a *Epimedium koreanum* extract and its major components: *in vitro* and *in vivo* studies
- B. E. Alcántar-Díaz, B. C. Gómez-Meda, G. M. Zúñiga-González, A. L. Zamora-Perez, J. González-Cuevas, B. A. Álvarez-Rodríguez, M. G. Sánchez-Parada, J. J. García-Bañuelos and J. Armendáriz-Borunda 2760–2765 Genotoxic evaluation of pifenidone using erythrocyte rodent micronucleus assay
- J. Zhou, P. Li, N. Cheng, H. Gao, B. Wang, Y. Wei and W. Cao 2766–2773 Protective effects of buckwheat honey on DNA damage induced by hydroxyl radicals
- L. Sosvorová, P. Mikšátková, M. Bičíková, N. Kaňová and O. Lapčík 2774–2779 The presence of monoiodinated derivatives of daidzein and genistein in human urine and its effect on thyroid gland function
- N. Imai, M. Kawabe, S. Tamano, Y. Doi, H. Nakashima, M. Suguro, T. Numano, T. Hara, A. Hagiwara, F. Furukawa, Y. Kaneda, N. Tateishi, W. Fujii, H. Kawashima, H. Shibata and Y. Sakakibara 2780–2791 Arachidonate-enriched triglyceride oil does not promote tumor development in a rat medium-term multi-organ carcinogenesis model

(Contents continued on last page of this issue)

(Contents continued from inside back cover)

- K.-W. Choi, S. H. Um, J.-H. Kwak, H.-J. Park, K.-H. Kim, E.-Y. Moon, S.-T. Kwon and S. Pyo 2792–2804 Suppression of adhesion molecule expression by phenanthrene-containing extract of bulbils of Chinese Yam in vascular smooth muscle cells through inhibition of MAPK, Akt and NF- κ B
- E. Kerasiotti, A. Kiskini, A. Veskoukis, A. Jamurtas, C. Tsitsimpikou, A. M. Tsatsakis, Y. Koutedakis, D. Stagos, D. Kouretas and V. Karathanos 2805–2810 Effect of a special carbohydrate–protein cake on oxidative stress markers after exhaustive cycling in humans
- M. Pal and M. Ghosh 2811–2818 Prophylactic effect of α -linolenic acid and α -eleostearic acid against MeHg induced oxidative stress, DNA damage and structural changes in RBC membrane
- B. El Marnissi, R. Belkhou, D. P. Morgavi, L. Bennani and H. Boudra 2819–2821 Occurrence of aflatoxin M1 in raw milk collected from traditional dairies in Morocco
- M. La Marca, P. Beffy, C. Della Croce, P. G. Gervasi, R. Iori, E. Puccinelli and V. Longo 2822–2830 Structural influence of isothiocyanates on expression of cytochrome P450, phase II enzymes, and activation of Nrf2 in primary rat hepatocytes
- P. Zou, L. Xing, Q. Tang, R. Liu and W. Hao 2831–2836 Comparative evaluation of the teratogenicity of genistein and genistin using rat whole embryo culture and limb bud micromass culture methods
- D.-P. Zhang, X.-Y. Zhang, Y.-X. Yu, J.-L. Li, Z.-Q. Yu, M.-H. Wu and J.-M. Fu 2837–2844 Tissue-specific distribution of fatty acids, polychlorinated biphenyls and polybrominated diphenyl ethers in fish from Taihu Lake, China, and the benefit-risk assessment of their co-ingestion
- B. A. R. Lina, A. A. Reus, O. Hasselwander, Q. Bui and P. P. Tenning 2845–2853 Safety evaluation of EvesseTM EPC, an apple polyphenol extract rich in flavan-3-ols
- Y. Ma, M. Wu, D. Li, X.-q. Li, P. Li, J. Zhao, M.-n. Luo, C.-l. Guo, X.-b. Gao, C.-l. Lu and X. Ma 2854–2863 Embryonic developmental toxicity of selenite in zebrafish (*Danio rerio*) and prevention with folic acid
- G. Sasipriya and P. Siddhuraju 2864–2872 Effect of different processing methods on antioxidant activity of underutilized legumes, *Entada scandens* seed kernel and *Canavalia gladiata* seeds
- G. Oboh, A. J. Akinyemi, A. O. Ademiluyi and A. R. Akinrinmade 2873–2877 Effect of dietary inclusion of salt substitutes “Obu-Otoyo” on some biochemical indices in rat
- C. He, X. Fan, R. Chen, B. Liang, L. Cao, Y. Guo and J. Zhao 2878–2885 Osteopontin is involved in estrogen-mediated protection against diethylnitrosamine-induced liver injury in mice
- B. Quéguineur, L. Goya, S. Ramos, M. A. Martín, R. Mateos and L. Bravo 2886–2893 Phloroglucinol: Antioxidant properties and effects on cellular oxidative markers in human HepG2 cell line
- N. Rodrigues, R. Malheiro, S. Casal, M. C. Asensio-S.-Manzanera, A. Bento and J. A. Pereira 2894–2901 Influence of spike lavender (*Lavandula latifolia* Med.) essential oil in the quality, stability and composition of soybean oil during microwave heating
- N. A. de Moura, B. F. R. Caetano, K. Sivieri, L. H. Urbano, C. Cabello, M. A. M. Rodrigues and L. F. Barbisan 2902–2910 Protective effects of yacon (*Smallanthus sonchifolius*) intake on experimental colon carcinogenesis
- Y. Zhu, X. Li, C. Chen, F. Wang, J. Li, C. Hu, Y. Li and L. Miao 2911–2915 Effects of aluminum trichloride on the trace elements and cytokines in the spleen of rats
- K. M. Chan, R. Hamzah, A. A. Rahaman, V. Y. M. Jong, H. Y. Khong, N. F. Rajab, G. C. L. Ee and S. H. Inayat-Hussain 2916–2922 The pyranoxanthone inophyllin A induces oxidative stress mediated-apoptosis in Jurkat T lymphoblastic leukemia cells
- J. H. Choi, B. H. Park, H. G. Kim, Y. P. Hwang, E. H. Han, S. W. Jin, J. K. Seo, Y. C. Chung and H. G. Jeong 2923–2929 Inhibitory effect of *Psidium guajava* water extract in the development of 2,4-dinitrochlorobenzene-induced atopic dermatitis in NC/Nga mice
- Y.-F. Liao, Y. K. Rao and Y.-M. Tzeng 2930–2936 Aqueous extract of *Anisomeles indica* and its purified compound exerts anti-metastatic activity through inhibition of NF- κ B/AP-1-dependent MMP-9 activation in human breast cancer MCF-7 cells
- J. Mrđanović, S. Jungić, S. Šolajić, V. Bogdanović and V. Jurišić 2937–2944 Effects of orally administered antioxidants on micronuclei and sister chromatid exchange frequency in workers professionally exposed to antineoplastic agents
- T. Fierens, M. Van Holderbeke, H. Willems, S. De Henauw and I. Sioen 2945–2953 Phthalates in Belgian cow’s milk and the role of feed and other contamination pathways at farm level