

- 1 An investigation on the bacterial flora of *Agriotes lineatus* (Coleoptera: Elateridae) and pathogenicity of the flora members
M. Danismazoglu, İ. Demir, A. Sevim, Z. Demirbag and R. Nalcacioglu
- 8 Microorganisms, application timing and fractions as players of the milk-mediated powdery mildew management
F.H.V. Medeiros, W. Bettiol, R.M. Souza, E. Alves, Z.V. Pinto and R. Iost
- 16 Cross resistance, genetic analysis and stability of resistance to buprofezin in cotton whitefly, *Bemisia tabaci* (Homoptera: Aleyrodidae)
M. Basit, M.A. Saleem, S. Saeed and A.H. Sayyed
- 22 Quantitative *in planta* PCR assay for specific detection of *Xanthomonas oryzae* pv. *oryzicola* using putative membrane protein based primer set
M.J. Kang, M.H. Kim, D.J. Hwang, M.S. Cho, Y. Seol, J.H. Hahn, S. Ryu and D.S. Park
- 28 Quantitative economic impact assessment of an invasive plant disease under uncertainty – A case study for potato spindle tuber viroid (PSTVd) invasion into the European Union
T. Soliman, M.C.M. Mourits, A.G.J.M. Oude Lansink and W. van der Werf
- 36 Direct control of perennial weeds between crops – Implications for organic farming
B. Melander, N. Holst, I.A. Rasmussen and P.K. Hansen
- 43 Screening of plant growth promoting rhizobacteria as potential microbial inoculants
É. Laslo, É. György, G. Mara, É. Tamás, B. Ábrahám and S. Lányi
- 49 Prevalence of isolates of *Botrytis cinerea* resistant to multiple fungicides in Chilean vineyards
B.A. Latorre and R. Torres
- 53 *In vitro* and *in vivo* antifungal activity of several Moroccan plants against *Penicillium italicum*, the causal agent of citrus blue mold
L. Askarne, I. Talibi, H. Boubaker, E.H. Boudyach, F. Msanda, B. Saadi, M.A. Serghini and A. Ait Ben Aoumar
- 59 Control of light leaf spot (*Pyrenopeziza brassicae*) on winter oilseed rape (*Brassica napus*) with resistance elicitors
S.J.P. Oxley and D.R. Walters

- 63 Sensitivity of *Cercospora sojina* isolates to quinone outside inhibitor fungicides
G. Zhang, D.K. Pedersen, D.V. Phillips and C.A. Bradley
- 69 Interactive effects of *Meloidogyne incognita* race 2, *Bradyrhizobium japonicum* and crude extracts of *Cucumis myriocarpus* fruit on *Vigna unguiculata*
P.W. Mashela and K.M. Pofu
- 73 Long-term effect of tillage systems on soil microbiological, chemical and physical parameters and the incidence of charcoal rot by *Macrophomina phaseolina* (Tassi) Goid in soybean
C. Perez-Brandán, J.L. Arzeno, J. Huidobro, B. Grümberg, C. Conforto, S. Hilton, G.D. Bending, J.M. Meriles and S. Vargas-Gil
- 83 Evaluation of systemic acquired resistance inducers for control of downy mildew on basil
Z. Mersha, S. Zhang and R.N. Raid
- 91 Selectivity of fomesafen based systems for preemergence weed control in cucurbit crops
E. Peachey, D. Doohan and T. Koch
- 98 Classification of crops and weeds from digital images: A support vector machine approach
F. Ahmed, H.A. Al-Mamun, A.S.M.H. Bari, E. Hossain and P. Kwan
- 105 Codling moth, *Cydia pomonella* L., colonisation of a newly-planted organic pome fruit orchard in Central Otago, New Zealand, and methods of pest management over the first ten years
C.H. Wearing, B.A. Attfield, K. Colhoun and R.R. Marshall
- 114 Simulation modelling identifies polygenic basis of herbicide resistance in a weed population and predicts rapid evolution of herbicide resistance at low herbicide rates
S. Manalil, M. Renton, A. Diggle, R. Busi and S.B. Powles
- 121 Evaluation of a pneumatic drop-on-demand generator for application of agrochemical solutions
S. Basi, M. Hunsche, L. Damerow, P.S. Lammers and G. Noga
- 126 Synergistic interaction of tea saponin with mancozeb against *Pestalotiopsis theae*
X. Yang and H. Zhang
- 132 Effect of trap color and height on captures of blunt-nosed and sharp-nosed leafhoppers (Hemiptera: Cicadellidae) and non-target arthropods in cranberry bogs
C.R. Rodriguez-Saona, J.A. Byers and D. Schiffhauer
- 145 IAPPS Newsletter
- 148 Calendar