

# Contents

Volume 130 issue 4, 15 February 2012

## Reviews

- 767 Current knowledge in species-related bioavailability of selenium in food  
C. THIRY, A. RUTTENS, L. DE TEMMERMAN, Y.-J. SCHNEIDER & L. PUSSEMIER (Belgium)
- 785 *Rubus* fruit phenolic research: The good, the bad, and the confusing  
J. LEE, M. DOSSETT & C.E. FINN (USA)
- 797 Bioactive compounds in wine: Resveratrol, hydroxytyrosol and melatonin: A review  
M.I. FERNÁNDEZ-MAR, R. MATEOS, M.C. GARCÍA-PARRILLA, B. PUERTAS & E. CANTOS-VILLAR (Spain)

## General Papers

- 814 Food aroma mass transport properties in renewable hydrophilic polymers  
M. PAU BALAGUER, R. GAVARA & P. HERNÁNDEZ-MUÑOZ (Spain)
- 821 Inhibitory effect of polysaccharides from pumpkin on advanced glycation end-products formation and aldose reductase activity  
X. WANG, L.-S. ZHANG & L.-L. DONG (PR China)
- 826 Antibacterial activity of Thai edible plants against gastrointestinal pathogenic bacteria and isolation of a new broad spectrum antibacterial polyisoprenylated benzophenone, chamuangone  
A. SAKUNPAK & P. PANICHAYUPAKARANANT (Thailand)
- 832 Parallel enzymatic and non-enzymatic formation of zinc protoporphyrin IX in pork  
E.M. BECKER, S. WESTERMANN, M. HANSSON & L.H. SKIBSTED (Denmark)
- 841 The stability of pyridoxine hydrochloride used as a fortificant in Asian wheat flour noodles  
L.T.T. BUI & D.M. SMALL (Australia)
- 847 Antioxidative activities of caffeoyl-proline dipeptides  
S.-Y. KWAK, S. LEE, J.-K. YANG & Y.-S. LEE (Republic of Korea)
- 853 Supercritical carbon dioxide extraction of polyunsaturated fatty acids from Northern shrimp (*Pandalus borealis* Kreyer) processing by-products  
V. TREYVAUD AMIGUET, K.L. KRAMP, J. MAO, C. MCRAE, A. GOULAH, L.E. KIMPE, J.M. BLAIS & J.T. ARNASON (Canada)
- 859 Use of a new milk-clotting protease from *Thermomucor indicae-seudaticae* N31 as coagulant and changes during ripening of Prato cheese  
C. MERHEB-DINI, G.A.C. GARCIA, A.L.B. PENNA, E. GOMES & R. DA SILVA (Brazil)
- 866 Effect of high intensity ultrasound on carbohydrate metabolism of bifidobacteria in milk fermentation  
T.M.P. NGUYEN, Y.K. LEE & W. ZHOU (Singapore)
- 875 Aromatic potential of *Castanea sativa* Mill. compared to *Quercus* species to be used in cooperage  
M.E. ALAÑÓN, L. CASTRO-VÁZQUEZ, M.C. DÍAZ-MAROTO & M.S. PÉREZ-COELLO (Spain)
- 882 Neuroprotective potential of some terebinth coffee brands and the unprocessed fruits of *Pistacia terebinthus* L. and their fatty and essential oil analyses  
I.E. ORHAN (Turkey, North Cyprus), F. SEZER SENOL, A. RIFAT GULPINAR, N. SEKEROGLU, M. KARTAL, B. SENER (Turkey)
- 889 Volatile profile of dehydrated cherry tomato: Influences of osmotic pre-treatment and microwave power  
A. HEREDIA, I. PEINADO, E. ROSA, A. ANDRÉS & I. ESCRICHE (Spain)
- 896 Dynamics of  $\gamma$ -aminobutyric acid in wheat flour bread making  
L. LAMBERTS, I.J. JOYE, T. BELIN & J.A. DELCOUR (Belgium)

- 902 Antioxidant potency of highly purified polyepicatechin fractions  
K. RACICOT, N. FAVREAU, S. FOSSEY, A.R. GRELLA, T. NDOU & F.F. BRUNO (United States)
- 908 Effects of phosphorus supply on the quality of green tea  
Z.-H. LIN, Y.-P. QI, R.-B. CHEN, F.-Z. ZHANG & L.-S. CHEN (PR China)
- 915 Inhibitory effect of ERK1/2 and AP-1 by hyperoside isolated from *Acanthopanax sessiliflorus*  
S.K. JUNG, T.G. LIM, J.E. KIM, S. BYUN, G.-W. KIM, J.N. CHOI, C.H. LEE, B.Y. KIM, K.W. LEE & H.J. LEE (Republic of Korea)
- 921 Development of volatile fraction of fresh cut osmotically treated mango during cold storage  
J.D. TORRES, A. CHIRALT & I. ESCRICHE (Spain)
- 928 Microwave-assisted extraction of phenolics with maximal antioxidant activities in tomatoes  
H. LI (China, Canada), Z. DENG, T. WU (China), R. LIU, S. LOEWEN & R. TSAO (Canada)
- 937 Arabinan and arabinan-rich pectic polysaccharides from quinoa (*Chenopodium quinoa*) seeds: Structure and gastroprotective activity  
L.M.C. CORDEIRO, V. DE FÁTIMA REINHARDT, C.H. BAGGIO, M.F. DE PAULA WERNER, L.M. BURCI, G.L. SASSAKI & M. IACOMINI (Brazil)
- 945 Novel caffeic acid amide antioxidants: Synthesis, radical scavenging activity and performance under storage and frying conditions  
F. ALADEDUNYE, Y. CATEL & R. PRZYBYLSKI (Canada)
- 953 Stability of added iodine in different Indian cooking processes  
T. LONGVAH, G.S. TOTEJA, G. BULLIYYA, R.S. RAGHUVANSHI, S. JAIN, V. RAO & A. UPADHYA (India)
- 960 Complexation of curcumin with soy protein isolate and its implications on solubility and stability of curcumin  
A. TAPAL & P.K. TIKU (India)
- 966 Anthocyanin changes in the Korean purple-fleshed sweet potato, Shinzami, as affected by steaming and baking  
H.W. KIM, J.B. KIM, S.M. CHO, M.N. CHUNG, Y.M. LEE, S.M. CHU, J.H. CHE, S.N. KIM, S.Y. KIM, Y.S. CHO, J.H. KIM, H.J. PARK & D.J. LEE (Republic of Korea)
- Short Communications**
- 973 Total arsenic in marine organisms from Cienfuegos bay (Cuba)  
C.M. ALONSO-HERNÁNDEZ, M. GÓMEZ-BATISTA, M. DÍAZ-ASENCIO, J. ESTÉVEZ-ALVARES & R. PADILLA-ALVARES (Cuba)
- 977 Cross-linking of corn starch with phosphorus oxychloride under ultra high pressure  
H.-S. KIM, D.-K. HWANG, B.-Y. KIM & M.-Y. BAIK (Republic of Korea)
- 981 Determination of polyphenol levels variation in *Capsicum annuum* L. cv. Chelsea (yellow bell pepper) infected by anthracnose (*Colletotrichum gloeosporioides*) using liquid chromatography–tandem mass spectrometry  
S. PARK, W.Y. JEONG, J.H. LEE, Y.-H. KIM, S.W. JEONG, G.-S. KIM, D.W. BAE, C.-S. LIM, J.S. JIN, S.J. LEE & S.C. SHIN (Republic of Korea)
- ANALYTICAL METHODS**
- 986 Extraction conditions can greatly influence antioxidant capacity assays in plant food matrices  
J.A. MICHIELS, C. KEVERS, J. PINCEMAIL, J.O. DEFRAIGNE & J. DOMMES (Belgium)
- 994 Classification and fingerprinting of kiwi and pomelo fruits by multivariate analysis of chromatographic and spectroscopic data  
C. SÂRBU, R.D. NAȘCU-BRICIU (Romania), A. KOT-WASIK (Poland), S. GORINSTEIN (Israel), A. WASIK & J. NAMIEŚNIK (Poland)
- 1003 Chromatographic fingerprints and quantitative analysis of isoflavones in Tofu-type soybeans  
D. SHEN, Q. WU, W.J. SCIARAPPA & J.E. SIMON (USA)
- 1010 Preparative isolation of triterpenoids from *Ganoderma lucidum* by counter-current chromatography combined with pH-zone-refining  
C.-R. CHENG, Y.-F. LI, P.-P. XU, R.-H. FENG, M. YANG, S.-H. GUAN & D.-A. GUO (People's Republic of China)
- 1017 Dabsyl derivatisation as an alternative for dansylation in the detection of biogenic amines in fermented meat products by reversed phase high performance liquid chromatography  
E. DE MEY (Belgium), G. DRABIK-MARKIEWICZ (Belgium, Poland), H. DE MAERE, M.-C. PEETERS, G. DERDELINCKX, H. PAELINCK (Belgium) & T. KOWALSKA (Poland)
- 1024 Diterpene glycosides from Korean fermented red pepper paste (*gochujang*) and their origin  
H.-C. SHIN, J.-Y. CHO, K.H. LEE, Y.-K. MA, J.H. JEONG, H.J. LEE, K.-H. PARK & J.-H. MOON (Republic of Korea)

- 1031 Simultaneous quantification of selected compounds from *Salvia* herbs by HPLC method and their application  
H.-T. CHENG, X.-L. LI, X.-R. LI, Y.-H. LI, L.-J. WANG & M. XUE (China)
- 1036 Estimation of antiradical properties of antioxidants using DPPH assay: A critical review and results  
K. MISHRA, H. OJHA & N.K. CHAUDHURY (India)
- 1044 Pressurised liquid extraction combining LC–DAD–ESI/MS analysis as an alternative method to extract three major flavones in *Citrus reticulata* ‘Chachi’ (Guangchenpi)  
W. LI, Z. WANG, Y.-P. WANG, C. JIANG, Q. LIU, Y.-S. SUN & Y.-N. ZHENG (China)
- 1050 The development of duplex real-time PCR based on SYBR Green fluorescence for rapid identification of ruminant and poultry origins in foodstuff  
E. SÖKALAR & M. F. ABASIYANIK (Turkey)
- 1055 Determination of mycotoxins in cereals by liquid chromatography tandem mass spectrometry  
F. SOLEIMANY, S. JINAP & F. ABAS (Malaysia)
- 1061 Detection of ractopamine residues in pork by surface plasmon resonance-based biosensor inhibition immunoassay  
X. LU, H. ZHENG, X.-Q. LI, X.-X. YUAN, H. LI, L.-G. DENG, H. ZHANG, W.-Z. WANG, G.-S. YANG, M. MENG, R.-M. XI (PR China) & H.Y. ABOUL-ENEIN (Egypt)
- 1066 Optimisation of a chromatographic procedure for determining biogenic amine concentrations in meat and meat products employing a cation-exchange column with a post-column system  
M. TRIKI, F. JIMÉNEZ-COLMENERO, A.M. HERRERO & C. RUIZ-CAPILLAS (Spain)
- 1074 Aroma characterisation of Pu-erh tea using headspace-solid phase microextraction combined with GC/MS and GC-olfactometry  
H.-P. LV, Q.-S. ZHONG, Z. LIN, L. WANG, J.-F. TAN & L. GUO (PR China)
- 1082 Rapid determination of free anthocyanins in foodstuffs using high performance liquid chromatography  
N.O. CAN, G. ARLI & Z. ATKOSAR (Turkey)
- 1090 Optimisation of a solid-phase microextraction/HPLC/Diode Array method for multiple pesticide screening in lettuce  
A. MELO, A. AGUIAR, C. MANSILHA, O. PINHO & I.M.P.L.V.O. FERREIRA (Portugal)
- 1098 Antioxidant capacity of a new crispy type food products determined by updated analytical strategies  
H. ZIELIŃSKI, D. ZIELIŃSKA & H. KOSTYRA (Poland)
- 1105 Conductive polymer gas sensor for quantitative detection of methanol in Brazilian sugar-cane spirit  
L.O. PÉRES, R.W.C. LI, E.Y. YAMAUCHI, R. LIPPI & J. GRUBER (Brazil)
- 1108 Selective determination of chloramphenicol at trace level in milk samples by the electrode modified with molecularly imprinted polymer  
T. ALIZADEH, M.R. GANJALI, M. ZARE & P. NOROUZI (Iran)
- 1115  $^{13}\text{C}/^{12}\text{C}$  pattern of honey from Turkey and determination of adulteration in commercially available honey samples using EA-IRMS  
A. SIMSEK, M. BILSEL & A.C. GOREN (Turkey)
- 1122 Determination of bioactive constituents in Flos Sophorae Immaturus and Cortex Fraxini by capillary electrophoresis in combination with far infrared-assisted solvent extraction  
Z. GAN, Q. CHEN, Y. FU & G. CHEN (China)
- 1127 Determination of aldehydes as pentafluorobenzyl derivatives in grape pomace distillates by HS-SPME-GC/MS  
C. LÓPEZ-VÁZQUEZ, I. ORRIOLS (Spain), M.-C. PERELLÓ & G. DE REVEL (France)
- Short Communications**
- 1134 Development of a method to quantify sucrose in soybean grains  
A.I. TEIXEIRA, L.F. RIBEIRO, S.T. REZENDE, E.G. BARROS & M.A. MOREIRA (Brazil)
- 1137 Development of a simple capillary electrophoretic determination of glucosamine in nutritional supplements using in-capillary derivatisation with *o*-phthalaldehyde  
S. AKAMATSU & T. MITSUHASHI (Japan)
- 1142 Potentiometric titration for determination of amylose content of starch – A comparison with colorimetric method  
D.X. DUAN, E. DONNER, Q. LIU, D.C. SMITH & F. RAVENELLE (Canada)

## I Calendar