

BEHAVIOUR, WELFARE & ENVIRONMENT

Impact of stocking density on broiler growth performance, meat characteristics, behavioural components and indicators of physiological and oxidative stress. *P.E. Simitzis, E. Kalogeraki, M. Goliomytis, M.A. Charismiadou, K. Triantaphyllopoulos, A. Ayoutanti, K. Niforou, A.L. Hager-Theodorides and S.G. Deligeorgis.* 721

Total loss and distribution of nitrogen and phosphorus in the outdoor run of organic laying hens. *S.E.M. Dekker, A.J.A. Aarnink, I.J.M. De Boer and P.W.G. Groot Koerkamp.* 731

GENETICS

Molecular cloning, expression and regulation analysis of the interleukin-6 (IL-6) gene in goose adipocytes. *F. Wang, Y. Tian, G. Li, X. Chen, H. Yuan, D. Wang, J. Li, J. Shen, Z. Tao, Y. Fu and L. Lu.* 741

Genetic characterisation of extended-spectrum β -lactamases in *Escherichia coli* isolated from retail chicken products including CTX-M-9 containing isolates: a food safety risk factor. *N. Silva, L. Costa, A. Gonçalves, M. Sousa, H. Radhouani, F. Brito, G. Igrejas and P. Poeta.* 747

Genetic evaluation of meat quality traits and their correlation with growth and carcass composition in Japanese quail. *S. Zerehdaran, E. Lotfi and Z. Rasouli.* 756

Bone mineral density QTL at sexual maturity and end of lay. *B.K. Podisi, S.A. Knott, I.C. Dunn, D.W. Burt and P.M. Hocking.* 763

Association study of polymorphisms inside the miR-1657 seed region with chicken growth and meat traits. *H. Li, G.R. Sun, S.J. Lv, Y. Wei, R.L. Han, Y.D. Tian and X.T. Kang.* 770

IMMUNOLOGY, HEALTH & DISEASE

Adverse effects associated with high-dose acetylsalicylic acid and sodium salicylate treatment in broilers. *B. Poźniak, M. Światała, K. Bobrek, S. Graczyk and S. Dzimira.* 777

Pharmacokinetics of levofloxacin in Japanese quails (*Coturnix japonica*) following intravenous and oral administration. *M. Aboubakr* 784

Inter-batch contamination and potential sources of vancomycin-resistant *Enterococcus faecium* on broiler farms. *D.S. Jansson, O. Nilsson, J. Lindblad, C. Greko and B. Bengtsson.* 790

NUTRITION & METABOLISM

Effects of ascorbic acid and α -lipoic acid on performance and meat quality of broilers subjected to heat stress. *H. Imik, H. Ozlu, R. Gumus, M. Aydemir Atasever, S. Urcar and M. Atasever.* 800

Effects of a mono-component endo-xylanase supplementation on the nutritive value of wheat-based broiler diets. *M. Francesch, A.M. Pérez-Vendrell and J. Broz.* 809

The role of selenium in cadmium toxicity: interactions with essential and toxic elements. *A. Al-Waeli, A.C. Pappas, E. Zoidis, C.A. Georgiou, K. Fegeros and G. Zervas.* 817

Chromium histidinate protects against heat stress by modulating the expression of hepatic nuclear transcription factors in quail. *C. Orhan, F. Akdemir, N. Sahin, M. Tuzcu, J.R. Komorowski, A. Hayirli and K. Sahin.* 828

Kaempferol improves carcass characteristics in broiler chickens by regulating ANGPTL3 gene expression. *H.-B. Xiao, J. Fang, X.-Y. Lu and Z.-L. Sun.* 836

BOOK REVIEW 843