

CONTENTS

Linking ecosystem resistance, resilience, and stability in steppes of North Patagonia D.R. López, M.A. Brizuela, P. Willems, M.R. Aguiar, G. Siffredi and D. Bran (Argentina)	1
The role of biodiversity in supporting ecosystem services in Natura 2000 sites O. Bastian (Dresden, Germany).....	12
Diatom and silicoflagellate assemblages in modern surface sediments associated with human activity: A case study in Sishili Bay, China B. Di (Yantai, PR China and Beijing, PR China), D. Liu, Y. Wang, Z. Dong (Yantai, PR China), X. Li (Yantai, PR China and Beijing, PR China) and Y. Shi (Yantai, PR China)	23
Mapping grassland productivity with 250-m eMODIS NDVI and SSURGO database over the Greater Platte River Basin, USA Y. Gu, B.K. Wylie and N.B. Bliss (Sioux Falls, SD, USA).....	31
Typology of Alpine region using spatial-pattern indicators C. Pecher, E. Tasser (Bozen/Bolzano, Italy), J. Walde (Innsbruck, Austria) and U. Tappeiner (Bozen/Bolzano, Italy and Innsbruck, Austria)	37
Disentangling community assemblages to depict an indicator of biological connectivity: A regional study of fragmented semi-natural grasslands A. Gil-Tena (Rennes, France and Solsona, Spain), R. Lecerf and A. Ernoult (Rennes, France).....	48
Trends in water quality and subtidal benthic communities in a temperate estuary: Is the response to restoration efforts hidden by climate variability and the Estuarine Quality Paradox? H. Veríssimo (Coimbra, Portugal), M. Lane (Norfolk, VA, USA), J. Patrício (Coimbra, Portugal), S. Gamito (Faro, Portugal) and J.C. Marques (Coimbra, Portugal)	56
Response of an ecological indicator to landscape composition and structure: Implications for functional units of temperate rainforest ecosystems C.S. Shanley, S. Pyare (Juneau, AK, USA) and W.P. Smith (Olympia, WA, USA)	68
Differences in effects of radiation on abundance of animals in Fukushima and Chernobyl A.P. Møller (Orsay, France), I. Nishiumi, H. Suzuki, K. Ueda (Tokyo, Japan) and T.A. Mousseau (Columbia, SC, USA).....	75
Introduction to Environmental Engineering M. Otte (Fargo, USA)	82
The interactions among China's economic growth and its energy consumption and emissions during 1978–2007 X.-H. Zhang, R. Zhang, L.-Q. Wu, S.-H. Deng, L.-L. Lin and X.-Y. Yu (Chengdu, PR China)	83
Reducing costs in biodiversity monitoring: Shortcuts for plant diversity in meadows as a case study J.A. González-Oreja (Derio, Spain), C. Garbisu, I. Mijangos (Derio, Spain and Spain), S. Mendarte and I. Albizu (Derio, Spain).....	96
Assessing the quality of oil-contaminated saline soil using two composite indices Y.-c. Gao (Shenyang, China; Beijing, China and Jinan, China), J.-n. Wang, J.-b. Xu, X. Kong (Jinan, China), L. Zhao (Shenyang, China and Beijing, China) and D.-H. Zeng (Shenyang, China).....	105
Deriving a new phenological indicator of interannual net carbon exchange in contrasting boreal deciduous and evergreen forests C. Wu (Beijing, China and Toronto, Canada) and J.M. Chen (Toronto, Canada)	113
Disturbance metrics predict a wetland Vegetation Index of Biotic Integrity M.A. Stapanian (Sandusky, OH, USA), J. Mack (Fairview, OH, USA), J.V. Adams (Ann Arbor, MI, USA), B. Gara (Groveport, OH, USA) and M. Micacchion (Columbus, OH, USA)	120

Unionoid mussels as an indicator of fish communities: A conceptual framework and empirical evidence J.N. Negishi (Gifu, Japan and Hokkaido, Japan), S. Nagayama, M. Kume, S. Sagawa, Y. Kayaba (Gifu, Japan) and Y. Yamanaka (Hokkaido, Japan)	127
Diatom ecological guilds as indicators of temporally changing stressors and disturbances in the small Torna-stream, Hungary C. Stenger-Kovács, E. Lengyel (Veszprém, Hungary), L.O. Crossetti (São Leopoldo, Brazil), V. Üveges and J. Padišák (Veszprém, Hungary)	138
Categorization of indicators for sustainable manufacturing C.B. Joung (Gaithersburg, MD, USA), J. Carrell (Gaithersburg, MD, USA and Lubbock, TX, USA), P. Sarkar (Gaithersburg, MD, USA and Ropar, India) and S.C. Feng (Gaithersburg, MD, USA)	148
How predictable is the response of ant assemblages to natural forest recovery? Implications for their use as bioindicators F.A. Schmidt, C.R. Ribas and J.H. Schoereder (Viçosa, Brazil)	158
The combined use of metrics of biological quality and biomarkers to detect the effects of reclaimed water on macroinvertebrate assemblages in the lower part of a polluted Mediterranean river (Llobregat River, NE Spain) N. Prat (Barcelona, Spain), M. Rieradevall (Barcelona, Spain and Spain), C. Barata (Barcelona, Spain) and A. Munné (Spain)	167
Eco-efficiency trends in China, 1978–2010: Decoupling environmental pressure from economic growth Y. Yu, D. Chen (Beijing, China), B. Zhu (Beijing, China and Laxenburg, Austria) and S. Hu (Beijing, China)	177
Assessing ecological status of regulated lakes with littoral macrophyte, macroinvertebrate and fish assemblages T. Sutela (Finland and Helsinki, Finland), J. Aroviita (Finland) and A. Keto (Helsinki, Finland)	185
Evaluation of biotope's importance for biotic resource protection by the Bonner Approach M. Gastauer (Viçosa, Brazil), L. Trein (Bonn, Germany), J.A.A. Meira-Neto (Viçosa, Brazil) and W. Schumacher (Bonn, Germany)	193
Using a newly developed chironomid transfer function for reconstructing mean annual air temperature at Lake Potrok Aike, Patagonia, Argentina J. Massafarro (Bariloche, Argentina) and I. Larocque-Tobler (Bariloche, Switzerland)	201
Pan-European distribution modelling of stream riparian zones based on multi-source Earth Observation data N. Clerici, C.J. Weissteiner, M.L. Paracchini (Ispra, Italy), L. Boschetti, A. Baraldi (College Park, MD, USA) and P. Strobl (Ispra, Italy)	211
Land use drives the physiological properties of a stream fish Z.W. Blevins, E.L. Effert (Urbana, IL, USA and Champaign, IL, USA), D.H. Wahl (Champaign, IL, USA) and C.D. Suski (Urbana, IL, USA)	224
Sentinel soil invertebrate taxa as bioindicators for forest management practices J. Zhao (Guangzhou, PR China and Beijing, PR China), Y. Shao, X. Wang (Guangzhou, PR China), D.A. Neher (Burlington, VT, USA), G. Xu, Z. Li and S. Fu (Guangzhou, PR China)	236
EcoTime—An intuitive quantitative sustainability indicator utilizing a time metric A. Shepon, T. Israeli (Rehovot, Israel), G. Eshel (Annandale-on-Hudson, NY, USA) and R. Milo (Rehovot, Israel) . . .	240
Temporal stability in estuarine systems: Implications for ecosystem services provision R. Pinto (Coimbra, Portugal), V.N. de Jonge (Hull, UK), J.C. Marques (Coimbra, Portugal), P. Chainho, J.P. Medeiros (Lisbon, Portugal) and J. Patrício (Coimbra, Portugal)	246
“Defining phytoplankton class boundaries in Portuguese transitional waters: An evaluation of the ecological quality status according to the Water Framework Directive” R.B. Domingues (Faro, Portugal and Lisboa, Portugal), A.B. Barbosa and H.M. Galvão (Faro, Portugal)	254
Relationship between critical load exceedances and empirical impact indicators at Integrated Monitoring sites across Europe M. Holmberg, J. Vuorenmaa (Helsinki, Finland), M. Posch (Bilthoven, The Netherlands), M. Forsius (Helsinki, Finland), L. Lundin (Uppsala, Sweden), S. Kleemola (Helsinki, Finland), A. Augustaitis (Kaunas, Lithuania), B. Beudert (Grafenau, Germany), H.A. de Wit (Oslo, Norway), T. Dirnböck (Vienna, Austria), C.D. Evans (Bangor, UK), J. Frey (Tartu, Estonia), U. Grandin (Uppsala, Sweden), I. Indriksone (Riga, Latvia), P. Krám (Prague, Czech Republic), E. Pompei (Rome, Italy), H. Schulte-Bisping (Göttingen, Germany), A. Srybny (Vitebskaya Oblast, Belarus) and M. Váňa (Košetice, Czech Republic)	256
Key evaluation framework for the impacts of urbanization on air environment – A case study Q. Wang, X. Yuan, J. Zhang, R. Mu, H. Yang and C. Ma (Jinan, China)	266
Mapping landscape services: a case study in a multifunctional rural landscape in The Netherlands M.M.C. Gulickx (Wageningen, The Netherlands), P.H. Verburg (Amsterdam, The Netherlands), J.J. Stoorvogel, K. Kok (Wageningen, The Netherlands) and A. Veldkamp (Enschede, The Netherlands)	273
Avian guano: A non-destructive biomonitoring tool for organic pollutants in environment M. Joshi, P.P. Bakre and P. Bhatnagar (Jaipur, India)	284
A modified water quality index for intensive shrimp ponds of <i>Litopenaeus vannamei</i> Z. Ma, X. Song, R. Wan (Qingdao, People's Republic of China) and L. Gao (Dalian, People's Republic of China and Qingdao, People's Republic of China)	287

(Contents continued from inside back cover)

Using hydrologic suitability for native Everglades slough vegetation to assess Everglades restoration scenarios A.M. Lo Galbo, M.S. Zimmerman (Homestead, FL, USA), D. Hallac (Yellowstone National Park, WY, USA), G. Reynolds (Homestead, FL, USA), J.H. Richards (Miami, FL, USA) and J.H. Lynch (Homestead, FL, USA).....	294
Hemolymph biochemical parameters reference intervals and total hemocyte counts of narrow clawed crayfish <i>Astacus leptodactylus</i> (Eschscholtz, 1823) A. Sepici-Dinçel (Ankara, Turkey), Z.N. Alparslan (Adana, Turkey), A.Ç.K. Benli, M. Selvi, R. Sankaya, İ.A. Özkul and F. Erkoç (Ankara, Turkey).....	305
Changes in tree species composition in Mediterranean mountains under climate change: Indicators for conservation planning D. Ruiz-Labourdette, M.F. Schmitz and F.D. Pineda (Madrid, Spain)	310
Economic growth and its impact on environment: A panel data analysis A.A. Aşıcı (İstanbul, Turkey)	324
A method for the source apportionment in bathing waters through the modelling of wastewater discharges: Development of an indicator and application to an urban beach in Santander (Northern Spain) I. López, C. Álvarez, J.L. Gil, A. García, J.F. Bárcena and J.A. Revilla (Santander, Spain).....	334
A methodological approach to assess the combined reduction of chemical pesticides and chemical fertilizers for low-carbon agriculture N. Wan, X. Ji, J. Jiang, H. Qiao and K. Huang (Shanghai, China)	344
Evaluating marine ecosystem health: Case studies of indicators using direct observations and modelling methods I. Rombouts, G. Beaugrand, L.F. Artigas (Wimereux, France), J.-C. Dauvin (Caen, France), F. Gevaert, E. Goberville (Wimereux, France), D. Kopp (Wimereux, France, Boulogne/mer, France), S. Lefebvre (Wimereux, France), C. Luczak (Wimereux, France and Gravelines, France), N. Spilmont (Wimereux, France and Australia), M. Travers-Trolet, M.C. Villanueva (Boulogne/mer, France) and R.R. Kirby (Plymouth, UK).....	353
Approaches for calculating a nation's food ecological footprint—The case of Canada M. Kissinger (Israel).....	366
Spatial determinants of hazardous chemicals in surface water of Qiantang River, China S. Su (Hangzhou, China and Ithaca, USA), R. Xiao, X. Mi, X. Xu, Z. Zhang and J. Wu (Hangzhou, China).....	375
Habitat-specific bird trends and their effect on the Farmland Bird Index M. Stjernman, M. Green, Å. Lindström, O. Olsson, R. Ottvall and H.G. Smith (Sweden)	382
Indicators for assessment of sustainable production: A case study of the petrochemical industry in Malaysia V.B. Samuel, P. Agamuthu and M.A. Hashim (Kuala Lumpur, Malaysia).....	392
Territorial sustainability in protected areas in Spain L. Galindo-Pérez-de-Azpillaga, C. Foronda-Robles and A.M. García-López (Spain)	403
A simple method for assessing biotic indicators and predicting biodiversity in the hyporheic zone of a river polluted with metals O.T. Moldovan, I.N. Meleg, E. Levei (Cluj-Napoca, Romania) and M. Terente (Bucuresti, Romania).....	412
Intertidal fish communities may make poor indicators of environmental quality: Lessons from a study of mangrove habitat modification W.L. Ellis and S.S. Bell (Tampa, FL, USA)	421
How ecosystems adapt to face disruptive impact? The case of a commercial harbor benthic community P. Vassallo, C. Paoli, G. Schiavon, G. Albertelli and M. Fabiano (Genova, Italy)	431
Estimating soil organic carbon in Europe based on data collected through an European network P. Panagos, R. Hiederer, M. Van Liedekerke and F. Bampa (Ispra, Italy).....	439
Introducing two indicators for fire risk consideration in the management of boreal forests F. Raulier, H. Le Goff, S. Gauthier, R. Rapanoela (Québec, Canada) and Y. Bergeron (Rouyn-Noranda, Canada).....	451
Benthic meiofauna as indicator of ecological changes in estuarine ecosystems: The use of nematodes in ecological quality assessment A.S. Alves (Coimbra, Portugal and Lisbon, Portugal), H. Adão (Évora, Portugal and Lisbon, Portugal), T.J. Ferrero (London, UK), J.C. Marques (Coimbra, Portugal), M.J. Costa (Lisbon, Portugal) and J. Patrício (Coimbra, Portugal)	462
Key indicators for assessing the effectiveness of waste management in construction projects H. Yuan (Chengdu, China)	476
Effects of nitrogen oxides on ground vegetation, <i>Pleurozium schreberi</i> and the soil beneath it in urban forests S. Manninen, M.-K. Sassi and K. Lovén (Helsinki, Finland)	485
Support area as an indicator of environmental load: Comparison between Embodied Energy, Ecological Footprint, and Emery Accounting methods F. Agostinho and L. Pereira (Sao Paulo, Brazil)	494

Lead concentrations and isotope ratios in urban tree leaves M. Tomašević, D. Antanasijević, M. Aničić, I. Deljanin, A. Perić-Grujić and M. Ristić (Belgrade, Serbia)...	504
Organic matter breakdown as a measure of stream health in New Zealand streams affected by acid mine drainage D.K. Niyogi (Rolla, MO, USA), J.S. Harding (Christchurch, New Zealand) and K.S. Simon (Auckland, New Zealand).....	510
Accounting for demand and supply of the biosphere's regenerative capacity: The National Footprint Accounts' underlying methodology and framework M. Borucke (Oakland, CA, USA), D. Moore, G. Cranston (Geneva, Switzerland and UK), K. Gracey, K. Iha, J. Larson, E. Lazarus, J.C. Morales, M. Wackernagel (Oakland, CA, USA) and A. Galli (Geneva, Switzerland).....	518
Emergy synthesis of a combined food and energy production system compared to a conventional wheat (<i>Triticum aestivum</i>) production system B.B. Ghaley and J.R. Porter (Taastrup, Denmark).....	534
Thermodynamic oriented ecological indicators: Application of Eco-Exergy and Specific Eco-Exergy in capturing environmental changes between disturbed and non-disturbed tropical reservoirs J. Molozzi (Belo Horizonte, Brazil and Coimbra, Portugal), F. Salas (Coimbra, Portugal and Murcia, Spain), M. Callisto (Belo Horizonte, Brazil) and J.C. Marques (Coimbra, Portugal).....	543
Evaluation of the bioindicator suitability of <i>Polygonum aviculare</i> in urban areas M. Polechońska, K. Zawadzki, A. Samecka-Cymerman, K. Kolon, A. Klink, J. Krawczyk (Wrocław, Poland) and A.J. Kempers (Nijmegen, The Netherlands).....	552
Patterns of herbivory and fluctuating asymmetry in <i>Solanum lycocarpum</i> St. Hill (Solanaceae) along an urban gradient in Brazil P. Cuevas-Reyes (Morelia, Mexico), L. Gilberti (Belo Horizonte, Brazil), A. González-Rodríguez (Morelia, Mexico) and G.W. Fernandes (Belo Horizonte, Brazil).....	557
A diagnostic biotic index for assessing acidity in sensitive streams in Britain J.F. Murphy, J. Davy-Bowker (Oxfordshire, UK), B. McFarland (Exeter, UK) and S.J. Ormerod (Cardiff, UK).....	562
Can carbon footprint serve as an indicator of the environmental impact of meat production? E. Rööf, C. Sundberg, P. Tidåker, I. Strid and P.-A. Hansson (Uppsala, Sweden).....	573
Fish assemblage changes along a trophic gradient induced by agricultural activities (Santa Lucía, Uruguay) G. Chalar, L. Delbene (Montevideo, Denmark), I. González-Bergonzoni (Montevideo, Denmark and Vejlsøvej, Denmark) and R. Arocena (Montevideo, Uruguay).....	582
Is fine sediment deposition a main driver for the composition of benthic macroinvertebrate assemblages? M.G. Von Bertrab (Essen, Germany), A. Krein (Belvaux, Luxembourg), S. Stendera (Essen, Germany), F. Thielen (Heinerscheid, Luxembourg) and D. Hering (Essen, Germany).....	589
Ecological risk assessment of polycyclic aromatic hydrocarbons (PAHs) in the water from a large Chinese lake based on multiple indicators N. Qin, W. He, X.-Z. Kong, W.-X. Liu, Q.-S. He, B. Yang, H.-L. Ouyang, Q.-M. Wang and F.-L. Xu (Beijing, China).....	599
The use of subjective indicators to assess how natural and social capital support residents' quality of life in a small volcanic island I. Petrosillo (Lecce, Italy), R. Costanza (Portland, USA), R. Aretano, N. Zaccarelli and G. Zurlini (Lecce, Italy).....	609
A simulation-approach to assess the size structure of commercially exploited fish populations within the European Marine Strategy Framework Directive W.N. Probst, V. Stelzenmüller and G. Kraus (Hamburg, Germany).....	621
Concordance of N bio-indicators: Dandelion and earthworms in a rotational pasture T. MacPherson and O.T. Bouman (Sydney, Canada).....	633
Remotely sensed indicators of forest conservation status: Case study from a Natura 2000 site in southern Portugal W.D. Simonson, H.D. Allen and D.A. Coomes (Cambridge, UK).....	636