

Review

An overview of citric acid production*A.R. Angumeenal and D. Venkappayya*

367

Research Papers

Spontaneous must fermentation: Identification and biotechnological properties of wine yeasts*M.J. Ortiz, N. Barrajon, M.A. Baffi, M. Arévalo-Villena and A. Briones*

371

Improvement of functional and antimicrobial properties of brewery byproduct hydrolysed enzymatically*C.E. Kotlar, A.G. Ponce and S.I. Roura*

378

Water sorption properties of coffee fruits, pulped and green coffee*A.L.D. Goneli, P.C. Corrêa, G.H.H. Oliveira and P.C. Afonso Júnior*

386

Effect of drying conditions and plasticizer type on some physical and mechanical properties of amaranth flour films*D.R. Tapia-Blácido, P.J.d.A. Sobral and F.C. Menegalli*

392

Studies of the effect of sodium tripolyphosphate on frozen shrimp by physicochemical analytical methods and Low Field Nuclear Magnetic Resonance (LF ¹H NMR)*C.d.S. Carneiro, E.T. Mársico, R.d.O.R. Ribeiro, C.A. Conte Júnior, T.S. Álvares and E.F.O.d. Jesus*

401

Texture, lipid oxidation and sensory characteristics of ground pork patties prepared with commercially available salts*K.N. Bess, D.D. Boler, M.A. Tavárez, H.K. Johnson, F.K. McKeith, J. Killefer and A.C. Dilger*

408

Isolation and characterization of insoluble date (*Phoenix dactylifera* L.) fibers*J. Ahmed, A. Almusallam and S.N. Al-Hooti*

414

Edible coatings from native and modified starches retain carotenoids in pumpkin during drying*E.S. Lago-Vanzela, P. do Nascimento, E.A.F. Fontes, M.A. Mauro and M. Kimura*

420

Microbial, physicochemical and sensory properties of UV-C processed orange juice and its microbial stability during refrigerated storage*Ç.U. Pala and A.K. Toklucu*

426

Migration of antimicrobial agents from starch-based films into a food simulant*K.K. Kuorwel, M.J. Cran, K. Sonneveld, J. Miltz and S.W. Bigger*

432

The influence of ultrasound on the degree of oxidation of hypochlorite-oxidized corn starch*W.T. Chong, U. Uthumporn, A.A. Karim and L.H. Cheng*

439

Storage induced changes of potato properties as detected by DMA*J. Blahovec and M. Lahodová*

444

A comparative study of lipid and hypochlorous acid induced oxidation of soybean proteins*T. Cucu, B. Devreese, B. Kerkaert, F. Mestdagh, M. Sucic, I. Van De Perre and B. De Meulenaer*

451

Characterization of the non-coagulating enzyme fraction of different milk-clotting preparations*O. Rolet-Répécaud, F. Berthier, E. Beuvier, S. Gavoye, E. Notz, S. Roustel, V. Gagnaire and C. Achilleos*

459

Study of the volatile composition and sensory characteristics of new Sherry vinegar-derived products by maceration with fruits*M.J. Cejudo-Bastante, E. Durán, R. Castro, M.C. Rodríguez-Dodero, R. Natera and C. García-Barroso*

469

The aroma profile of wheat bread crumb influenced by yeast concentration and fermentation temperature*A.N. Birch, M.A. Petersen and Å.S. Hansen*

480

| | |
|---|-----|
| Effect of time and temperature on vitamin C stability in horticultural extracts. UHPLC-PDA vs iodometric titration as analytical methods <i>V. Spínola, B. Mendes, J.S. Câmara and P.C. Castilho</i> | 489 |
| Discrimination of arabica coffee cultivars by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry and chemometrics <i>R. Garrett, E.M. Schmidt, L.F.P. Pereira, C.S.G. Kitzberger, M.B.S. Scholz, M.N. Eberlin and C.M. Rezende</i> | 496 |
| Improving quality characteristics of reduced and low fat Turkish white cheeses using homogenized cream <i>A.D. Karaman and A.S. Akalın</i> | 503 |
| Effects of protein isolates from black bean and mungbean on proteolysis and gel properties of surimi from sardine (<i>Sardinella albella</i>) <i>T. Kudre, S. Benjakul and H. Kishimura</i> | 511 |
| Characterization of immobilized phospholipase A₁ on magnetic nanoparticles for oil degumming application <i>D. Yu, Y. Ma, S.J. Xue, L. Jiang and J. Shi</i> | 519 |
| Polycyclic aromatic hydrocarbons in coffee brew: Influence of roasting and brewing procedures in two <i>Coffea</i> cultivars <i>S.A.V. Tfouni, C.S. Serrate, F.M. Leme, M.C.R. Camargo, C.R.A. Teles, K.M.V.A.B. Cipolli and R.P.Z. Furlani</i> | 526 |
| Quinoa protein–chitosan–sunflower oil edible film: Mechanical, barrier and structural properties <i>C. Valenzuela, L. Abugoch and C. Tapia</i> | 531 |
| Nutritional, textural and sensory properties of Coalho cheese made of goats', cows' milk and their mixture <i>R.d.C.R.d.E. Queiroga, B.M. Santos, A.M.P. Gomes, M.J. Monteiro, S.M. Teixeira, E.L. de Souza, C.J.D. Pereira and M.M.E. Pintado</i> | 538 |
| Dietary fibre sources in bread: Influence on technological quality <i>E.L. Almeida, Y.K. Chang and C.J. Steel</i> | 545 |
| Controlled release and antioxidant activity of Roselle (<i>Hibiscus sabdariffa</i> L.) extract encapsulated in mixtures of carboxymethyl cellulose, whey protein, and pectin <i>M.R. Serrano-Cruz, A. Villanueva-Carvajal, E.J. Morales Rosales, J.F. Ramírez Dávila and A. Dominguez-Lopez</i> | 554 |
| Dynamics of enzymatic and non-enzymatic antioxidants in Japanese plums during storage at safe and lethal temperatures <i>S.P. Singh and Z. Singh</i> | 562 |
| Olive oil and lemon salad dressing microencapsulated by freeze-drying <i>K.A. Silva, M.A.Z. Coelho, V.M.A. Calado and M.H.M. Rocha-Leão</i> | 569 |
| Production of edible mushroom and degradation of antinutritional factors in jatropha biodiesel residues <i>J.M.R. da Luz, S.A. Paes, D.P. Torres, M.D. Nunes, J.S. da Silva, H.C. Mantovani and M.C.M. Kasuya</i> | 575 |
| Changes in triacylglycerols and free fatty acids composition during storage of roasted coffee <i>A.T. Toci, V.J.M.F. Neto, A.G. Torres and A. Farah</i> | 581 |
| Purification and identification of antioxidant peptides from chickpea (<i>Cicer arietinum</i> L.) albumin hydrolysates <i>X. Kou, J. Gao, Z. Xue, Z. Zhang, H. Wang and X. Wang</i> | 591 |
| Coffee silverskin as a source of dietary fiber in bread-making: Optimization of chemical treatment using response surface methodology <i>A. Pourfarzad, H. Mahdavian-Mehr and N. Sedaghat</i> | 599 |
| Chondroitin sulfate extraction from broiler chicken cartilage by tissue autolysis <i>A. Srichamroen, T. Nakano, Z. Pietrasik, L. Ozimek and M. Betti</i> | 607 |
| A study on development of Gluten free pasta and its biochemical and immunological validation <i>S. Susanna and P. Prabhasankar</i> | 613 |
| Resveratrol nanodispersion with high stability and dissolution rate <i>X.-P. Zhang, Y. Le, J.-X. Wang, H. Zhao and J.-F. Chen</i> | 622 |

| | |
|--|-----|
| Milk pre-treatment by high pressure homogenization in the manufacturing of “queso fresco” fortified with omega-3 fatty acids <i>S. Calligaris, A. Gulotta, A. Ignat, D. Bermúdez-Aguirre, G.V. Barbosa-Cánovas and M.C. Nicoli</i> | 629 |
| Antioxidant and antimicrobial activities of various solvent extracts, piperine and piperic acid from <i>Piper nigrum</i> <i>Z. Zarai, E. Boujelbene, N. Ben Salem, Y. Gargouri and A. Sayari</i> | 634 |
| Microencapsulation by spray drying of gallic acid with nopal mucilage (<i>Opuntia ficus indica</i>) <i>L. Medina-Torres, E.E. García-Cruz, F. Calderas, R.F. González Laredo, G. Sánchez-Olivares, J.A. Gallegos-Infante, N.E. Rocha-Guzmán and J. Rodríguez-Ramírez</i> | 642 |
| Drying of yam starch (<i>Discorea</i> spp.) and glycerol filmogenic solutions at different temperatures <i>R.C. Reis, P.C. Côrrea, I.A. Devilla, E.S. Santos, D.P.R. Ascheri, A.C.O. Servulo and A.B.M.e. Souza</i> | 651 |
| Characterization of complexes of soy protein and chitosan heated at low pH <i>Y. Yuan, Z.-L. Wan, S.-W. Yin, X.-Q. Yang, J.-R. Qi, G.-Q. Liu and Y. Zhang</i> | 657 |
| Altered commercial controlled atmosphere storage conditions for ‘Parhenon’ broccoli plants (<i>Brassica oleracea</i> L. var. <i>italica</i>). Influence on the outer quality parameters and on the health-promoting compounds <i>M.F. Fernández-León, A.M. Fernández-León, M. Lozano, M.C. Ayuso and D. González-Gómez</i> | 665 |
| Processing and chemical composition of rhubarb (<i>Rheum rhabarbarum</i>) juice <i>F. Will and H. Dietrich</i> | 673 |
| Effect of whole amaranth flour on bread properties and nutritive value <i>J.M. Sanz-Penella, M. Wronkowska, M. Soral-Smietana and M. Haros</i> | 679 |
| Potential of Turkish Kabuli type chickpea and green and red lentil cultivars as source of soy and animal origin functional protein alternatives <i>L.Y. Aydemir and A. Yemenicioğlu</i> | 686 |
| Combined use of rebaudioside A and fibres for partial sucrose replacement in muffins <i>S. Zahn, A. Forker, L. Krügel and H. Rohm</i> | 695 |
| Evaluation of the photocatalytic antimicrobial effects of a TiO₂ nanocomposite food packaging film by <i>in vitro</i> and <i>in vivo</i> tests <i>H. Bodaghi, Y. Mostofi, A. Oromiehie, Z. Zamani, B. Ghanbarzadeh, C. Costa, A. Conte and M.A. Del Nobile</i> | 702 |
| Quality changes after vacuum-based and conventional industrial cooking of kailan-hybrid broccoli throughout retail cold storage <i>G.B. Martínez-Hernández, F. Artés-Hernández, P.A. Gómez and F. Artés</i> | 707 |
| Discrimination between roasted coffee, roasted corn and coffee husks by Diffuse Reflectance Infrared Fourier Transform Spectroscopy <i>N. Reis, A.S. Franca and L.S. Oliveira</i> | 715 |
| Biological potential of chia (<i>Salvia hispanica</i> L.) protein hydrolysates and their incorporation into functional foods <i>M.R. Segura-Campos, I.M. Salazar-Vega, L.A. Chel-Guerrero and D.A. Betancur-Ancona</i> | 723 |
| Effect of nitrogen fertilisation rates on the content of fatty acids, sterols, tocopherols and phenolic compounds, and on the oxidative stability of walnuts <i>V. Verardo, Y. Riciputi, G. Sorrenti, P. Ornaghi, B. Marangoni and M.F. Caboni</i> | 732 |
| Effect of drying method on drying time and physico-chemical properties of dried rabbiteye blueberries <i>V.K. Yemmireddy, M.S. Chinnan, W.L. Kerr and Y.-C. Hung</i> | 739 |
| Radio frequency disinfestation treatments for dried fruit: Dielectric properties <i>B. Alfaifi, S. Wang, J. Tang, B. Rasco, S. Sablani and Y. Jiao</i> | 746 |
| Nutrition claims for functional guava mousses produced with milk fat substitution by inulin and/or whey protein concentrate based on heterogeneous food legislations <i>T.R. Komatsu, F.C.A. Buriti, R.C. da Silva, A.R. Lobo, C. Colli, L.A. Gioielli and S.M.I. Saad</i> | 755 |
| Enrichment of <i>sn</i>-2 position of hazelnut oil with palmitic acid: Optimization by response surface methodology <i>D. Turan, N.Ş. Yeşilçubuk and C.C. Akoh</i> | 766 |
| Dehydrated tofu whey as cryoprotectant in protein-stabilized oil-in-water emulsions <i>G.G. Palazolo, P.A. Sobral and J.R. Wagner</i> | 773 |
| Calendar | I |