

## CONTENTS

Volume 136, issue 2, 15 January 2013 (Published 7 November 2012)

### Rapid Communications

- 297  $\alpha$ -Glucosidase inhibitor from *Buthus martensi* Karsch  
S.-D. KIM (Republic of Korea)
- 328 Lipid components prepared from a freshwater Clam (*Corbicula fluminea*) extract ameliorate hypercholesterolaemia in rats fed high-cholesterol diet  
T. CHIJIMATSU, M. UMEKI, Y. KATAOKA, S. KOBAYASHI, K. YAMADA, H. ODA & S. MOCHIZUKI (Japan)

### General Papers

- 301 Mapping of *Saccharomyces cerevisiae* metabolites in fermenting wheat straight-dough reveals succinic acid as pH-determining factor  
V.B. JAYARAM, S. CUYVERS, B. LAGRAN, K.J. VERSTREPEN, J.A. DELCOUR & C.M. COURTIN (Belgium)
- 316 Thermal stability of yeast hydrolysate as a novel anti-obesity material  
Y. PARK, J.H. KIM, H.-S. LEE, E.Y. JUNG, H. LEE, D.O. NOH & H.J. SUH (Republic of Korea)
- 322 Inhibitory effect of aqueous spinach extract on degranulation of RBL-2H3 cells  
M. ISHIDA, K. NISHI, H. WATANABE & T. SUGAHARA (Japan)
- 335 Anthraquinone profile, antioxidant and antimicrobial activity of bark extracts of *Rhamnus alaternus*, *R. fallax*, *R. intermedia* and *R. pumila*  
I. KOSALEC, D. KREMER (Croatia), M. LOCATELLI, F. EPIFANO, S. GENOVESE, G. CARLUCCI (Italy), M. RANDIĆ & M. ZOVKO KONČIĆ (Croatia)
- 348 Evaluation and characterisation of *Citrullus colocynthis* (L.) Schrad seed oil: Comparison with *Helianthus annuus* (sunflower) seed oil  
I.A. NEHDI, H. SBIHI (Saudi Arabia), C.P. TAN (Malaysia) & S.I. AL-RESAYES (Saudi Arabia)
- 354 *Syzygium aqueum* leaf extract and its bioactive compounds enhances pre-adipocyte differentiation and 2-NBDG uptake in 3T3-L1 cells  
T. MANAHARAN, C.H. MING & U.D. PALANISAMY (Malaysia)
- 376 Thermodynamic analysis of the thermal stability of sulphonamides in milk using liquid chromatography tandem mass spectrometry detection  
M. ROCA (Spain), R.L. ALTHAUS (Argentina) & M.P. MOLINA (Spain)
- 384 Iodine content in bread, milk and the retention of inherent iodine in commonly used Indian recipes  
T. LONGVAH, G.S. TOTEJA & A. UPADHYAY (India)

*Continued on inside back cover*

**CONTENTS—Continued from outside back cover**

- 392 Identification of active compounds in vegetal extracts based on correlation between activity and HPLC–MS data  
C. ROLDÁN, A. DE LA TORRE, S. MOTA, A. MORALES-SOTO, J. MENÉNDEZ & A. SEGURA-CARRETERO (Spain)
- 400 *Bacillus cereus* AR156 induces resistance against *Rhizopus* rot through priming of defense responses in peach fruit  
X. WANG, F. XU, J. WANG, P. JIN & Y. ZHENG (People's Republic of China)
- 407 Purification and characterization of membrane-bound polyphenoloxidase (mPPO) from Snake fruit [*Salacca zalacca* (Gaertn.) Voss]  
N.A.M. ZAINI, A. OSMAN, A.A. HAMID, A. EBRAHIMPOUR & N. SAARI (Malaysia)
- 415 Phillyrin attenuates high glucose-induced lipid accumulation in human HepG2 hepatocytes through the activation of LKB1/AMP-activated protein kinase-dependent signalling  
M.T. DO, H.G. KIM, J.H. CHOI, T. KHANAL, B.H. PARK, T.P. TRAN, Y.P. HWANG, M. NA & H.G. JEONG (South Korea)
- 426 *Toona sinensis* and its major bioactive compound gallic acid inhibit LPS-induced inflammation in nuclear factor- $\kappa$ B transgenic mice as evaluated by *in vivo* bioluminescence imaging  
C.-Y. HSIANG, Y.-C. HSEU, Y.-C. CHANG, K.J. S. KUMAR, T.-Y. HO & H.-L. YANG (Taiwan)
- 435 Physicochemical parameters that influence carotenoids bioaccessibility from a tomato juice  
A. DEGROU, S. GEORGÉ, C.M.G.C. RENARD & D. PAGE (France)
- 442 Mechanistic and conformational studies on the interaction of food dye amaranth with human serum albumin by multispectroscopic methods  
G. ZHANG & Y. MA (China)
- 450 *In vitro* and *in vivo* assessment of cytochrome P450-mediated herb–drug interaction of Ssang-hwa-tang  
S.Y. LEE, J.-Y. LEE, W. KANG, K.-I. KWON, S.J. OH, J.Y. MA & S.K. KIM (Republic of Korea)
- 458 Effect of ultrasound treatments of tomato pulp on microstructure and lycopene *in vitro* bioaccessibility  
M. ANESE, G. MIROLO, P. BERALDO & G. LIPPE (Italy)
- 464 Discrimination against diacylglycerol ethers in lipase-catalysed ethanolysis of shark liver oil  
Ó. FERNÁNDEZ, L. VÁZQUEZ, G. REGLERO & C.F. TORRES (Spain)
- 472 Sustainable production of pectin from lime peel by high hydrostatic pressure treatment  
M. NAGHSHINEH (Denmark, Greece), K. OLSEN (Denmark) & C.A. GEORGIU (Greece)
- 485 Multiple toxicity studies of trehalose in mice by intragastric administration  
M. LIU, M. ZHANG, H. YE, S. LIN, Y. YANG, L. WANG (PR China), G. JONES & H. TRANG (USA)
- 491 Introduction and nutritional evaluation of germinated soy germ  
S.-L. KIM, J.-E. LEE, Y.-U. KWON, W.-H. KIM, G.-H. JUNG, D.-W. KIM, C.-K. LEE, Y.-Y. LEE, M.-J. KIM, Y.-H. KIM, T.-Y. HWANG & I.-M. CHUNG (Republic of Korea)
- 501 Substrate specificity of glutamyl endopeptidase (GE): Hydrolysis studies with a bovine  $\alpha$ -casein preparation  
P. KALYANKAR, Y. ZHU, M. O' KEEFFE, G. O' CUINN & R.J. FITZGERALD (Ireland)
- 513 Chemical analysis and anti-inflammatory comparison of the cell culture of *Glycyrrhiza* with its field cultivated variety  
S. MAN, J. WANG, W. GAO, S. GUO, Y. LI, L. ZHANG & P. XIAO (China)
- 518 Chemical and sensory effects of the freezing process on the aroma profile of black truffles (*Tuber melanosporum*)  
L. CULLERÉ, V. FERREIRA, M.E. VENTURINI, P. MARCO & D. BLANCO (Spain)
- 526 Antiproliferative and immunoactivatory ability of an enzymatic extract from rice bran  
E. REVILLA, C. SANTA-MARÍA, E. MIRAMONTES, M. CANDIRACCI, B. RODRÍGUEZ-MORGADO, M. CARBALLO, J. BAUTISTA, A. CASTAÑO & J. PARRADO (Spain)
- 532 Effect of heat treatments on the essential oils of kumquat (*Fortunella margarita* Swingle)  
L.-W. PENG, M.-J. SHEU, L.-Y. LIN, C.-T. WU, H.-M. CHIANG, W.-H. LIN, M.-C. LEE & H.-C. CHEN (Taiwan)
- 538 Effect of extrusion conditions on physicochemical and sensorial properties of corn-broad beans (*Vicia faba*) spaghetti type pasta  
M.A. GIMÉNEZ, R.J. GONZÁLEZ, J. WAGNER, R. TORRES, M.O. LOBO & N.C. SAMMAN (Argentina)

*Continued on last page*

- 563 Identification of a novel phenolic compound in litchi (*Litchi chinensis* Sonn.) pericarp and bioactivity evaluation  
G. JIANG, S. LIN, L. WEN, Y. JIANG, M. ZHAO (China), F. CHEN (USA), K. N. PRASAD (Malaysia), X. DUAN & B. YANG (China)
- 569 Salicylic acid-induced elicitation of folates in coriander (*Coriandrum sativum* L.) improves bioaccessibility and reduces pro-oxidant status  
B. PUTHUSSERI, P. DIVYA, V. LOKESH & B. NEELWARNE (India)
- 576 Short-term comparative study of the influence of fried edible oils intake on the metabolism of essential fatty acids in obese individuals  
C. FERREIRO-VERA, F. PRIEGO-CAPOTE, J.M. MATA-GRANADOS & M.D. LUQUE DE CASTRO (Spain)
- 585 Spatial and temporal changes in the volatile profile of Alphonso mango upon exogenous ethylene treatment  
H.G. CHIDLEY, R.S. KULKARNI, K.H. PUJARI, A.P. GIRI & V.S. GUPTA (India)
- 595 Comprehensive analysis of *Phyteuma orbiculare* L., a wild Alpine food plant  
C. ABBET, I. SLACANIN, M. HAMBURGER & O. POTTERAT (Switzerland)
- 612 Novel angiotensin I-converting enzyme inhibitory peptides derived from soya milk  
M. TOMATSU, A. SHIMAKAGE, M. SHINBO, S. YAMADA & S. TAKAHASHI (Japan)
- 617 Non-target screening of Allura Red AC photodegradation products in a beverage through ultra high performance liquid chromatography coupled with hybrid triple quadrupole/linear ion trap mass spectrometry  
F. GOSETTI, U. CHIUMINATTO, E. MAZZUCCO, G. CALABRESE, M.C. GENNARO & E. MARENGO (Italy)
- 636 Maple polyphenols, ginnalins A–C, induce S- and G2/M-cell cycle arrest in colon and breast cancer cells mediated by decreasing cyclins A and D1 levels  
A. GONZÁLEZ-SARRÍAS, H. MA, M.E. EDMONDS & N.P. SEERAM (United States)
- 650 Synthesis of quinoline derivatives of tetrahydrocurcumin and zingerone and evaluation of their antioxidant and antibacterial attributes  
J.R. MANJUNATHA, B.K. BETTADIAH, P.S. NEGI & P. SRINIVAS (India)
- 659 Neferine induces reactive oxygen species mediated intrinsic pathway of apoptosis in HepG2 cells  
P. POORNIMA, R.S. QUENCY & V.V. PADMA (India)
- 668 Electronic nose and GC–MS analysis of volatile compounds in *Tuber magnatum* Pico: Evaluation of different storage conditions  
G. PENNAZZA, C. FANALI, M. SANTONICO, L. DUGO, L. CUCCHIARINI, M. DACHÀ, A. D’AMICO, R. COSTA, P. DUGO & L. MONDELLO (Italy)
- 682 Hair mercury levels and food consumption in residents from the Pearl River Delta: South China  
D. SHAO, Y. KANG, Z. CHENG, H. WANG, M. HUANG, S. WU, K. CHEN & M.H. WONG (PR China)
- 689 Batch and continuous synthesis of lactulose from whey lactose by immobilized  $\beta$ -galactosidase  
Y.S. SONG, H.U. LEE, C. PARK & S.W. KIM (Republic of Korea)
- 703 Comparison of different methods to quantify fat classes in bakery products  
J.-M. SHIN, Y.-O. HWANG, O.-J. TU, H.-B. JO, J.-H. KIM, Y.-Z. CHAE, K.-H. RHU & S.-K. PARK (Republic of Korea)
- 718 Nutrients, phytochemicals and bioactivity of wild Roman chamomile: A comparison between the herb and its preparations  
R. GUIMARÃES (Portugal), L. BARROS (Portugal, Spain), M. DUEÑAS (Spain), R.C. CALHELHA, A.M. CARVALHO (Portugal), C. SANTOS-BUELGA (Spain), M.J.R.P. QUEIROZ & I.C.F.R. FERREIRA (Portugal)
- 726 Gangliosides and sialic acid effects upon newborn pathogenic bacteria adhesion: An *in vitro* study  
J. SALCEDO, R. BARBERA, E. MATENCIO, A. ALEGRÍA & M.J. LAGARDA (Spain)
- 735 A simple GC–MS method for the screening of betulinic, corosolic, maslinic, oleanolic and ursolic acid contents in commercial botanicals used as food supplement ingredients  
A. CALIGIANI, G. MALAVASI, G. PALLA, A. MARSEGLIA, M. TOGNOLINI & R. BRUNI (Italy)
- 742 The importance of amylose and amylopectin fine structures for starch digestibility in cooked rice grains  
Z.A. SYAHARIZA (Australia, Malaysia), S. SAR, J. HASJIM, M.J. TIZZOTTI & R.G. GILBERT (Australia)
- 750 ‘Emerging’ mycotoxins in cereals processing chains: Changes of enniatins during beer and bread making  
M. VACLAVIKOVA, A. MALACHOVA, Z. VEPRIKOVA, Z. DZUMAN, M. ZACHARIASOVA & J. HAJLSLOVA (Czech Republic)

- 758 *In vitro* inhibition of dipeptidyl peptidase IV by peptides derived from the hydrolysis of amaranth (*Amaranthus hypochondriacus* L.) proteins  
A.J. VELARDE-SALCEDO (Mexico, United States), A. BARRERA-PACHECO, S. LARA-GONZÁLEZ, G.M. MONTERO-MORÁN, A. DÍAZ-GOIS (Mexico), E. GONZÁLEZ DE MEJIA (United States) & A.P. BARBA DE LA ROSA (Mexico)
- 765 Dietary *Monascus adlay* supplements facilitate suppression of cigarette smoke-induced pulmonary endoplasmic reticulum stress, autophagy, apoptosis and emphysema-related PLGF in the rat  
P.-C. LI, W.-H. TSAI & C.-T. CHIEN (Taiwan)
- 775 Immunoreactivity of hen egg allergens: Influence on *in vitro* gastrointestinal digestion of the presence of other egg white proteins and of egg yolk  
G. MARTOS, R. LÓPEZ-FANDIÑO & E. MOLINA (Spain)
- 782 Vitamin C content and sensorial properties of dehydrated carrots blanched conventionally or by ultrasound  
J. GAMBOA-SANTOS, A. CRISTINA SORIA, M. PÉREZ-MATEOS, J.A. CARRASCO, A. MONTILLA & M. VILLAMIEL (Spain)
- 789 Inhibitory effect of the essential oil of *Curcuma longa* L. and curcumin on aflatoxin production by *Aspergillus flavus* Link  
F.D. FERREIRA, C. KEMMELMEIER, C.C. ARROTÉIA, C.L. DA COSTA, C.A. MALLMANN, V. JANEIRO, F.M.D. FERREIRA, S.A.G. MOSSINI, E.L. SILVA & M. MACHINSKI JR. (Brazil)
- 794 Differential sensitivity of D-galactose-binding lectins from fruits of dwarf elder (*Sambucus ebulus* L.) to a simulated gastric fluid  
P. JIMENEZ, J. TEJERO, P. CABRERO, D. CORDOBA-DIAZ & T. GIRBES (Spain)
- 807 Profiles of lipid components, fatty acid distributions of triacylglycerols and phospholipids in Jack beans (*Canavalia gladiata* DC.)  
H. YOSHIDA, N. YOSHIDA, I. KURIYAMA, Y. TOMIYAMA-SAKAMOTO & Y. MIZUSHINA (Japan)
- 813 Antidiabetic activity and molecular docking of fructooligosaccharides produced by *Aureobasidium pullulans* in poloxamer-407-induced T2DM rats  
S.K. BHARTI, S. KRISHNAN, A. KUMAR, K.K. RAJAK, K. MURARI, B.K. BHARTI & A.K. GUPTA (India)
- 835 Investigation on the phase behaviour of gelatin/agarose mixture in an environment of reduced solvent quality  
O. ALMRHAG, P. GEORGE, A. BANNIKOVA, L. KATOPO, D. CHAUDHARY & S. KASAPIS (Australia)
- 843 Identification, characterisation, and quantification of phenolic compounds in the antioxidant activity-containing fraction from the seeds of Korean perilla (*Perilla frutescens*) cultivars  
J.H. LEE, K.H. PARK, M.-H. LEE, H.-T. KIM, W.D. SEO, J.Y. KIM, I.-Y. BAEK, D.S. JANG & T.J. HA (Republic of Korea)
- 853 Degradation kinetics of anthocyanins in acerola pulp: Comparison between ohmic and conventional heat treatment  
G.D. MERCALI, D.P. JAESCHKE, I.C. TESSARO & L.D.F. MARCZAK (Brazil)
- 858 Hypotriglyceridemic and hypoglycemic effects of vescalagin from Pink wax apple [*Syzygium samarangense* (Blume) Merrill and Perry cv. Pink] in high-fructose diet-induced diabetic rats  
S.-C. SHEN & W.-C. CHANG (Taiwan)
- 864 One-step purification of lactoperoxidase from bovine milk by affinity chromatography  
A. ATASEVER, H. OZDEMIR, I. GULCIN & O. IRFAN KUFREVIOLU (Turkey)
- 871 Stability and bioaccessibility of different forms of carotenoids and vitamin A during *in vitro* digestion  
J. COURRAUD, J. BERGER, J.-P. CRISTOL & S. AVALLONE (France)
- 878 Carotenoid compositions of coloured tomato cultivars and contribution to antioxidant activities and protection against H<sub>2</sub>O<sub>2</sub>-induced cell death in H9c2  
H. LI (China, Canada), Z. DENG (China), R. LIU, S. LOEWEN & R. TSAO (Canada)
- 889 Medium chain and behenic acid incorporated structured lipids from sal, mango and kokum fats by lipase acidolysis  
B. BEBARTA, JHANSI M., P. KOTASTHANE & Y.R. SUNKIREDDY (India)

- 895 Application of a qualitative and quantitative real-time polymerase chain reaction method for detecting genetically modified papaya line 55-1 in papaya products  
K. NAKAMURA, H. AKIYAMA, Y. TAKAHASHI, T. KOBAYASHI, A. NOGUCHI, K. OHMORI, M. KASAHARA, K. KITTA, H. NAKAZAWA, K. KONDO & R. TESHIMA (Japan)
- 902 Physico-chemical changes occurring in oil when atmospheric frying is combined with post-frying vacuum application  
A.H. AHMAD TARMIZI (Malaysia), K. NIRANJAN & M. GORDON (UK)
- 909 Physicochemical properties and tenderness of meat samples using proteolytic extract from *Calotropis procera* latex  
S. RAWDKUEN, M. JAIMAKREU & S. BENJAKUL (Thailand)
- 917 Comparison of the affinity and selectivity of insoluble fibres and commercial proteins for wine proanthocyanidins  
K.A. BINDON & P.A. SMITH (Australia)
- 929 Impact of microbial transglutaminase on gelling properties of Indian mackerel fish protein isolates  
S. CHANARAT & S. BENJAKUL (Thailand)
- 938 Non-targeted metabolomic approach reveals urinary metabolites linked to steroid biosynthesis pathway after ingestion of citrus juice  
S. MEDINA, F. FERRERES, C. GARCÍA-VIGUERA (Spain), M.N. HORCAJADA (Spain, France), J. ORDUNA, M. SAVIRÓN (Spain), G. ZUREK (Germany), J.M. MARTÍNEZ-SANZ, J.I. GIL & A. GIL-IZQUIERDO (Spain)
- 947 Infusion and decoction of wild German chamomile: Bioactivity and characterization of organic acids and phenolic compounds  
R. GUIMARÃES (Portugal), L. BARROS (Portugal, Spain), M. DUEÑAS (Spain), R.C. CALHELHA, A.M. CARVALHO (Portugal), C. SANTOS-BUELGA (Spain), M.J.R.P. QUEIROZ & I.C.F.R. FERREIRA (Portugal)
- 955 Changes in nitrate and nitrite concentrations over 24 h for sweet basil and scallions  
A.C. CHANG, T.Y. YANG (Taiwan) & G.L. RISKOWSKI (USA)
- 961 Authentication of beeswax (*Apis mellifera*) by high-temperature gas chromatography and chemometric analysis  
M. MAIA & F.M. NUNES (Portugal)
- 969 Identification of flavonoids and flavonoid rhamnosides from *Rhododendron mucronulatum* for. *albiflorum* and their inhibitory activities against aldose reductase  
S.-Y. MOK & S. LEE (Republic of Korea)
- 975 The influence of the malaxation temperature on the activity of polyphenoloxidase and peroxidase and on the phenolic composition of virgin olive oil  
A. TATICCHI, S. ESPOSTO, G. VENEZIANI, S. URBANI, R. SELVAGGINI & M. SERVILI (Italy)
- 984 Antioxidant activity comparison between [6S]-5-methyltetrahydrofolic acid calcium salt and the related racemate form  
N. MEROLA, F.J.G. ALONSO, G. ROS & M.J.P. CASTÓN (Spain)
- 989 Characterisation of kiwifruit and asparagus enzyme extracts, and their activities toward meat proteins  
M. HA, A.E.-D. BEKHIT, A. CARNE (New Zealand) & D.L. HOPKINS (Australia)
- 999 Antidepressant-like effects of fractions, essential oil, carnosol and betulinic acid isolated from *Rosmarinus officinalis* L.  
D.G. MACHADO, M.P. CUNHA, V.B. NEIS, G.O. BALEN, A. COLLA, L.E.B. BETTIO, Á. OLIVEIRA, F.L. PAZINI, J.B. DALMARCO, E.L. SIMIONATTO, M.G. PIZZOLATTI & A.L.S. RODRIGUES (Brazil)
- 1006 Use of viscera extract from hybrid catfish (*Clarias macrocephalus* × *Clarias gariepinus*) for the production of protein hydrolysate from toothed ponyfish (*Gazza minuta*) muscle  
S. KLOMKLAO (Thailand), H. KISHIMURA (Japan) & S. BENJAKUL (Thailand)
- 1013 Encapsulation of food grade antioxidant in natural biopolymer by electrospinning technique: A physicochemical study based on zein–gallic acid system  
Y.P. NEO, S. RAY, J. JIN, M. GIZDAVIC-NIKOLAIDIS, M.K. NIEUWOUDT, D. LIU & S.Y. QUEK (New Zealand)
- 1022 Simultaneous separation and purification of total polyphenols, chlorogenic acid and phlorizin from thinned young apples  
L. SUN, Y. GUO, C. FU, J. LI & Z. LI (PR China)

- 1030 Antioxidant and antihypertensive properties of liquid and solid state fermented lentils  
M.I. TORINO (Argentina), R.I. LIMÓN, C. MARTÍNEZ-VILLALUENGA (Spain), S. MÄKINEN, A. PIHLANTO (Finland), C. VIDAL-VALVERDE & J. FRIAS (Spain)
- 1047 Suppression of LPS-induced inflammatory activities by *Rosmarinus officinalis* L.  
M.-H. YU, J.-H. CHOI, I.-G. CHAE, H.-G. IM, S.-A. YANG, K. MORE, I.-S. LEE & J. LEE (Republic of Korea)
- 1055 Fucoxanthin content and antioxidant properties of *Undaria pinnatifida*  
A. FUNG, N. HAMID & J. LU (New Zealand)
- 1063 Reverse micellar extraction of bovine serum albumin – A comparison between the effects of gemini surfactant and its corresponding monomeric surfactant  
J. XIAO, J. CAI & X. GUO (PR China)
- 1070 Structure and composition of model cheeses influence sodium NMR mobility, kinetics of sodium release and sodium partition coefficients  
L. BOISARD, I. ANDRIOT, C. ARNOULD, C. ACHILLEOS, C. SALLES & E. GUICHARD (France)
- 1078 Occurrence and sensory perception of Z-2-( $\beta$ -d-glucopyranosyloxy)-3-phenylpropenoic acid in rooibos (*Aspalathus linearis*)  
E. JOUBERT, D. DE BEER, C.J. MALHERBE, N. MULLER, S.L. BONNET, J.H. VAN DER WESTHUIZEN (South Africa) & D. FERREIRA (South Africa, South Africa)
- 1086 Reduction of lipid accumulation in white adipose tissues by *Cassia tora* (Leguminosae) seed extract is associated with AMPK activation  
T.-F. TZENG, H.-J. LU, S.-S. LIOU, C.J. CHANG & I.-M. LIU (Taiwan)
- 1095 Schisarisanolactones A and B: A new class of nortriterpenoids from the fruits of *Schisandra arisanensis*  
I.-W. LO, Y.-C. LIN, T.-C. LIAO, S.-Y. CHEN, P.-H. LIN, C.-T. CHIEN, S.-Y. CHANG & Y.-C. SHEN (Taiwan)
- 1100 Optimisation of resistant starch II and III levels in durum wheat pasta to reduce *in vitro* digestibility while maintaining processing and sensory characteristics  
N. ARAVIND, M. SISSONS, C.M. FELLOWS, J. BLAZEK & E.P. GILBERT (Australia)
- 1110 Abietane diterpenoids from *Isodon lophanthoides* var. *graciliflorus* and their cytotoxicity  
W. ZHOU, H. XIE, P. WU & X. WEI (China)
- General Section: Short Communications**
- 293 A novel mechanism for the promotion of quercetin glycoside absorption by megalosialin  $\alpha$ -1,6-glucosaccharide in the rat small intestine  
A. SHINOKI, W. LANG, C. THAWORNKUNO, H.-K. KANG, Y. KUMAGAI, M. OKUYAMA, H. MORI, A. KIMURA, S. ISHIZUKA & H. HARA (Japan)
- 389 Lead and cadmium concentrations in goat, cow, sheep, and buffalo milks from different regions of Iran  
E. RAHIMI (Iran)
- 632 Comparative analysis of peroxidase profiles in Chinese kale (*Brassica alboglabra* L.): Evaluation of leaf growth related isozymes  
L. TANG, C. WANG, J. HUANG, J. ZHANG, Z. MAO & H. WANG (China)
- 803 Total phenolics, antioxidant properties and quality of fresh-cut onions (*Allium cepa* L.) treated with mild-heat  
M. SIDDIQ, S. ROIDOUNG, D.S. SOGI & K.D. DOLAN (USA)
- ANALYTICAL METHODS: Papers**
- 309 Preparative separation and purification of sulforaphene from radish seeds by high-speed countercurrent chromatography  
P. KUANG, D. SONG, Q. YUAN, X. LV, D. ZHAO & H. LIANG (PR China)
- 342 Separation and purification of sulforaphene from radish seeds using macroporous resin and preparative high-performance liquid chromatography  
P. KUANG, D. SONG, Q. YUAN, R. YI, X. LV & H. LIANG (China)
- 368 An improved mass spectrometric method for identification and quantification of phenolic compounds in apple fruits  
D. DE PAEPE, K. SERVAES, B. NOTEN, L. DIELS, M. DE LOOSE, B. VAN DROOGENBROECK & S. VOORSPOELS (Belgium)

- 479 HPLC confirmatory method development for the determination of seven quinolones in salmon tissue (*Salmo salar* L.) validated according to the European Union Decision 2002/657/EC  
E.N. EVAGGELOPOULOU & V.F. SAMANIDOU (Greece)
- 546 Quantitative determination of fatty acid chain composition in pork meat products by high resolution <sup>1</sup>H NMR spectroscopy  
C. SICILIANO, E. BELSITO, R. DE MARCO, M.L. DI GIOIA, A. LEGGIO & A. LIGUORI (Italy)
- 555 GC/MS analysis of volatiles obtained by headspace solid-phase microextraction and simultaneous-distillation extraction from *Rabdosis serra* (MAXIM.) HARA leaf and stem  
L. LIN, M. ZHUANG, F. LEI, B. YANG & M. ZHAO (China)
- 604 Rapid resolution liquid chromatography–electrospray ionisation tandem mass spectrometry method for identification of chemical constituents in *Citri Reticulatae* Pericarpium  
G.-D. ZHENG, P. ZHOU, H. YANG, Y.-S. LI, P. LI & E.-HU LIU (PR China)
- 624 Optimisation of inoculum concentration and incubation duration for an *in vitro* hindgut dry matter digestibility assay  
L.T. COLES, P.J. MOUGHAN, A. AWATI & A.J. DARRAGH (New Zealand)
- 643 Resveratrols in *Vitis* berry skins and leaves: Their extraction and analysis by HPLC  
C. LIU, L. WANG, J. WANG, B. WU, W. LIU, P. FAN, Z. LIANG & S. LI (PR China)
- 675 A sensitive enzyme-linked immunosorbent assay for the determination of fish protein in processed foods  
Y. SHIBAHARA, Y. UESAKA, J. WANG, S. YAMADA & K. SHIOMI (Japan)
- 695 Quantitative analysis of fungicide azoxystrobin in agricultural samples with rapid, simple and reliable monoclonal immunoassay  
E. WATANABE & S. MIYAKE (Japan)
- 710 CODEX-compliant eleven organophosphorus pesticides screening in multiple commodities using headspace-solid phase microextraction-gas chromatography–mass spectrometry  
Z.-Y. SANG, Y.-T. WANG, Y.-K. TSOI & K.S.-Y. LEUNG (PR China)
- 822 An extract procedure for studying the free and glycosylated aroma compounds in grapes  
A. GENOVESE, A. GAMBUTI (Italy), S.A. LAMORTE (France) & L. MOIO (Italy)
- 1038 Feasibility and application of an HPLC/UVD to determine dinotefuran and its shorter wavelength metabolites residues in melon with tandem mass confirmation  
MD. M. RAHMAN, J.-H. PARK (Republic of Korea), A.M. ABD EL-ATY (Egypt), J.-H. CHOI, A. YANG, K.H. PARK (Republic of Korea), MD. NASHIR UDDIN AL MAHMUD (Bangladesh), G.-J. IM & J.-H. SHIM (Republic of Korea)
- ANALYTICAL METHODS: Short Communication**
- 364 Separation and quantification of water buffalo milk protein fractions and genetic variants by RP-HPLC  
V. BONFATTI, M. GIANTIN, R. ROSTELLATO, M. DACASTO & P. CARNIER (Italy)